

# To enable OpenID Connect

Select Tiki and OpenID Connect from `tiki-admin.php?page=login` -> General preferences -> Authentication method.

Visit the OpenID Connect tab and fill the preferences page.

Tiki uses OpenID Connect with Authorization Code, after a successful login, the user is redirected to Tiki Login page, and a code is passed as query argument. Tiki will contact the OpenID auth endpoint to exchange the code for the Access Tokens.

The redirect URL should point to `tiki-login.php`.

## OKTA OpenID Connect (example)

To use OKTA services you need to create an account at <https://www.okta.com>. Okta offer trial account once your email validated you will be redirected to your Okta Dashboard.

: <https://my.okta.com>

pref	value
Issuer URL	<code>/oauth2/default</code>
Provider URL Authorization	<code>/oauth2/default/v1/authorize</code>
Provider URL user access token	<code>/oauth2/default/v1/token</code>
PKWS URL	<code>/oauth2/default/v1/keys</code>

# Keycloak OpenID Connect (example)

: https://my.server.com  
Realm: master

---

property	value
issuer URL	/auth/realms/master
Provider URL Authorization	/auth/realms/master/protocol/openid-connect/auth
Provider URL user access token	/auth/realms/master/protocol/openid-connect/token
OPKWS URL	/auth/realms/master/protocol/openid-connect/certs

---

Client ID and Client Secret are provided by the service.

# How user is linked

After a successful login and access token retrieved, Tiki will use the user email to match against the existing users.

# How user is created

If no user is matched and the preference "Create user if not registered in Tiki" is enabled, Tiki will use the preferred\_username or the name, returned in the access\_token, to create a new user and login the user right after.

If the username or name, are already in use, Tiki will return an error.

Alias: OIDC