

Performance Tab

×

⚠️ JQuery CDN and Vue.js on Tiki22

Vue.js will not load when "Use CDN for JavaScript" is set to jquery or Google. You have to keep the default (use none). This may be true also for prior and newer versions.

Overview

Use this tab to configure Tiki's general [performance](#) features.

To Access

From the [Performance Admin Panel](#) page, click the **Performance** tab.

Related Topics

- [Performance](#)

Option

Monitor Tiki Performance

Description

Register multiple parameters related to tiki's performance

Default

Disabled

Option

Minify JavaScript

Minify late JavaScript

Use CDN for JavaScript

Description

Compress JavaScript files used in the page into a single file to be distributed statically. Changes to JavaScript files will require cache to be cleared. Uses

<http://code.google.com/p/minify/>

Compress extra JavaScript files used in the page after tiki-setup into a separate file which may vary from page to page.

Obtain jQuery and jQuery UI libraries through a content delivery network (CDN).

☰ None | Google | jQuery

Default

Disabled

Disabled

None

Option

Content delivery networks

Content delivery networks in SSL

Description

Use alternate domains to serve static files from this Tiki site to avoid sending cookies, improve local caching and generally improve user-experience performance.

 *List of URI prefixes to include before static files (one per line), for example: <http://cdn1.example.com>*

Use alternate domains to serve static files from this Tiki site to avoid sending cookies, improve local caching and generally improve user-experience performance. Leave empty to disable CDN in SSL mode.

 *List of URI prefixes to include before static files (one per line), for example: <https://sslcdn1.example.com>*

Default

None

None

Option

Check CDN files exists

Prefix CSS

Minify CSS

Description

Check that minified JS and CSS files exist before including them in the page.

Use -prefix-free JavaScript library to add vendor specific css prefixes.

 *May be replaced by a server-side option soon.* 

Compress CSS files (notably by removing white space).
Changes to CSS files will require cache to be cleared.

Uses <http://code.google.com/p/minify/>

Default

Enabled

Disabled

Disabled

Option


Minify CSS into a single file

GZip output

Cache-control header

Description

In addition to reducing the size of the CSS files, reduce the number of files by consolidating them.

 *This setting may not work out of the box for all styles. Import needs to use `@import url("...")` and not `@import "..."`*

Compress your pages on-the-fly, if the requesting browser supports this

Custom HTTP header to use when a session is active

 *Example: `no-cache, pre-check=0, post-check=0`*

Default

Disabled

Enabled

None

Option

Smarty compilation

Serve profile pictures statically

Allow image lazy loading

Description

Indicates when the template cache should be refreshed.

☰ Modified | Never check (performance) | Always (development, slow)

When enabled, feature checks and permission checks will be skipped.

Allow that images are loaded in a lazy way

Default

Modified

Enabled

Disabled

Unable to load the jQuery Sortable Tables feature.

Option

Monitor Tiki Performance

Description

Register multiple parameters related to tiki's performance

Default

Disabled

Option

Minify JavaScript

Minify late JavaScript

Use CDN for JavaScript

Description

Compress JavaScript files used in the page into a single file to be distributed statically. Changes to JavaScript files will require cache to be cleared. Uses

<http://code.google.com/p/minify/>

Compress extra JavaScript files used in the page after tiki-setup into a separate file which may vary from page to page.

Obtain jQuery and jQuery UI libraries through a content delivery network (CDN).

☰ None | Google | jQuery

Default

Disabled

Disabled

None

Option

Content delivery networks

Content delivery networks in SSL

Description

Use alternate domains to serve static files from this Tiki site to avoid sending cookies, improve local caching and generally improve user-experience performance.

 *List of URI prefixes to include before static files (one per line), for example: <http://cdn1.example.com>*

Use alternate domains to serve static files from this Tiki site to avoid sending cookies, improve local caching and generally improve user-experience performance. Leave empty to disable CDN in SSL mode.

 *List of URI prefixes to include before static files (one per line), for example: <https://sslcdn1.example.com>*

Default

None

None

Option

Check CDN files exists

Prefix CSS

Minify CSS

Description

Check that minified JS and CSS files exist before including them in the page.

Use -prefix-free JavaScript library to add vendor specific css prefixes.

 *May be replaced by a server-side option soon.* 

Compress CSS files (notably by removing white space).
Changes to CSS files will require cache to be cleared.

Uses <http://code.google.com/p/minify/>

Default

Enabled

Disabled

Disabled

Option


Minify CSS into a single file

GZip output

Cache-control header

Description

In addition to reducing the size of the CSS files, reduce the number of files by consolidating them.

 *This setting may not work out of the box for all styles. Import needs to use `@import url("...")` and not `@import "..."`*

Compress your pages on-the-fly, if the requesting browser supports this

Custom HTTP header to use when a session is active

 *Example: `no-cache, pre-check=0, post-check=0`*

Default

Disabled

Enabled

None

Option

Smarty compilation

Serve profile pictures statically

Allow image lazy loading

Description

Indicates when the template cache should be refreshed.

☰ Modified | Never check (performance) | Always (development, slow)

When enabled, feature checks and permission checks will be skipped.

Allow that images are loaded in a lazy way

Default

Modified

Enabled

Disabled

Unable to load the jQuery Sortable Tables feature.

Option

Monitor Tiki Performance

Description

Register multiple parameters related to tiki's performance

Default

Disabled

Option

Minify JavaScript

Minify late JavaScript

Use CDN for JavaScript

Description

Compress JavaScript files used in the page into a single file to be distributed statically. Changes to JavaScript files will require cache to be cleared. Uses

<http://code.google.com/p/minify/>

Compress extra JavaScript files used in the page after tiki-setup into a separate file which may vary from page to page.

Obtain jQuery and jQuery UI libraries through a content delivery network (CDN).

☰ None | Google | jQuery

Default

Disabled

Disabled

None

Option

Content delivery networks

Content delivery networks in SSL

Description

Use alternate domains to serve static files from this Tiki site to avoid sending cookies, improve local caching and generally improve user-experience performance.

 *List of URI prefixes to include before static files (one per line), for example: <http://cdn1.example.com>*

Use alternate domains to serve static files from this Tiki site to avoid sending cookies, improve local caching and generally improve user-experience performance. Leave empty to disable CDN in SSL mode.

 *List of URI prefixes to include before static files (one per line), for example: <https://sslcdn1.example.com>*

Default

None

None

Option

Check CDN files exists

Prefix CSS

Minify CSS

Description

Check that minified JS and CSS files exist before including them in the page.

Use -prefix-free JavaScript library to add vendor specific css prefixes.

 *May be replaced by a server-side option soon.* 

Compress CSS files (notably by removing white space).
Changes to CSS files will require cache to be cleared.

Uses <http://code.google.com/p/minify/>

Default

Enabled

Disabled

Disabled

Option


Minify CSS into a single file

GZip output

Cache-control header

Description

In addition to reducing the size of the CSS files, reduce the number of files by consolidating them.

 *This setting may not work out of the box for all styles. Import needs to use `@import url("...")` and not `@import "..."`*

Compress your pages on-the-fly, if the requesting browser supports this

Custom HTTP header to use when a session is active

 *Example: `no-cache, pre-check=0, post-check=0`*

Default

Disabled

Disabled

None

Option

Smarty compilation

Serve profile pictures statically

Allow image lazy loading

Description

Indicates when the template cache should be refreshed.

☰ Modified | Never check (performance) | Always (development, slow)

When enabled, feature checks and permission checks will be skipped.

Allow that images are loaded in a lazy way

Default

Modified

Enabled

Disabled

Unable to load the jQuery Sortable Tables feature.

Option

Monitor Tiki Performance

Description

Register multiple parameters related to tiki's performance

Default

Disabled

Option

Minify JavaScript

Minify late JavaScript

Use CDN for JavaScript

Description

Compress JavaScript files used in the page into a single file to be distributed statically. Changes to JavaScript files will require cache to be cleared. Uses

<http://code.google.com/p/minify/>

Compress extra JavaScript files used in the page after tiki-setup into a separate file which may vary from page to page.

Obtain jQuery and jQuery UI libraries through a content delivery network (CDN).

☰ None | Google | jQuery

Default

Disabled

Disabled

None

Option

Content delivery networks

Content delivery networks in SSL

Description

Use alternate domains to serve static files from this Tiki site to avoid sending cookies, improve local caching and generally improve user-experience performance.

 *List of URI prefixes to include before static files (one per line), for example: <http://cdn1.example.com>*

Use alternate domains to serve static files from this Tiki site to avoid sending cookies, improve local caching and generally improve user-experience performance. Leave empty to disable CDN in SSL mode.

 *List of URI prefixes to include before static files (one per line), for example: <https://sslcdn1.example.com>*

Default

None

None

Option

Check CDN files exists

Prefix CSS

Minify CSS

Description

Check that minified JS and CSS files exist before including them in the page.

Use -prefix-free JavaScript library to add vendor specific css prefixes.

 *May be replaced by a server-side option soon.* 

Compress CSS files (notably by removing white space).
Changes to CSS files will require cache to be cleared.

Uses <http://code.google.com/p/minify/>

Default

Enabled

Disabled

Disabled

Option


Minify CSS into a single file

GZip output

Cache-control header

Description

In addition to reducing the size of the CSS files, reduce the number of files by consolidating them.

 *This setting may not work out of the box for all styles. Import needs to use `@import url("...")` and not `@import "..."`*

Compress your pages on-the-fly, if the requesting browser supports this

Custom HTTP header to use when a session is active

 *Example: `no-cache, pre-check=0, post-check=0`*

Default

Disabled

Disabled

None

Option

Smarty compilation

Serve profile pictures statically

Allow image lazy loading

Description

Indicates when the template cache should be refreshed.

☰ Modified | Never check (performance) | Always (development, slow)

When enabled, feature checks and permission checks will be skipped.

Allow that images are loaded in a lazy way

Default

Modified

Enabled

Disabled

Unable to load the jQuery Sortable Tables feature.

Option

Minify JavaScript

Minify late JavaScript

Use CDN for JavaScript

Description

Compress JavaScript files used in the page into a single file to be distributed statically. Changes to JavaScript files will require cache to be cleared. Uses

<http://code.google.com/p/minify/>

Compress extra JavaScript files used in the page after tiki-setup into a separate file which may vary from page to page.

Obtain jQuery and jQuery UI libraries through a content delivery network (CDN).

☰ None | Google | jQuery

Default

Disabled

Disabled

None

Option

Content delivery networks

Content delivery networks in SSL

Description

Use alternate domains to serve static files from this Tiki site to avoid sending cookies, improve local caching and generally improve user-experience performance.

 *List of URI prefixes to include before static files (one per line), for example: <http://cdn1.example.com>*

Use alternate domains to serve static files from this Tiki site to avoid sending cookies, improve local caching and generally improve user-experience performance. Leave empty to disable CDN in SSL mode.

 *List of URI prefixes to include before static files (one per line), for example: <https://sslcdn1.example.com>*

Default

None

None

Option

Check CDN files exists

Prefix CSS

Minify CSS

Description

Check that minified JS and CSS files exist before including them in the page.

Use -prefix-free JavaScript library to add vendor specific css prefixes.

 *May be replaced by a server-side option soon.* 

Compress CSS files (notably by removing white space).
Changes to CSS files will require cache to be cleared.

Uses <http://code.google.com/p/minify/>

Default

Enabled

Disabled

Disabled

Option


Minify CSS into a single file

GZip output

Cache-control header

Description

In addition to reducing the size of the CSS files, reduce the number of files by consolidating them.

 *This setting may not work out of the box for all styles. Import needs to use `@import url("...")` and not `@import "..."`*

Compress your pages on-the-fly, if the requesting browser supports this

Custom HTTP header to use when a session is active

 *Example: `no-cache, pre-check=0, post-check=0`*

Default

Disabled

Disabled

None

Option

Smarty compilation

Serve profile pictures statically

Description

Indicates when the template cache should be refreshed.

☰ Modified | Never check (performance) | Always (development, slow)

When enabled, feature checks and permission checks will be skipped.

Default

Modified

Enabled

Unable to load the jQuery Sortable Tables feature.