

# Plugin Code

This [wiki plugin](#) is used to display any source code (including wiki syntax) on a page without it being processed. The code is displayed in a gray box in a fixed-width monospaced font. A title can be added to the box and line numbers added. Syntax highlighting is also available, since Tiki7 using [CodeMirror](#) and using GeSHi before that.

▲ Note about Wiki Argument Variables

[Wiki argument variables](#) like `{{page}}` will be interpreted inside any wiki plugin or wiki syntax. To display a wiki argument variable you can escape the first bracket using the `np` (non parseable) tag: `-np~{~/np~{page}}`

## PARAMETERS

Display code with syntax highlighting and line numbering.

*Introduced in Tiki 1.*

[Go to the source code](#)

*Preferences required:* `wikiplugin_code`

## Parameters

(body of plugin)

`caption`

---

# Accepted Values

text

---

## **Description**

Code to be displayed

Code snippet label.

<b>Default</b>	<b>Since</b>
----------------	--------------

	1
--	---

colors

wrap

text

(blank)

1

0

Any supported language listed at <http://codemirror.net/mode/>. Pref `feature_syntax_highlighter` must be true for this to have any effect

Wrap lines of code which do not fit in the display box's width. Enabling avoids overflow or hidden line ends.

17

1

theme

default| 3024-day| 3024-night| abcdef| ambiance-  
mobile| ambiance| base16-dark| base16-light| bespin|  
blackboard| cobalt| colorforth| dracula| eclipse| elegant|  
erlang-dark| hopscotch| icecoder| isotope| lesser-dark|  
liquibyte| material| mbo| mdn-like| midnight| monokai|  
neat| neo| night| panda-syntax| paraiso-dark| paraiso-  
light| pastel-on-dark| railscasts| rubyblue| seti| solarized|  
the-matrix| tomorrow-night-bright| tomorrow-night-  
eighties| ttcn| twilight| vibrant-ink| xq-dark| xq-light|  
yeti| zenburn

Any supported theme listed at

<https://codemirror.net/demo/theme.html>



ln

rtl

mediawiki

---

(blank)

1

0

(blank)

1

0

(blank)

1

0

---

Show line numbers for each line of code.

Switch the text display from left to right, to right to left  
(left to right by default)

Encloses the code in an HTML code tag, for example:  
&lt;code&gt;user input&lt;code&gt;

---

1

1

0

8.3

## SYNTAX HIGHLIGHTING

To activate syntax highlighting and enjoy most of the options (lines number, colors, etc), the Code editor (CodeMirror) feature must be enabled at [Control Panels > Editing and Plugins > General Settings \(tab\) > Features \(pane\)](#).

See the list of [CodeMirror](#) supported languages that can be used for the `colors` parameter.

If you need a mode that keeps tab spacing, you can use, for instance, mode `scss`.

## EXAMPLE

### PHP WITH LINE NUMBERS

*This code:*

```
{CODE(colors="php")} <?php $menu = $menubar->getHomeMenu(); if($menu->link != "") { print "\t<td width=\"7%\" valign=\"top\">\n"; $menu->printMenu(); print "\t</td>\n"; } {CODE}
```

*Would produce:*

```
<?php $menu = $menubar->getHomeMenu(); if($menu->link != "") { print "\t<td width=\"7%\" valign=\"top\">\n"; $menu->printMenu(); print "\t</td>\n"; }
```

## TIKI SYNTAX HIGHLIGHTING

Tiki syntax is supported too.

*This code:*

```
{CODE(colors="tiki")} {img attId="57|58|59" desc="desc" alt="Sample Images" thumb="y" stylebox="float: left; margin-right:10px"} {CODE}
```

Would produce:

```
{img attId="57|58|59" desc="desc" alt="Sample Images" thumb="y" stylebox="float: left; margin-right:10px"}
```

## LEGACY GESHI DOCUMENTATION (DEPRECATED IN TIKI8)

[+]

### RELATED PAGES

- [GeSHi - Generic Syntax Highlighter](#)
- [Syntax Highlighter](#)
- [CodeMirror](#)

### ALIASES

[Plugin Code](#)