

Plugin HTML

This wiki plugin allows you to add any HTML (including scripts and objects) to a wiki page. This plugin was introduced in Tiki3.

See also [PluginJS](#) and [PluginJQ](#).

×

Note

Because users could potentially add unsafe scripts to a page, this plugin must be validated by a trusted contributor before becoming "live" on the page.

Parameters

Add HTML to a page

Introduced in Tiki 3.

[Go to the source code](#)

Preferences required: `wikiplugin_html`

Parameters	Accepted Values	Description	Default	Since
(body of plugin)		HTML code		
<code>tohead</code>	(blank) 0 1	Insert the code in the HTML head section rather than in the body.	0	17.0
<code>wiki</code>	(blank) 0 1	Parse wiki syntax within the HTML code.	0	3.0

Examples

Basic syntax

{HTML()} You can use **HTML here** including JavaScript, etc. This is unsafe and thus, must be validated by a trusted editor {HTML}

Example 1

You could paste the code you get for a Google Gadget, a PayPal button, etc.
For example, using this code:

Adding an HTML Iframe into a wiki page.

```
{HTML()}
```

TikiFest Montreal Mars 2009 fr. from **Régis Barondeau**

```
{HTML}
```

Will produce this presentation embedded in the page:

TikiFest Montreal Mars 2009 fr. from **Régis Barondeau**

Example 2

Embedding some html object from a site serving embeddable videos (youtube, vimeo, etc):

```
{CENTER()}{HTML()} {HTML}{CENTER}
```

However the plugin call was not validated by the admins but denied, and this is what it would produce:

 **Plugin execution was denied**

After argument validation by an editor, the execution of this plugin was denied. This plugin will eventually be removed or corrected.

Example 3

Making a wiki link to look like a button of the same theme style that you are using. For instance, this code:

```
^{HTML()}Save changes with my custom button to the page PluginHTML, while you send also itemId in the url for  
PluginTrackerList magic, for instance (not used in this simple example){HTML}^
```

Would produce:

```
Save changes with my custom button to the page PluginHTML, while you send also itemId in the url for  
PluginTrackerList magic, for instance (not used in this simple example)
```

Example 4

When the parameter *wiki=1* is used, wiki syntax will be parsed in the content inside HTML plugin.

{HTML(wiki=1)}

This wiki syntax will be parsed to produce special characters: * "Some examples:" ~amp~ ~lt~ ~c~ * __More examples:~ ~gt~ ~ldq~ * ~rdq~ ~lsq~ * ~rsq~ * ~---~ --

{HTML}

produces:

This wiki syntax will be parsed to produce special characters:

- *Some examples:* & < ©
- **More examples:** > “
- ” ‘
- ’
- ~ ~

Alternatives

There are others ways to include HTML in a page:

- Use the WYSIWYG editor. Note that Tiki will automatically filter potentially unsafe content.
- Enable the **Allow HTML in Wiki Pages** option. Note that Tiki will automatically filter potentially unsafe content.
- Use PluginJS to include JavaScript in a wiki page.

Related pages

- [PluginTrackerList](#)