

# PluginKanban

*New in Tiki25 (some work was done for Tiki24 but it wasn't usable). Use this wiki plugin to move tracker items with drag & drop capabilities in Trello-like boards.*

"A kanban board is one of the tools that can be used to implement Kanban to manage work at a personal or organizational level.

Kanban boards visually depict work at various stages of a process using cards to represent work items and columns to represent each stage of the process. Cards are moved from left to right to show progress and to help coordinate team performing the work. A kanban board may be divided into horizontal "swimlanes" representing different kinds of work or different teams performing the work." Source: [https://en.wikipedia.org/wiki/Kanban\\_board](https://en.wikipedia.org/wiki/Kanban_board)

# Components of a Kanban board

- **Columns:** The columns represent the different stages of the workflow. For example, a Kanban board might have columns for "Backlog", "To Do", "In Progress", and "Done"
- **Cards:** The cards represent individual work items. Each card should contain information about the work item, such as the title, description, priority, and due date.
- **Swimlanes:** Swimlanes are used to group cards together. For example, a Kanban board for a software development team might have lanes for different types of work items, such as "Bugs", "Features", and "Maintenance".
- **WIP limits:** WIP limits are used to control the amount of work that is in progress at any given time. This helps to ensure that work is completed in a timely manner.

Here is a demo: <https://kanban.dev4.evoludata.com/>

# Manual Setup

# Settings requirement

It requires following preference settings to work:

- API access enabled (**Security > API access**),
- Enable Vue.js (**Features > Interface > Enable Vue.js**)
- Always Load Vue.js (**Features > Interface > Always Load Vue.js**),


In the Tiki admin Control Panel, search for "vuejs".

By default mysql search won't find "vue" or "vue.js" (mysql ft\_min\_word\_len default is greater than 3 char, see mysql documentation).

# Feature requirements

You will also need to **set or use an existing tracker** to store the cards (items) of your Kanban board with a few fields required for the board to be generated. Note that those fields should be public and searchable (tracker edit Fields list, and don't forget to rebuild-index after changes.

# The column parameter

The column parameter is looking for numerical values. If you use a dropdown with text values only it won't populate the items unless you fill the "Column acceptable values and configuration" parameter. Alternatively, you can use numerical value and text label in the dropdown field options that will be used as your "Column". IE: 0=Not done,1=Done,2=Need improvement." 

# Filtering items displayed

The Kanban plugin items can be filtered using the same filters as the plugin List family. (see: [PluginList filter control block](#) )

# Parameters

*Introduced in Tiki 25. Required parameters are in **bold**.*

[Go to the source code](#)

*Preferences required:* `wikiplugin_kanban`

Parameters	Accepted Values	Description	Default	Since
<b>order</b>	word	Sort order for cards within a cell. Must be a numeric field. You will have to create it if the board represents an existing tracker. It is not meant to be displayed to the user, or represent something global like "priority" (that would make no sense on a partial representation). It merely means that the card is displayed above any card with lower value, and below any card with a higher one if displayed in the same cell. When a card is moved board will halve the value of the two surrounding cards to compute the new value.		25.0
<b>title</b>	word	Tracker field containing the inline editable text shown on each card.		25.0
<b>column</b>	word	Tracker field representing the columns, usually a dropdown list with options such as "Wishes", "Work" and "Done".		25.0



boardTrackerId	int	Id of the tracker the board is a partial representation of	24.0
description	word	Optional text shown below the title on each card.	25.0
swimlane	word	Tracker field representing the "rows" or "swimlanes" of the board. Can be any field with discrete values. Usually represents a client, a project, or a team member. By default, all tracker items with that field set to a valid values will be shown on the board. To allow empty values, see swimlaneValues. Note: A kanban board can have multiple rows, but these rows aren't independent, they share the same possible States and Wip limits. If what you want is completely independent "rows", create two boards on the same tracker, with different filters.	25.0
columnValues	text separator: <code>:</code>	For the tracker field mapped in "column", defines for each column the value a tracker item must have for that field, as well as the label displayed as the column header and the WiP limit for that column. Implicitely defines the number of columns and in which order they are shown; You can skip values so they are not part of the board (and you typically do, if only to eventually archive done	25.0

To filter cards on the board (beyond swimlaneValues and columnValues), you can use the filter control block (<https://doc.tiki.org/PluginList-filter-control-block>), which will filter the items in the tracker. It is important to note that if you do, there is no guarantee that newly created items from the board (their default values may filter them out).

## Examples

# Example 1

As of 2023-03-13, doc.tiki.org is set up for Kanban style management of its own documentation. The example is here:  
<https://doc.tiki.org/DocsTodoKanbanByPriority>

# Example 2

Here is the Step by step PluginKanban setup example.

Step 1 : Tracker setup

Setup a tracker to store the cards (items) of your Kanban board. Copy the below Profile/YAML code to import the tracker

```
permissions: { } preferences: { } objects: - type: tracker ref: kanban_tasks data: name: 'Kanban Tasks' description:
  "{syntax type=tiki}\r\n{syntax type=tiki}\r\nTo test the new Kanban plugin" sort_default_order: desc show:-
list_modification_date - type: tracker_field ref: kanban_tasks_ktaskName data: name: Name permname: ktaskName
  tracker: '$profileobject:kanban_tasks$' options: samerow: 1 autocomplete: 'n' exact: 'n' type: text_field order: 10
visby: { } editby: { } flags: - list - public - mandatory - type: tracker_field ref: kanban_tasks_ktaskDescription data:
name: Description permname: ktaskDescription tracker: '$profileobject:kanban_tasks$' options: samerow: 1 distinct
  'n' wysiwyg: 'n' type: text_area order: 20 visby: { } editby: { } flags: - public - type: tracker_field ref:
  kanban_tasks_ktaskSwimlane data: name: Swimlane permname: ktaskSwimlane tracker:
'$profileobject:kanban_tasks$' options: options: - top=Crawl - middle=Butterfly - bottom=Backstroke type: dropdown
  order: 40 description: 'Also row' visby: { } editby: { } flags: - list - public - type: tracker_field ref:
  kanban_tasks_ktaskPriority data: name: Priority permname: ktaskPriority tracker: '$profileobject:kanban_tasks$'
  options: samerow: 1 dec_point: . thousands: ',' type: numeric order: 50 visby: { } editby: { } flags: - list - public -
  type: tracker_field ref: kanban_tasks_ktaskColumn data: name: Column permname: ktaskColumn tracker:
'$profileobject:kanban_tasks$' options: options: - wish=Wishes - prending=Pending - open=Open - done=Done type:
  dropdown order: 60 visby: { } editby: { } flags: - list - public - type: tracker_option ref:
  kanban_tasks_sort_default_field data: tracker: '$profileobject:kanban_tasks$' name: sort_default_field value:
  modification
```

Once the YAML code above copied, in your tiki instance, go to **Trackers -> Import -> Import From Profile/YAML -> paste the above YAML** code, then **Import**

[Import Structure](#)
[Import From Profile/YAML](#)
[Manage Import-Export Formats](#)

After importing Tracker from Profile/YAML, you should have a tracker with all necessary fields as shown below:

## Tracker Fields: Kanban Tasks ?

[+ Add Field](#)
[Import Fields](#)
[Properties](#)
[Fields](#)
[Trackers](#)
[Items](#)

<input type="checkbox"/>	ID	Name	Type	Rules	List	Title	Search	Public	Mandatory	Actions
<input type="checkbox"/>	105	Name ktaskName	Text Field		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	✗
<input type="checkbox"/>	106	Description ktaskDescription	Text Area		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	✗
<input type="checkbox"/>	108	Swimlane ktaskSwimlane	Dropdown		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	✗
<input type="checkbox"/>	109	Priority ktaskPriority	Numeric		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	✗
<input type="checkbox"/>	110	Column ktaskColumn	Dropdown		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	✗

✕

Step 2 : Use PluginKanban in your Wiki page

Copy the below code into your wiki page (replacing the `boardTrackerId` in the code below from **11** to the number of your Kanban tracker number in your tiki site).

```
{KANBAN(boardTrackerId="11" title="ktaskName" description="ktaskDescription" column="ktaskColumn"
columnValues="wish,Ready,10:prending,Pending,5:open:done" order="ktaskPriority" swimlane="ktaskSwimlane"
swimlaneValues=",Unsorted cards"))}{KANBAN}
```

i.e. PluginKanban uses **permanent names** of tracker fields as parameter value.

<input type="checkbox"/>	ID	Name	Type	Rules	List	Title	Search	Public	Mandatory	Actions
<input type="checkbox"/>	73	<a href="#">Name</a> ktaskName	Text Field		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	74	<a href="#">Description</a> ktaskDescription	Text Area		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

The result should be as shown below:

Board 11 (admin)			
CRAWL			
Ready 0/10	Pending 0/5	Open 0	Done 0
+Add a card			
BUTTERFLY			
Ready 0/10	Pending 0/5	Open 0	Done 0
+Add a card			
BACKSTROKE			
Ready 0/10	Pending 0/5	Open 0	Done 0
+Add a card			
UNSORTED CARDS			
Ready 0/10	Pending 0/5	Open 0	Done 0
+Add a card			

Step 3 : Usage

# Related pages

- AllPlugins
- Trackers

# Aliases

Plugin Kanban | Kanban  
Related

- [https://gitlab.com/tikiwiki/tiki/-/merge\\_requests/1006](https://gitlab.com/tikiwiki/tiki/-/merge_requests/1006)
- Kanban
- <https://kanboard.discourse.group/t/the-tiki-platform-implemented-kanban-functionality/2552/>
- <https://gitter.im/tiki-org/community?at=63b6f6887de82d2616142aa8>