

# PluginList - list or pagination control block

The LIST plugin will display 50 results by default. Depending on the output configuration, this may take some time to render, so you might want to decrease the visible amount of results to improve performance by using this plugin-like control block in the LIST body content.

## Control the maximum number of items

Up to Tiki12.3

```
{list max="10"}
```

Tiki 11 and above

```
{pagination max="10"}
```

## Pagination with inbuilt templates

In order to actually see pagination (and not just a limit on the number of displayed items), you can use the parameter

pagination="y" like so:

```
{output template="table" pagination="y"}
```

Additionally, the pagination control can have the following parameters:

- `onclick`
- `offset_jsvar`
- `offset_arg` to change the key used in the URL for pagination, useful when multiple lists are used within the same page
- `sort_arg` to allow multiple lists to have separate sort keys
- `max` for the number of results per page

Note that this setting will take precedence over any `maxRecords` setting which is set in the query string, and that `maxRecords` in the query string will only apply if `offset` is set anyway, while the above setting will work always.

## ISSUES WITH LIST PLUGINS IN MODULE

Sometimes a list module in a custom module will trigger errors like this:

### Error

Malformed search query: Parsing search query failed: "Field lastModif does not exist in the current index. If this is a tracker field, the proper syntax is tracker\_field\_lastModif."



This is due to the default sort order for the list plugin conflicting with a sort order on other lists (like trackers for instance).  
To fix it add something like this:

```
{pagination max="100" offset_arg="offset_banner" sort_arg="sort_banner"}
```

# Pagination in smarty templates

You can use advanced pagination not using pagination="y" but instead directly creating the pagination within an output Smarty template which contains the following

```
{pagination_links resultset=$results}{/pagination_links}
```

in the template.

Note that you need to combine {pagination} block in the LIST plugin and {pagination\_links} in the smarty template with matching parameters.

LIST plugin

```
{LIST()} {filter type="trackeritem"} {filter field="tracker_id" content="42"} {pagination max="4" offset_arg="liste1"}  
{output template="list-of-meetings.tpl"} {LIST}
```

```
{foreach from=$results item=result} <h2> <a href="{ $result.url}" >{$result.tracker_field_meetingTitle}</a></h2> <div
class="author_info"><em>{$result.date} - {$result.tracker_field_meetingAuthor_text}</em></div> <div class="well">
  {$result.tracker_field_meetingIntro_raw} </div> {/foreach} {pagination_links resultset=$results
  offset_arg="liste1"}{/pagination_links}
```

Alternatively (at least since [Tiki 24](#)) you can add `pagination=1` to your output plugin and pagination will be added to your results without needing to add the `pagination_links` code to your template, e.g.

#### LIST plugin

```
{LIST()} {filter type="trackeritem"} {filter field="tracker_id" content="42" } {pagination max="4" offset_arg="liste1"}
{output template="list-of-meetings.tpl" pagination=1} {LIST}
```

#### ALL THE LIST PLUGIN CONTROL BLOCKS

- [PluginList pagination or list control block](#)
- [PluginList filter control block](#)
- [PluginList output control block](#)
- [PluginList format control block](#)
- [PluginList display control block](#)
- [PluginList sort control block](#)

- [PluginList advanced output control block](#)
  - [PluginList multisearch output control block](#)
  - [PluginList aggregate control block](#)
  - [PluginList overview about control blocks parameters and values](#)
  - [Troubleshooting](#)
  - [GUI](#)
  - [Hacks and Fun](#)
  - [PluginList and Metatags - SEO](#)
-