

Plugin Subscribe Group

Introduced with Tiki 2

If you have allowed users to subscribe themselves to (join) a group, you can use this [wiki plugin](#) to allow them to subscribe/unsubscribe to a specific group. Please see [PluginSubscribeGroups](#) for a similar plugin for subscribing/unsubscribing to more than one group.

SECURITY AND PERMISSIONS

- A user must have the perm `tiki_p_subscribe_group` to be able to see the box
To set this permission go to *Settings > Groups*
- The group must be set as being a **user choice**
To set this configuration go to *Settings > Groups*

⚠ Security Caution

*Using this plugin, **any registered user will be able to access any group** provided that the group has "User Choice" checked in the settings for the group at **Settings > Groups**.*

PARAMETERS

Allow users to subscribe to a group

*Introduced in Tiki 2. Required parameters are in **bold**.*

[Go to the source code](#)

Preferences required: `wikiplugin_subscribegroup`

Parameters

Accepted Values

(body of plugin)

`group`

groupname

`defgroup`

`defgroup_action`

`undefgroup`

`undefgroup_action`

Description

text displayed before the button

Group name to subscribe to or unsubscribe from

Make this the default group text, containing `%s` as the placeholder for the group name.

Default group button label. Will subscribe to the group first if not already a member.

Stop this being default group text, containing `%s` as the placeholder for the group name.

Stop this being default group button label. Does not unsubscribe from the group.

Default

Since

2.0

OK

9.1

OK

9.1

OK

9.1

OK

9.1

subscribe_action

subscribe

unsubscribe_action

unsubscribe

postsubscribe_url url

postunsubscribe_url url

Subscribe button label, containing `%s` as the placeholder for the group name.

Subscribe text, containing `%s` as the placeholder for the group name.

Unsubscribe button label, containing `%0` as the placeholder for the group name.

Unsubscribe text, containing `%s` as the placeholder for the group name.

URL to send the user to after subscribing, if required.

URL to send the user to after unsubscribing, if required.

OK 2.0

Subscribe%s 2.0

OK 2.0

Unsubscribe%s 2.0

8.0

8.0

undefgroup_group

groupname

allowLeaveNonUserChoice

(blank)

y

n

defgroup_redirect_home

(blank)

y

n

Group name to set as default when user stops this group being it.

Always allow leaving a group even if the group settings do not allow user choice.

Redirect to new home page after default group change.
(default is to redirect)

Registered	9.1
------------	-----

n	14.0
---	------

y	9.1
---	-----

USAGE NOTES

- If you use this plugin with the plugin GROUP, be careful that if GROUP is used first, the change will not immediately be shown. GROUP used after SUBSCRIBEGROUP will be fine
- A module with a filter on the group will be affected as soon as the group is changed


EXAMPLES

BASIC


This code:

```
{subscribegroup group="Editors" subscribe="Subscribe to %s" unsubscribe="Leave %s" subscribe_action="Name of subscribe submit button" unsubscribe_action="Name of unsubscribe submit button"}
```

Would produce:



or this screen



ADVANCED

It is possible to make a link to toggle from subscribed/unsubscribed status to some group called **GroupName** by creating a link to a page which contains this plugin and adding the following parameters:

group="GroupName&iSubscribeGroup=1&subscribeGroup=text"

Example:

<http://www.example.com/somepage?group=GroupName&iSubscribeGroup=1&subscribeGroup=text>

Of course, this works if the user is logged in, and **GroupName** needs the correct spelling and capitalization.

RELATED PAGES

- [PluginMemberList](#)

ALIASES

- [Plugin SubscribeGroup](#)
- [Plugin Subscribe Group](#)