

# Plugin Subscribe Group

*Introduced with Tiki 2*

If you have allowed users to subscribe themselves to (join) a group, you can use this wiki plugin to allow them to subscribe/unsubscribe to a specific group. Please see [PluginSubscribeGroups](#) for a similar plugin for subscribing/unsubscribing to more than one group.

# Security and permissions

- A user must have the perm `tiki_p_subscribe_group` to be able to see the box  
To set this permission go to *Settings > Groups*
  - The group must be set as being a **user choice**  
To set this configuration go to *Settings > Groups*
- 

×

## ⚠ Security Caution

*Using this plugin, **any registered user will be able to access any group** provided that the group has "User Choice" checked in the settings for the group at **Settings > Groups**.*

---

# Parameters

Allow users to subscribe to a group

*Introduced in Tiki 2. Required parameters are in **bold**.*

[Go to the source code](#)

*Preferences required: `wikiplugin_subscribegroup`*

Parameters	Accepted Values	Description	Default	Since
(body of plugin)		text displayed before the button		
<b>group</b>	groupname	Group name to subscribe to or unsubscribe from		2.0
defgroup		Make this the default group text, containing <code>%s</code> as the placeholder for the group name.	OK	9.1
defgroup_action		Default group button label. Will subscribe to the group first if not already a member.	OK	9.1
undefgroup		Stop this being default group text, containing <code>%s</code> as the placeholder for the group name.	OK	9.1
undefgroup_action		Stop this being default group button label. Does not unsubscribe from the group.	OK	9.1
subscribe_action		Subscribe button label, containing <code>%s</code> as the placeholder for the group name.	OK	2.0
subscribe		Subscribe text, containing <code>%s</code> as the placeholder for the group name.	Subscribe%s	2.0
unsubscribe_action		Unsubscribe button label, containing <code>%0</code> as the placeholder for the group name.	OK	2.0
unsubscribe		Unsubscribe text, containing <code>%s</code> as the placeholder for the group name.	Unsubscribe%s	2.0
postsubscribe_url	url	URL to send the user to after subscribing, if required.		8.0
postunsubscribe_url	url	URL to send the user to after unsubscribing, if required.		8.0
undefgroup_group	groupname	Group name to set as default when user stops this group being it.	Registered	9.1
allowLeaveNonUserChoice	(blank) y n	Always allow leaving a group even if the group settings do not allow user choice.	n	14.0

# Usage notes

- If you use this plugin with the plugin GROUP, be careful that if GROUP is used first, the change will not immediately be shown. GROUP used after SUBSCRIBEGROUP will be fine
- A module with a filter on the group will be affected as soon as the group is changed

# Examples

# Basic

*This code:*

```
{subscribegroup group="Editors" subscribe="Subscribe to %s" unsubscribe="Leave %s" subscribe_action="Name of  
subscribe submit button" unsubscribe_action="Name of unsubscribe submit button"}
```

*Would produce:*



or this screen



# Advanced

It is possible to make a link to toggle from subscribed/unsubscribed status to some group called **GroupName** by creating a link to a page which contains this plugin and adding the following parameters:

```
group="GroupName&iSubscribeGroup=1&subscribeGroup=text"
```

Example:

```
http://www.example.com/somepage?group=GroupName&iSubscribeGroup=1&subscribeGroup=text
```

Of course, this works if the user is logged in, and **GroupName** needs the correct spelling and capitalization.

# Related pages

- [PluginMemberList](#)



# Aliases

- Plugin SubscribeGroup
- Plugin Subscribe Group