

# Plugin Versions

Use this [Wiki Plugin](#) to divide a [wiki](#) page into separate "versions." Tiki will display a navigation box that allows users to display each version of the page. For example, you can use this plugin to separate a single wiki page into Release 1, Release 2, and Release 3 information.

## PARAMETERS

Create tabs for showing alternate versions of content

*Introduced in Tiki 1.*

[Go to the source code](#)

*Preferences required:* `wikiplugin_versions`

Parameters

Accepted Values

(body of plugin)

default

## Description

Block of text separated by ~~-(version x)-~~ markers. Text before the first marker is used by default.

Specifies version label to show when displaying the page for the first time. Default label is 'Default'

Default	Since
---------	-------

Default	1
---------	---

nav

(blank)

y

n

title

(blank)

y

n

---

Display a navigation box that allows users to select a specific version to display.

Display the current version name as the title. No title shows when `nav="y"`; otherwise shows by default.

---

n	1
y	1

## NOTES

- If you use [Wiki Config](#) wiki page caching, this plugin may not render properly.
- The "versions" used for this plugin are different than the "versions" stored in the [wiki page history](#).

## EXAMPLES

To separate different versions of text use: 3 dashes (hyphens), followed by the version label in parenthesis, followed by at least 3 other dashes or hyphens. For example:

---(version 3)-----

# BASIC EXAMPLE

*This code:*

```
{VERSIONS(nav="y" title="y")}
```

This is the default text

```
---(version 3)-----
```

This is version 3 info

```
---(version 2)-----
```

This is version 2 info

```
---(version 1)-----
```

This is version 1 info

```
{VERSIONS}
```

*Would produce:*

This is the default text

# MORE EXAMPLES

*This code:*

{VERSIONS(nav="n")} This is the default text ---(version 3)----- This is version 3 info ---(version 2)-----  
----- This is version 2 info ---(version 1)----- This is version 1 info {VERSIONS}

*Would produce:*

### **Default**

This is the default text

Sample usage in conjunction with [PluginTracker](#) and [PluginTrackerList](#) (these are Screenshots):



The screenshot shows a web page for 'Inscripcions 2007'. At the top left is an orange square logo. The main heading is 'Inscripcions 2007'. Below this is a navigation bar with the text 'Pre-inscripcions als cursos de l'any 2007'. To the right of this bar is a search box containing 'retroenllaços...' and a dropdown menu set to 'Català'. Below the navigation bar, there are two links: 'Formulari' (highlighted in yellow) and 'Mostra les pre-inscripcions ja realitzades...'. The main content area is titled 'Cursos i horaris disponibles - 2007'. Underneath, it lists 'Cursos de 2007 \*' with two entries: 'Curs (01) - Linux per a persones usuàries de Windows' and 'Curs (02) - Introducció als Sistemes operatius GNU/Linux'. Each entry has a checkbox and a brief description.

Default text: Formulari, using PluginTracker



# Inscripcions 2007

Pre-inscripcions als  
cursos de l'any 2007

retroenllaços... Català

Formulari  
Mostra les pre-inscripcions ja realitzades

## Linux per a persones usuàries de Windows. Introducció a partir de Linkat (o Ubuntu)

Horari: Si no et va bé l'actual, quin t'aniria millor?	Nom	Cognome	Prioritat segons "Tractura digital" FTIC	creat
	Luis Jaime	Ortiz Vasquez	3	Dm 09 de Jan, 2007 [12:57]
	MERCE	BONDIA BOVE	3	Dv 12 de Jan, 2007 [19:22]

Alternate version: Mostra les pre-inscripcions ja realitzades, , using PluginTrackerList

## ALIAS

- PluginVersion