

# Connect - Jitsi

Option	Description	Default
Expose Jitsi provision URL	Provide connection configuration information for Jitsi users to connect to a community/organization instant messaging server.	Disabled
Jitsi configuration	Content of a Jitsi-format Java properties file	None

# Connect - Settings

Option	Description	Default
Tiki connect	Connect your Tiki with the community by sending anonymised statistical data to tiki.org ⚠️ <i>This feature is still under development.</i> 🧪	Disabled
Send site information	Additionally send keywords, location, etc. to tiki.org so you can connect with other Tiki sites near you.	Enabled
Site title	Name of site to be listed on Tiki Connect ⚠️ <i>Site title is required to send site information.</i>	None
Email contact	Email to register	None
URL	URL to register	None
Key words	Key words or tags describing your site	None
Site location	Site location expressed as longitude, latitude, and zoom	None
Send anonymous information	Send anonymous usage information.	Enabled
Connection frequency	How often to send information 👉 <i>Click "Send Info" to connect.</i> ⚠️ <i>Currently not in use.</i> 🧪	168 hours
Tiki connect server URL	Where to send the information. 🧪	https://mother.tiki.org
Last connection	🧪	None
Connect server mode	For use by mother.tiki.org. 🧪	Disabled
Connect GUID	For use by mother.tiki.org. Do not modify 🧪	None





# Copyright

Option	Description	Default
Copyright	Use the Copyright Management System (or ©MS) to display the license of your content	Disabled
License page	The wiki page where the license information is written.	None
Submit notice	Text to appear when content is being submitted	None
Wiki copyright	Apply copyright management preferences to this feature.	Disabled
Article copyright	Apply copyright management preferences to this feature.	Disabled
Blog post copyright	Apply copyright management preferences to this feature.	Disabled
FAQ copyright	Apply copyright management preferences to this feature.	Disabled

# Directory

Option	Description	Default
Directory	User-submitted Web links	Disabled
Columns per page	Number of columns per page when listing directory categories ☰ 1   2   3   4   5   6	3 columns
Links per page	How many links should be displayed per page.	20 links
Validate URLs	Should Tiki check the URL?	Disabled
Enable "popular sites"		Enabled
Show country flag	Show the country flag	Enabled
Method to open Directory links	The linked-to website can be opened in various ways ☰ Replace the current window   Open a new window   Open an iframe	Open a new window

# FAQs

Option	Description	Default
FAQs	Frequently asked questions and answers  <i>There has been discussion about this feature being retired, so keep in mind that normal wiki pages can be used to create and display FAQs.</i> 	Disabled
Prefix for answers	The prefix for that Tiki should display for each FAQ answer.  None   Q and A   Question ID	Q and A
Comments for FAQs	Users with permission may post threaded comments. The comments will appear at the bottom of the page.	Enabled
Default number of comments per page	Maximum number of comments to display on each page. Users may override this number.	10 comments
Default order of comments	In which order to list the comments on the page.  Newest first   Oldest first   Points	Points
FAQ copyright	Apply copyright management preferences to this feature.	Disabled

# Features - Addons

Error: **Cant find features-addons** you may choose from one of the following:

- ads-activatethefeature
- ads-plugins
- ads-siteadsandbanners
- ads
- articles-articleslistingandview-articleview
- articles-articleslistingandview-listarticles
- articles-articleslistingandview
- articles-generalsettings-activatethefeature
- articles-generalsettings-features
- articles-generalsettings-plugins
- articles-generalsettings-sharingonsocialnetworks
- articles-generalsettings
- blogs-blogslistings-itemstodisplay
- blogs-blogslistings
- blogs-generalsettings-activatethefeature
- blogs-generalsettings-comments
- blogs-generalsettings-features
- blogs-generalsettings-plugins
- blogs-generalsettings-sharingonsocialnetworks
- blogs-generalsettings
- calendar-activatethefeature
- calendar-generalsettings
- calendar-plugins
- calendar
- category-activatethefeature
- category-categoryobjects
- category-features
- category-forum

category-inlineplugins  
category-performance  
category-plugins  
category-poll  
category-structure  
category-theme  
category-tracker  
category-wiki  
category  
comments-annotations  
comments-displayoptions  
comments-sitewidefeatures  
comments-usingcommentsinvariousfeatures  
comments  
community-communityfeatures-additionalsoptions  
community-communityfeatures-community  
community-communityfeatures  
community-plugins  
community-socialinteraction-activitystream  
community-socialinteraction-friendshipandfollowers  
community-socialinteraction-goalrecognitionandrewards  
community-socialinteraction-score  
community-socialinteraction-selectwhichitemstodisplaywhenlistingusers  
community-socialinteraction  
connect-jitsi-jitsi  
connect-jitsi  
connect-settings-tikiconnect  
connect-settings  
copyright-activatethefeature  
copyright-features  
copyright  
directory-activatethefeature

directory-directory  
directory  
faqs-activate the feature  
faqs-settings  
faqs  
features-global features-3  
features-global features-4  
features-global features-additional features  
features-global features-administrative features  
features-global features-interaction with online services or other software  
features-global features-mail and sharing  
features-global features-main features  
features-global features-payment and accounting  
features-global features-progressive web app  
features-global features-secondary features  
features-global features  
features-interface-element plus  
features-interface-experimental  
features-interface-jquery plugins and addons  
features-interface  
features-programmer-custom code  
features-programmer-logging and reporting  
features-programmer  
fgal-admin listings-0  
fgal-admin listings  
fgal-enhancements-access  
fgal-enhancements-draw  
fgal-enhancements-h5p  
fgal-enhancements-scorm  
fgal-enhancements-vimeo  
fgal-enhancements  
fgal-general settings-activate the feature



fgal-generalsettings-features  
fgal-generalsettings-quota  
fgal-generalsettings-settingsfordiagrams  
fgal-generalsettings-settingsformediaalchemyst  
fgal-generalsettings-settingsforrecordrtc  
fgal-generalsettings-uploadregex  
fgal-generalsettings  
fgal-listings  
fgal-plugins-plugins  
fgal-plugins  
fgal-searchindexing  
forums-forumlisting  
forums-generalsettings-activatethefeature  
forums-generalsettings-features  
forums-generalsettings-searches  
forums-generalsettings-threads  
forums-generalsettings  
freetags-activatethefeature  
freetags-plugins  
freetags-tags  
freetags-tagsearchpage  
freetags  
general-dateandtime-datetimeselectors  
general-dateandtime-timezoneandformat  
general-dateandtime  
general-generalpreferences-errortracking  
general-generalpreferences-headlessbrowserintegration  
general-generalpreferences-loggingandreporting  
general-generalpreferences-mail  
general-generalpreferences-newsletter  
general-generalpreferences-schedulersettings  
general-generalpreferences-siteidentity

- general-generalpreferences-webcron
  - general-generalpreferences
  - general-generalsettings-contact
  - general-generalsettings-help
  - general-generalsettings-multidomain
  - general-generalsettings-server
  - general-generalsettings-sessions
  - general-generalsettings-siteterminal
  - general-generalsettings-stats
  - general-generalsettings-termsandconditions
  - general-generalsettings
  - general-navigation-breadcrumbs
  - general-navigation-homepage
  - general-navigation-menus
  - general-navigation-namespace
  - general-navigation-redirects
  - general-navigation-siteaccess
  - general-navigation-sitemapprotocol
  - general-navigation-user
  - general-navigation
- i18n
- intertiki-intertikiclient-activatethefeature
- intertiki-intertikiclient-clientserversettings
- intertiki-intertikiclient-currentlylinkedmasterserver
  - intertiki-intertikiclient
- intertiki-intertikimasterserver-activatethefeature
- intertiki-intertikimasterserver-masterserversettings
  - intertiki-intertikimasterserver
- login-cas-cascentralauthenticationservice
  - login-cas-casserver
  - login-cas
- login-generalpreferences-captcha

login-generalpreferences-cookies  
login-generalpreferences-password  
login-generalpreferences-registration  
login-generalpreferences-username  
login-generalpreferences  
login-ldap-ldapadmin  
login-ldap-ldapbindsettings  
login-ldap-ldapuser  
login-ldap-warning  
login-ldap  
login-ldapexternalgroups-ldapadmin  
login-ldapexternalgroups-ldapbindsettings  
login-ldapexternalgroups-ldapexternalgroups  
login-ldapexternalgroups-ldapgroup  
login-ldapexternalgroups-ldapgroupmemberifgroupmembershipcanbefoundingroupattributes  
login-ldapexternalgroups-ldapuser  
login-ldapexternalgroups-ldapusergroupifgroupmembershipcanbefoundinuserattributes  
login-ldapexternalgroups  
login-oauthserversettings-0  
login-oauthserversettings  
login-openidconnect-0  
login-openidconnect  
login-pam-pam  
login-pam  
login-passwordblacklist-password  
login-passwordblacklist  
login-phpbb-phpbb  
login-phpbb  
login-remotetikiautologin-warning  
login-remotetikiautologin  
login-saml2-advancedsettings  
login-saml2-attributemapping

- login-saml2-groupmapping
- login-saml2-identityprovidersettings
  - login-saml2-options
  - login-saml2-saml2
    - login-saml2
- login-shibboleth-shibboleth
  - login-shibboleth
- login-webserver-webserver
  - login-webserver
- look-customization-customcode
  - look-customization-editing
  - look-customization
    - look-layout-logo
- look-layout-modulezonevisibility
  - look-layout-sitereportbar
  - look-layout-title
  - look-layout
- look-miscellaneous-contextmenus
  - look-miscellaneous-favicons
- look-miscellaneous-responsiveimages
  - look-miscellaneous-separators
  - look-miscellaneous-tabs
  - look-miscellaneous
    - look-pagination
    - look-shadowlayer
    - look-theme
- look-uieffects-other
- look-uieffects-standarduieffects
  - look-uieffects-tabuieffects
  - look-uieffects
- maps-defaults
- maps-settings

maps  
mautic-credentials  
mautic-mainsettings  
mautic  
messages-activatefeature  
messages-settings  
messages  
metatags-geomatags  
metatags-metatags-facebook  
metatags-metatags-general  
metatags-metatags-twitter  
metatags-metatags  
metatags-robots  
module-crumbcrumbdescription  
module-modulezonevisibility  
module  
payment-advancedshoppingcart-advancedcarttrackernamessetup  
payment-advancedshoppingcart-cartsettings  
payment-advancedshoppingcart-features  
payment-advancedshoppingcart-productstrackerssetup  
payment-advancedshoppingcart  
payment-payment-0  
payment-payment  
payment-plugins-plugins  
payment-plugins  
payment-shipping  
performance-database  
performance-majorslowdown  
performance-memcache  
performance-monitor  
performance-newsletter  
performance-performance

performance-plugins  
performance-redis  
performance-sessions  
performance-timeandmemorylimits  
performance-wiki  
polls-polls-activatefeature  
polls-polls-plugins  
polls-polls-settings  
polls-polls  
polls-surveys-1  
polls-surveys-activatefeature  
polls-surveys  
print-articles  
print-otherfeatures  
print-pdfsettings  
print-wikiprintversion  
print  
profiles-advanced-repositorystatus  
profiles-advanced  
rating-advanced  
rating-articles  
rating-comments  
rating-defaultoptions  
rating-globalconfiguration  
rating-trackers  
rating-userinterface  
rating-wiki  
rating  
rss-feeds  
rss-generalpreferences  
rss-incomingfeeds  
rtc-bigbluebutton

rtc-xmpp  
score-activate the feature  
score-causes scores older than a certain number of days to expire  
score  
search-federated search  
search-general settings-features  
search-general settings-file galleries searches  
search-general settings-forum searches  
search-general settings-search  
search-general settings  
search-search results-information to display for each result  
search-search results-items to display in search results  
search-search results  
search-stored search  
security-api  
security-general security-csrf security  
security-general security-http headers  
security-general security-smarty and features security  
security-general security-trackers security  
security-general security-user encryption  
security-general security  
security-openpgp-openpgp functionality for pgp mime encrypted email messaging  
security-openpgp  
security-site access  
security-spam protection-captcha  
security-spam protection  
security-tokens  
security-webhooks  
sefurl-activate the feature  
sefurl-settings  
sefurl  
semantic-activate the feature

semantic  
share-activate the feature  
share-site wide features  
share  
social networks-bit  
social networks-general  
social networks-legacy integrations-facebook  
social networks-legacy integrations-linkedin  
social networks-legacy integrations-warning  
social networks-legacy integrations  
social networks-share this  
stats-google analytics-0  
stats-google analytics  
stats-piwiki analytics-0  
stats-piwiki analytics  
stats-tiki statistics-0  
stats-tiki statistics  
textarea-general settings-default size  
textarea-general settings-external links and images  
textarea-general settings-features  
textarea-general settings-markdown  
textarea-general settings-miscellaneous  
textarea-general settings-plugins  
textarea-general settings-typography  
textarea-general settings-wiki syntax  
textarea-general settings  
textarea-plugins-edit plugin icons  
textarea-plugins-filter  
textarea-plugins-plugin preferences  
textarea-plugins-plugins  
textarea-plugins  
trackers-plugins-0








trackers-plugins  
trackers-settings-activatefeature  
trackers-settings-fieldsettings  
trackers-settings-linkedwikipages  
trackers-settings-trackerattachmentpreferences  
trackers-settings-trackerforcefillfeature  
trackers-settings-trackersettings  
trackers-settings  
trackers-systemtrackers-systemtrackers  
trackers-systemtrackers  
user-messagingandnotifications-messages  
user-messagingandnotifications-usernotifications  
user-messagingandnotifications  
user-userfeatures-useraccountfeatures  
user-userfeatures  
user-userfiles-activatefeature  
user-userfiles-settings  
user-userfiles  
user-userinfoandpicture-profilepicture  
user-userinfoandpicture-userinformationdisplay  
user-userinfoandpicture  
user-usersettings-adminuserpreferences  
user-usersettings-defaultuserpreferences  
user-usersettings  
video-kaltura-activatefeature  
video-kaltura-enablerelatedtrackerfieldtypes  
video-kaltura-kalturadynamicplayer  
video-kaltura-kalturapartnersettings  
video-kaltura-kalturatikiconfig  
video-kaltura-legacysupport  
video-kaltura-plugintoembedinpages  
video-kaltura












- webservice-activate-the-feature
- webservice-options
- webservice
- wiki-features-attachments
- wiki-features-comments
- wiki-features-general-features
- wiki-features-namespaces
- wiki-features-redirect-and-similar
- wiki-features-structures
- wiki-features-wiki-watch
- wiki-features-wiki-words-features
- wiki-features
- wiki-flagged-revision-0
- wiki-flagged-revision
- wiki-general-preferences-activate-the-feature
- wiki-general-preferences-automatic-table-of-contents
- wiki-general-preferences-editing
- wiki-general-preferences-page-display
- wiki-general-preferences-page-name
- wiki-general-preferences-plugins
- wiki-general-preferences
- wiki-page-listings-configuration
- wiki-page-listings-options
- wiki-page-listings
- workspace-areas-activate-the-feature
- workspace-areas
- workspace-workspaces-activate-the-feature
- workspace-workspaces-advanced
- workspace-workspaces-dependencies
- workspace-workspaces
- wysiwyg-activate-the-feature
- wysiwyg-legacy-ckeditor-wysiwyg

# Features - Global features


Option	Description	Default
Wiki	Pages and collaboratively authored documents with edit history.	Enabled
File gallery	Storage of files of various formats to display or download, etc. With check-in and check-out (lock) capability	Enabled
Blog	Online diaries or journals.	Disabled
Articles	Articles can be used for date-specific news and announcements. You can configure articles to automatically publish and expire at specific times or to require that submissions be approved before becoming "live."	Disabled
Forums	Threaded or flat discussions.	Disabled
Trackers	Database and form generator	Enabled
Calendar	Events calendar with public, private and group channels.	Disabled
Unified search index	Enables searching for content at the site using a Tiki-managed index. It's recommended to set a cron job to periodically rebuild the search index.	Enabled
Category	Site-wide content category system. Items of different types (wiki pages, articles, tracker items, etc.) can be categorized. Categories can have permissions to control content access	Enabled
Tags	Enables tags to be set on pages and other items for freeform categorization.	Disabled
Polls	Presentation of a set of votable options, typically displayed in a module	Disabled
Quizzes	Sets of questions that can be presented, with the sessions timed and the scores recorded. 🛠️	Disabled
Surveys	Create questionnaires with multiple-choice or open-ended questions	Disabled
Newsletters	Content mailed to registered users or other subscribers.	Disabled
Shoutbox	Quick comment (graffiti) box. Like a group chat, but not in real time.	Disabled
Minichat	Real-time group text chatting enabled through a module.	Disabled
Live support system	One-on-one chatting with customer 🛠️	Disabled
Machine learning	Define machine learning models, train them and run queries against them.	Disabled

Option	Description	Default
Tiki manager	Use local Tiki Manager to install, upgrade, clone and manage local or remote Tikies.	Disabled
Storage path	The path where Tiki Manager will store internal data, backups, logs. It is recommended to be outside document root.  <i>Default: storage/tiki-manager</i>	None
Stats	Record basic statistics about major Tiki features (number of wiki pages, size of file galleries, etc.)	Disabled
Action log	Provides the ability to track the actions of users and produce reports on a per-user or per-category basis.	Enabled
Scheduler	Provides the ability to run tasks at a scheduled time.	Enabled
Banners	Insert, track, and manage advertising banners.	Disabled
Contribution	Enables users to specify the type of contribution they are making while editing items at the site. The contributions are then displayed color-coded in history and other reports.	Disabled
Copyright	Use the Copyright Management System (or ©MS) to display the license of your content	Disabled
Communications (send/receive objects)	Send/receive wiki pages and articles between Tiki-powered sites 	Disabled
Dynamic content system	Block of content which can be reused and programmed (timed)	Disabled
Perspectives	Permits overriding of preferences.	Disabled
Search engine friendly URL	If the site is using Apache, you can rename _htaccess as .htaccess to use short URLs. On IIS, rename web_config as web.config	Disabled
HTML pages	Static and dynamic HTML content  <i>HTML can be used in wiki pages. This is a separate feature.</i> 	Disabled
Areas	Binding categories and perspectives to each other 	Disabled
Tiki suggestions	Tiki suggestions displayed once per login session based on a list of rules	Disabled
Templated Groups	Templated Groups enables Organic Groups, although strictly speaking not all Templated Groups are Organic in the sense of being created by users since they can be completely admin managed.	Disabled
Mautic Integration	Enable the feature here but configure it elsewhere	Disabled
User watches	Receive email notification of changes. Each user can choose to be notified of changes to specific items	Disabled
Group watches	All users in a group selected by a users admin (tiki_p_admin_users) will receive email notification of changes to specific items. Users cannot choose to stop receiving those notifications while they are members of that group	Disabled
Daily reports for user watches	Allows you to schedule daily reports of watches to be sent (batched) at specific times.	Disabled
Enable daily reports for new users	Determines if daily reports will be automatically enabled for new users.	Disabled

Option	Description	Default
User watches translations		Disabled
User watches languages	Watch language-specific changes within a category.	Disabled
Group alert	With this feature you can choose the user in the group to be alerted about some changes in the Tiki site: Calendar items, Tracker changes, Tracker item changes, File gallery changes 🛠️	Disabled
Object maintainers and freshness	Enable tiki objects to have maintainers, update frequency and freshness. Then, console.php objects:notify-maintainers can be used.	Disabled
Default update frequency	Default number of days for object update frequency.	90 days
Spreadsheet	Spreadsheets with calculations and charts	Disabled
Directory	User-submitted Web links	Disabled
Draw (SVG edit)	Draw enables creating and editing SVG images in all wiki text areas	Disabled
Draw (SVG edit) hide buttons	Hide buttons in Draw, HTML id, comma-separated. 👉 <i>Example: "tool_select, tool_fhpath, tools_line_show, tools_rect_show, tools_ellipse_show, tool_path, tools_shapelib_show, tool_text, tool_image, tool_zoom, tool_eyedropper"</i> 🔧	None
Separate base image	Leaves the initially edited image as a separate file and stores the drawing separately 🔧	Disabled
Draw in user file gallery	Users' drawings are stored in their user files gallery 🔧	Disabled
Tiki user credits		Disabled
Accounting	Double-entry accounting system 🔧	Disabled
Payment	Feature for tracking and managing payment requests	Disabled
Social networks	Integration with social applications and networks like Twitter and Facebook	Disabled
Share	Add a "Share" link in all pages to send it via email, Twitter, Facebook, message or forums ⚠️ <i>Be careful when allowing anonymous users to activate the antibot feature.</i>	Disabled
Webmail	Provides a webmail interface for site users' own IMAP or POP accounts. 🔧	Disabled
Mail-in	Create and publish wiki pages and articles via email	Disabled
Docs (WebODF)	Docs enables viewing and editing Open Document Format files 🔧	Disabled
Slideshow (reveal.js)	Create simple presentations via Wiki Syntax.	Disabled
Slideshow (reveal.js) PDF export	Wiki page based slideshow to pdf export 🔧	Disabled
FAQs	Frequently asked questions and answers ⚠️ <i>There has been discussion about this feature being retired, so keep in mind that normal wiki pages can be used to create and display FAQs.</i> 🔧	Disabled

Option	Description	Default
Progressive Web Application Mode	Allow Tiki to be used offline and be installed in a mobile device.  <i>Experimental feature.</i> <i>Only Wiki pages and Trackers are available offline for now.</i> 	Disabled
Links to cache in PWA Mode	List of links to be cached when PWA is enabled  <i>Experimental feature.</i>	None
Tiki connect	Connect your Tiki with the community by sending anonymised statistical data to tiki.org  <i>This feature is still under development.</i> 	Disabled
Kaltura video management	Integration with the Kaltura video management platform	Disabled
Zotero bibliography	Connect Tiki to the Zotero online bibliography management system.  <i>You must supply the following items: Zotero Client Key, Zotero Client Secret, Zotero Group, and Zotero Reference Style.</i>	Disabled
Zotero client key	Required identification key. Registration required.	None
Zotero client secret	Required identification key. Registration required.	None
Zotero group ID	Numeric ID of the group, can be found in the URL.	None
Zotero reference style	Use an alternate Zotero reference style when formatting the references. The reference formats must be installed on the Zotero server.	None
Enable Web Monetization	Enable Web Monetization showing a message in page header. 	Disabled
Default payment pointer	Payment pointer to stream the payments. 	None
Enable for all pages	Enable Web Monetization in all website pages. 	Disabled
Always use default site pointer	Always use default Web Monetization site pointer, even when users add their username. 	Disabled
Default paywall text	Default text to be used in web monetized content paywall. 	None

## Features - Interface

Option	Description	Default
Element Plus	Use Element Plus Vue based UI elements 	Enabled
Element Plus Autocomplete	Provides various dropdown menus on many text input boxes for page names, user names, groups, tags, etc.	Enabled

Option	Description	Default
Element Plus Select	Provides a more advanced select input with features like clearable, collapsible tags, filterable, allow create, and sortable.	Enabled
Clearable Select	whether select can be cleared	Disabled
Collapsible Tags	whether to collapse tags to a text when multiple selecting	Disabled
Max Collapse Tags	max tags to show when collapsed	3
Filterable Select	whether select can be filtered	Enabled
Allow Create	whether creating new items is allowed	Disabled
Sortable	whether selected items can be re-ordered via drag and drop	Disabled
Query Autocomplete	Provides various dropdown menus on many text input boxes for page names, user names, groups, tags, etc. 🛠️	Disabled
Reflection	Creates a reflection under an image. Used in Plugin Img with the parameter "class=reflect"	Disabled
SmartMenus	Add "SmartMenus" to Bootstrap menus. See smartmenus.org for more.	Enabled
SmartMenus collapsible behavior	Parent items behavior in collapsible (mobile) view. ☰ Default   Toggle   Link   Accordion   Accordion toggle   Accordion link	Default
SmartMenus open/close on click	Use mouse clicks to open/close item/sub menus	Disabled
TagCanvas	TagCanvas is a Javascript class which will draw and animate an HTML5 canvas-based tag cloud.	Enabled
Query UI theme	jQuery UI theme. Used in some modal popups and in the TikiSheet feature, etc. 🛠️ ☰ None   black-tie   blitzer   cupertino   dark-hive   dot-luv   eggplant   excite-bike   flick   hot-sneaks   humanity   le-frog   mint-choc   overcast   pepper-grinder   redmond   smoothness   south-street   start   sunny   swanky-purse   trontastic   ui-darkness   ui-lightness   vader	Flick
Query UI	Include jQuery UI library. Enables a number of interface features. ⚠️ <i>This feature is required for the interface for many features to work properly.</i>	Enabled
Validation	Provides various validation possibilities such as for trackers.	Enabled
Query zoom	Enables zoom in images on mouseover or click. Used in Plugin Img with the parameter "thumb=zoombox"	Disabled
Query Select2 Select Boxes	Styled replacement for dropdown select lists and multiple-select inputs.	Disabled
Sortable Select2 Multi-selects	Enable drag and drop re-ordering of Select2 multi-select options.	Disabled
FitVids.js	jQuery plugin for fluid-width (responsive) embedded videos.	Disabled
FitVids.js additional domains	Youtube and Vimeo are supported by default. Also apply FitVids.js to videos from these domains.	None

Option	Description	Default
Query Timeago	jQuery plugin for fuzzy timestamps.	Disabled
Query Double Scroll	jQuery plugin which adds an extra horizontal scroll bar at the top.	Disabled
Allow image lazy loading	Allow that images are loaded in a lazy way	Disabled
Prefix CSS	Use -prefix-free JavaScript library to add vendor specific css prefixes. ⚠️ <i>May be replaced by a server-side option soon.</i> 🧪	Disabled
Query infinite carousel	Create a slideshow (like an image carousel) for file galleries. Used in Plugin Carousel.	Disabled
Query sortable tables	Provides an interactive way to sort and filter data in tables produced with Plugin FancyTable and Plugin TrackerList, as well as administrative tables.	Disabled
Enable Vue.js	Loads the vue.js library. 🧪	Enabled
Always Load Vue.js	Loads the vue.js library for every page.	Enabled
Vue.js Deployment Mode	Selects which vue.js library is used. ☰ Production full (minified)   Production runtime (minified)   Development full   Development runtime only	Production full (minified)
Tracker Field Rules	Conditional rules for tracker fields. ⚠️ <i>Experimental new feature, expect some issues.</i> 🧪	Enabled

# Features - Programmer

Option	Description	Default
Internet of things	Enable usage of Tiki Internet of Things apps 👉 <i>You can use this feature to connect your physical objects with your Tiki instance and collect/monitor your data in real time</i>	Disabled
Integrator	🧪	Disabled
Edit Blogs with XMLRPC API	Tiki implements the XML-RPC API of wBlogger. This API is used by several Windows applications that can be used to manage weblogs. Any application implementing the wBlogger XML-RPC API can be used to edit Tiki blogs. 🛠️	Disabled



Option	Description	Default
Debugger console	<p>A popup console with a list of all PHP and Smarty variables used to render the current webpage. It can be viewed by clicking 'Quick Administration-&gt;Smarty debug window' or by appending ?show_smarty_debug=1 or &amp;show_smarty_debug=1 to the page URL. You may also execute SQL, watch vars and perform a number of other functions.</p> <p>👉 <i>Only viewable by admins</i></p> <p>⚠️ <i>Not suitable for production use.</i></p>	Disabled
TikiTests	Permits recording and playback of functional tests	Disabled
Smarty compilation	<p>Indicates when the template cache should be refreshed.</p> <p>☰ Modified   Never check (performance)   Always (development, slow)</p>	Modified
Web services	Can receive web services via JSON or YAML.	Disabled
Dummy preference	<p>This is useful for developers to learn how to create a new preference. HTML may be used.</p> <p>✳️ <i>This is the detail.</i></p> <p>👉 <i>This is the hint. Wiki syntax may be used.</i></p> <p>👉 <i>This is the shorthand. Wiki syntax may be used.</i></p> <p>⚠️ <i>This is the warning.</i> 🧪</p>	This is the default value o...
PHP Error reporting level	<p>Level of errors to be reported. Errors can be seen in a collapsible box at the bottom of the page, if any exist.</p> <p>☰ No error reporting   Report all PHP errors except strict   Report all PHP errors   Report all PHP errors except notices   According to the PHP configuration</p>	Report all PHP errors excep...
PHP errors visible to admin only	<p>PHP Errors will be shown to only the Admin user.</p> <p>👉 <i>During site development, it's better to display errors to all users. However, in production settings, errors should only be displayed to administrators.</i></p>	Enabled
Include Smarty notices in the PHP error report	<p>Tiki will display Smarty notices with the PHP error messages.</p> <p>👉 <i>In most cases, Smarty notices can be safely ignored. However, they may be useful in the development process when unexpected issues occur.</i></p>	Disabled
Log mail in Tiki logs	<p>A line of type mail will be included in the System Log with the destination address and subject of each email sent.</p> <p>⚠️ <i>May impact performance</i></p>	Disabled
Log SQL	<p>All SQL queries will be registered in the database in the tiki_sql_query_logs table.</p> <p>⚠️ <i>Do not enable this feature all the time. It can be very resource intensive and will impact performance.</i></p>	Disabled
Log queries using more than	<p>Use to log only queries that exceed a specific amount of time.</p> <p>⚠️ <i>May impact performance</i></p>	0.05 seconds

Option	Description	Default
Smarty template usage indicator	<p>Add HTML comment at start and end of each Smarty template (.tpl file)</p> <p>✳ <i>Clear the Tiki system cache for this change to take effect.</i></p> <p>👉 <i>Use only for development, not in production at a live site, because these warnings are added to emails as well, and are visible to users in the page source.</i></p> <p>⚠ <i>May impact performance</i></p>	Disabled
Custom JavaScript	<p>Includes a block of inline JavaScript after the inclusion of jQuery and other JavaScript libs in all pages.</p> <p>👉 <i>Use PluginJS to include Javascript on a single wiki page.</i></p> <p>👉 <i>Do not include the &lt; script &gt; tags.</i></p>	None
Smarty security	<p>Enable/Disable Smarty security. If checked, you can then define allowed and disabled modifiers and tags(functions, blocks and filters) that should be or not accesible to the template.</p> <p>⚠ <i>You should leave this on unless you know what you are doing.</i></p>	Enabled














# File galleries - Admin listings

Option	Description	Default
ID	⋮ Hide   Show as a column   Show in popup box   Both	Show as a column
Type	⋮ Hide   Show as a column   Show in popup box   Both	Show as a column
Description	⋮ Hide   Show as a column   Show in popup box   Both	Show in popup box
Name	⋮ Name-filename   Name only   Filename only	Name only
Size	⋮ Hide   Show as a column   Show in popup box   Both	Show as a column
Created / Uploaded	⋮ Hide   Show as a column   Show in popup box   Both	Show in popup box
Last modified	⋮ Hide   Show as a column   Show in popup box   Both	Show as a column
Uploaded by	⋮ Hide   Show as a column   Show in popup box   Both	Show in popup box
Creator	⋮ Hide   Show as a column   Show in popup box   Both	Show in popup box
Last modified by	⋮ Hide   Show as a column   Show in popup box   Both	Show in popup box
Comment	⋮ Hide   Show as a column   Show in popup box   Both	Show in popup box
Files	⋮ Hide   Show as a column   Show in popup box   Both	Show in popup box
Hits	⋮ Hide   Show as a column   Show in popup box   Both	Show in popup box
Last download	⋮ Hide   Show as a column   Show in popup box   Both	Hide

Option	Description	Default
Locked by	☰ Hide   Show as a column   Show in popup box   Both   Show icon in column	Hide
Backlinks	Present a list of pages that link to the current page. ☰ Hide   Show as a column   Show in popup box   Both	Show as a column
Delete after	☰ Hide   Show as a column   Show in popup box   Both	None
Share	☰ Hide   Show as a column   Show in popup box   Both	None
Source	☰ Hide   Show as a column   Show in popup box   Both	None

# File galleries - Enhancements

Option	Description	Default
WebDAV access to Tiki	Allow file gallery access with WebDAV 👉 <i>use tiki-webdav.php as the URI of the WebDAV repository</i> 📌	Disabled
Use elFinder UI	Alternative file manager with drag and drop capability	Enabled
Use elFinder on Toolbars	Use elFinder in the popup on toolbar FileGallery buttons	Enabled
Enable elFinder debug mode	Shows errors and warnings in the elFinder window and adds debugging information to service calls.	Disabled
Docs (WebODF)	Docs enables viewing and editing Open Document Format files 📌	Disabled
Use PDF.js	Uses PDF.js to display PDF files in web pages	Disabled
H5P support	Handle H5P package files on upload. H5P enables the creation, sharing and reusing of interactive HTML5 content.	Disabled
Default Gallery	File gallery to create new H5P content in by default.	1
Whitelist	Allowed filetypes	json png jpg jpeg gif bmp t...
H5P Developer Mode	Use "patched" libraries?	Disabled
H5P Tracker User	Store H5P results	Disabled
Store user state	Allows users to resume at the point they last got to	Disabled
Save Frequency	How often to update user data.	60 seconds
Export	Allows users to export H5P content	Disabled
Hub Is Enabled	Updates libraries from h5p.org	Enabled





Option	Description	Default
Site Key	H5P Site Key.  <i>Experimental</i>	None
H5P UUID	H5P Unique ID.  <i>Experimental</i>	None
Content Type Updated	Last update.  <i>Experimental</i>	0 seconds
Check Requirements	Unused so far	Enabled
Send Usage Statistics	Unused so far  <i>Experimental</i>	Disabled
Request User Consent	Unused so far  <i>Experimental</i>	Disabled
LRS Content Types	Reporting (?)  <i>Experimental</i>	Disabled
Custom H5P Javascript Files	Comma-separated: library or "*" for all, path to the file and optional version number, one per line.  <i>For example: H5P.Timeline,themes/js/h5p-custom-example.js,1.00</i>	None
Custom H5P CSS Files	Comma-separated library or "*" for all, path to the file and optional version number, one per line.  <i>For example: H5P.Timeline,themes/css/h5p-custom-example.css,1.00</i>	None
Draw (SVG edit)	Draw enables creating and editing SVG images in all wiki text areas	Disabled
Draw (SVG edit) hide buttons	Hide buttons in Draw, HTML id, comma-separated.  <i>Example: "tool_select, tool_fhpath, tools_line_show, tools_rect_show, tools_ellipse_show, tool_path, tools_shapelib_show, tool_text, tool_image, tool_zoom, tool_eyedropper"</i> 	None
Separate base image	Leaves the initially edited image as a separate file and stores the drawing separately 	Disabled
Draw in user file gallery	Users' drawings are stored in their user files gallery 	Disabled
SCORM support	Handle SCORM package files on upload. SCORM is a standard used in learning management systems.	Disabled
SCORM Tracker	The ID number of the tracker used to store SCORM metadata	0
Vimeo upload	Enables video upload to the Vimeo service. API keys are required and approval must be granted by Vimeo for the upload API.	Disabled
Vimeo delete	Causes videos uploaded to the Vimeo service via Tiki file galleries to be deleted when the Tiki file is deleted.  <i>Permanently removes videos from the registered vimeo.com account.</i>	Disabled
Vimeo Default Gallery	The The ID of the default file gallery in which to store the Vimeo reference	1

Option	Description	Default
Vimeo consumer key	API consumer key	None
Vimeo consumer secret	API consumer secret	None
Vimeo access token	The access token that is automatically generated by Vimeo when API keys are requested.	None
Vimeo access token secret	The access token secret automatically generated by Vimeo when API keys are requested	None

# File galleries - General settings

Option	Description	Default
File gallery	Storage of files of various formats to display or download, etc. With check-in and check-out (lock) capability	Enabled
Home file gallery (main file gallery)	Select the default file gallery ☰ File Galleries   Branding Graphics   colorbox   Documentation temporarily in P   Drawings   Example EPSG:4326 geoJSON boun   Example EPSG:4326 geoJSON path   Example map object images   Example POI icons   exportet-structures-francais,c   Fonctionnalité Articles   Gérer les Utilisateurs   H5P Content   Images for plugin Diagram   Images for slideshows   Images for the Documentation p   Images...	Images for slideshows
Description	☰ Hide   Show as a column   Show in popup box   Both	Show in popup box
Storage	Specify if uploaded files should be stored in the database or file directory. ☰ Store in database   Store in directory	Store in database
Preserve filenames	Preserve original filename instead assigning a hash as name	Disabled
Path to the directory to store file gallery files	Specify a directory on this server, for example: /var/www/ It's recommended that this directory not be web-accessible. PHP must be able to read/write to the directory.	storage/fgal/
Podcast directory	File system directory for storing podcast files 👉 <i>The server must be able to read/write the directory. Required for podcasts.</i>	files/
Rankings	Users can view the “top” or “most” downloaded files.	Disabled
File gallery comments	Users with permission may post threaded comments. The comments will appear at the bottom of the page.	Disabled
Display ZIP option in gallery	Users can upload a .zip (archive file). Tiki will automatically un-zip the archive and add each file to the gallery..	Disabled

Option	Description	Default
Allow download limit per file		Disabled
Prevent download if score becomes negative	If using Tiki Score system, users with a negative score cannot download files.	Disabled
Allow file duplicates	Allow the same file to be uploaded more than once. ☰ Never   Yes, even in the same gallery   Only in different galleries	Yes, even in the same gallery
Use jQuery upload	Use the improved Tiki 15+ upload page	Enabled
Batch uploading	Direct import of local files into a file gallery. This method can handle large files. The user can upload files via FTP to the target folder. It is highly recommended to use a file directory as the file gallery storage when using this feature.	Disabled
Path	👉 <i>To enable and use directory batch loading, set up a web-readable directory (preferably outside the web space). Then upload files to that directory, such as with SCP, FTP, etc The server must be able to read the directory. The directory can be outside the web space.</i>	None
Require file creator's name for anonymous uploads		Disabled
Automatic deletion of old files	The user will have an option when uploading a file to specify the time after which the file is deleted ⚠️ <i>A cron job must be set up in order to delete the files.</i>	Disabled
Deletion emails notification	Email addresses (comma-separated) to receive a copy of each deleted file	None
Keep the same fileId for the latest version of a file	If the checkbox is checked, the file ID of the latest version of a file stays the same. A link to the file will always link to the latest version. If not checked, each version of the file is assigned its own file ID, so a link to the file will be to a specific version of the file	Enabled
Store user files in a file gallery	👉 <i>Use the file gallery admin and the individual file gallery settings to manage file storage preferences.</i> 🧪	Disabled
Use file galleries for wiki attachments	Wiki attachments will be stored in the file gallery. This is the preferred way to store attachments starting Tiki 26+.	Enabled

Option	Description	Default
Save files as drafts	Allow saving of files as drafts	Disabled
File gallery configuration templates		Disabled
Allow searching for existing files in the tracker files field	Search files using the search index.	Enabled
Set MIME type based on file suffix	Sets the MIME type of an image file according to the file suffix when it is incorrectly detected as application/octet-stream 	Disabled
Clean XML Always	Sanitize XML based files such as SVG for all users.	Enabled
Allow SVG file upload	Because SVG files may contain malicious code and compromise system security, specifically grant permission to upload SVG files..	Disabled
Upload files from remote source	Enable copying files to file galleries from a URL that will be polled for new revisions.	Disabled
Domains	Allowed domains  <i>One domain per line</i>	None
Remote source refresh frequency limit	Minimum number of seconds to elapse between remote source checks to prevent flooding the server with requests.  <i>Set to zero to disable refresh</i>	3600 seconds
Display controls to attempt a file refresh	Let users trigger a refresh attempt from the remote host.	Disabled
Validate uploaded file content	Do not trust user input and open the files to verify their content.	Enabled
Redirect to file gallery	If enabled, redirect all requests to images that were migrated from the image gallery to the corresponding file in the file gallery	Disabled

Option	Description	Default
View or export office documents as PDF	If enabled allows to view documents without download or to export documents as PDF files	Disabled
Maximum width of file preview in pixels	The maximum value of width in pixels for the files preview in the popover.	250
Quota for all files and archives	<p>The total size of files uploaded to all the file galleries or to a specific file gallery can be limited. The quota for a file gallery applies to that file gallery and all the file galleries under it. When the limit is reached, no more files can be uploaded. The user will see an explanatory error message. An email can be sent via the Mail notifications feature.)</p> <p>👉 0 for unlimited</p>	0 megabytes
Quota for each file gallery	A different quota can be defined for each file gallery.	Disabled
Default quota for each new gallery	👉 0 for unlimited	0 megabytes
Must match	<p>A regular expression that must be matched to accept the file example A-Za-z* (filename can only have a-z letters) For example, if you want to require that uploads must have a wordprocessing file extension, you could enter</p> <p>.*(odt sxw doc dot rtf wpt frm wpd txt ODT SXW DOC DOT RTF WPT FRM WPD TXT)</p>	None
Cannot match	A regular expression that, if matched, causes the file to be rejected. For example, .gif rejects gif images. Note that the period must be escaped since a regular expression is being used. If you don't know anything about regular expressions just leave the fields blank and all the files will be accepted.	None
ffmpeg path	Path to the location of the ffmpeg binary	/usr/bin/ffmpeg
ffprobe path	Path to the location of the ffprobe binary	/usr/bin/ffprobe
unoconv path	Path to the location of the unoconv binary.	/usr/bin/unoconv
unoconv timeout	The maximum amount of time for unoconv to execute.	60 seconds
unoconv port	unoconv running port.	2002
ghostscript path	Path to the location of the ghostscript binary.	/usr/bin/gs
Alchemy Image library	<p>Select either Image Magick or GD Graphics Library.</p> <p>☰ Imagemagick   GD</p>	Imagemagick
Export diagram image on save	If enabled, diagrams will be cached in PNG format when saved or edited.	Enabled



Option	Description	Default
Use locally CasperJS to export images	If enabled, diagrams can be exported using CasperJS.	Disabled
Use draw.io public services to export images	When exporting PDFs, if this setting is enabled, diagram images will be fetched using Drawio's services if not in cache. This basically works like a fallback.	Disabled
Draw.io service endpoint	Configure the draw.io service endpoint to export the diagram images.	https://convert.diagrams.ne..
Use diagram compression by default	if this setting is enabled, diagram will use compression by default.	Enabled
Use RecordRTC to screen record	if this setting is enabled, will use RecordRTC to record the screen activity. 🛑	Disabled
Gallery default for RecordRTC recordings	Select gallery to be used as the default target for RecordRTC recordings 📑 File Galleries   Branding Graphics   colorbox   Documentation temporarily in P   Drawings   Example EPSG:4326 geoJSON boun   Example EPSG:4326 geoJSON path   Example map object images   Example POI icons   exportet-structures-francais,c   Fonctionnalité Articles   Gérer les Utilisateurs   H5P Content   Images for plugin Diagram   Images for slideshows   Images for the Documentation p   Images... 🛑	None

# File galleries - Listings

Option	Description	Default
Default view	📑 List   Browse   Page   Finder view	Finder view
Default sort field	📑 Creation Date   Name   Last modification date   Hits   Owner   Description   ID	Name
Default sort direction	📑 Descending   Ascending	Ascending
Show quota bar in the list page	📑 Never   Yes, display bar and detail text   Yes, display only bar   Yes, display only text	Yes, display only bar
Include a search form in file galleries		Enabled
Searchable file gallery content	Include the search form on the current gallery page just after "Find"	Disabled
Show thumbnail actions	Show the checkbox and wrench icon for file actions menu when not displaying details	Enabled
Maximum thumbnail size	Maximum width or height for image thumbnails	120 pixels

Option	Description	Default
Maximum name length	Length to which to truncate file names in browse view.	40 characters
Maximum width of images	Default maximum width of images in galleries. 👉 <i>0 for unlimited</i>	0 pixels
Maximum height of images	Default maximum height of images in galleries. 👉 <i>0 for unlimited</i>	0 pixels
Maximum rows per page		10 rows
Display hits ratio to maximum	Display hits with a ratio of hits to maximum hits	Disabled
Display properties in the context menu		Enabled
Display "Replace" in the context menu		Enabled
Allow action on multiple files or galleries	Include "Remove" as an option for the checkbox action in file galleries	Enabled
Gallery icon	Enter the ID of any file in any gallery to be used as the icon for this gallery in browse view	None
Show explorer		Enabled
Show path		Enabled
Show slideshow		Disabled
Show OCR Status	⌵ Hide   Show as a column   Show in popup box   Both	Hide
D	⌵ Hide   Show as a column   Show in popup box   Both	Show in popup box
Type	⌵ Hide   Show as a column   Show in popup box   Both	Show as a column
Name	⌵ Name-filename   Name only   Filename only	Name only
Size	⌵ Hide   Show as a column   Show in popup box   Both	Show as a column
Created / Uploaded	⌵ Hide   Show as a column   Show in popup box   Both	Show in popup box
Last modified	⌵ Hide   Show as a column   Show in popup box   Both	Show as a column
Uploaded by	⌵ Hide   Show as a column   Show in popup box   Both	Show in popup box
Creator	⌵ Hide   Show as a column   Show in popup box   Both	Show in popup box
Last modified by	⌵ Hide   Show as a column   Show in popup box   Both	Show in popup box
Comment	⌵ Hide   Show as a column   Show in popup box   Both	Show in popup box
Files	⌵ Hide   Show as a column   Show in popup box   Both	Show in popup box
Hits	⌵ Hide   Show as a column   Show in popup box   Both	Show in popup box
Last download	⌵ Hide   Show as a column   Show in popup box   Both	Hide

Option	Description	Default
Locked by	☰ Hide   Show as a column   Show in popup box   Both   Show icon in column	Both
Backlinks	Present a list of pages that link to the current page. ☰ Hide   Show as a column   Show in popup box   Both	Hide
Delete after	☰ Hide   Show as a column	Hide
Share	☰ Hide   Show as a column   Show in popup box   Both	Hide
Source	☰ Hide   Show as a column   Show in popup box   Both	Hide

# File galleries - Plugins

Option	Description	Default
Plugin Files	List files by ID, gallery or category, or show a slideshow of image files	Enabled
Plugin File	Link to a file that's attached or in a gallery or archive	Enabled
Plugin Image	Display one or more custom-formatted images	Enabled
Plugin Colorbox	Display a gallery of images in a popup slideshow	Disabled
Plugin Draw	Embed a drawing in a page	Enabled
Plugin Image Annotation	Annotate an image	Disabled

# File galleries - Search indexing

Option	Description	Default
Automatic indexing of file content	Uses command line tools to extract the information from the files based on their MIME types.	Disabled
Automatic indexing of emails stored as files	Parses message/rfc822 types of files (aka eml files) and stores individual email headers and content in search index.	Disabled
Asynchronous indexing		Enabled
OCR Files	Extract and index text from supported file types.	Disabled
OCR Every File	Attempt to OCR every supported file.	Disabled
Allow file level OCR languages	Allow users to change the default languages that will be used to OCR a file.	Enabled
OCR limit languages	Limit the number of languages one can select from this list. ☰ Auto detect languages   Afrikaans (Afrikaans)   Albanian (Shqip)   Amharic (አማርኛ)   Arabic   Arabic (العربية)   Armenian   Armenian (Հայերեն)   Assamese (অসমীয়া)   Azerbaijani (azərbaycan dili)   Azerbaijani (azərbaycan dili) (cyril)   Basque (euskara, euskera)   Belarusian (беларуская мова)   Bengali   Bengali (বাংলা)   Bosnian (bos...	None
tesseract path	Path to the location of the binary. Defaults to the \$PATH location. 👉 If blank, the \$PATH will be used, but will likely fail with scheduler.	/usr/bin/tesseract
pdftimages path	Path to the location of the binary. Defaults to the \$PATH location. 👉 If blank, the \$PATH will be used, but will likely fail with scheduler.	/usr/bin/pdftimages