

Option

Polls

Plugin Poll

Anonymous voting

Allow re-voting

Comments for polls

Number per page

Description

Presentation of a set of votable options, typically displayed in a module

Embed a poll

Allow anonymous users to participate in voting

 *This can be overridden by specific permissions.*

Visitors can vote multiple times in a poll.

Users with permission may post threaded comments.

The comments will appear at the bottom of the page.

Number of comments to show on poll pages

Default

Disabled

Enabled

Disabled

Enabled

Disabled

10 comments

Option

Display order

Show categories

Show objects

Multiple polls per object

Precision of survey results calculation

Description

The order in which order polls are displayed

☰ Newest first | Oldest first | Points

For polls that are categorized, the category is displayed.

List wiki pages or other site objects that the poll is attached to.

When used with the rating features, allow multiple polls to be attached to a single object.

Number of decimal places in the percentage figures

Default

Points

Disabled

Disabled

Disabled

2 decimal places

Unable to load the jQuery Sortable Tables feature.

Option

Polls

Plugin Poll

Anonymous voting

Allow re-voting

Comments for polls

Number per page

Description

Presentation of a set of votable options, typically displayed in a module

Embed a poll

Allow anonymous users to participate in voting

👉 *This can be overridden by specific permissions.*

Visitors can vote multiple times in a poll.

Users with permission may post threaded comments.

The comments will appear at the bottom of the page.

Number of comments to show on poll pages

Default

Disabled

Enabled

Disabled

Enabled

Disabled

10 comments

Option

Display order

Show categories

Show objects

Multiple polls per object

Precision of survey results calculation

Description

The order in which order polls are displayed

☰ Newest first | Oldest first | Points

For polls that are categorized, the category is displayed.

List wiki pages or other site objects that the poll is attached to.

When used with the rating features, allow multiple polls to be attached to a single object.

Number of decimal places in the percentage figures

Default

Points

Disabled

Disabled

Disabled

2 decimal places

Unable to load the jQuery Sortable Tables feature.

Option

Polls

Plugin Poll

Anonymous voting

Allow re-voting

Comments for polls

Number per page

Description

Presentation of a set of votable options, typically displayed in a module

Embed a poll

Allow anonymous users to participate in voting

 *This can be overridden by specific permissions.*

Visitors can vote multiple times in a poll.

Users with permission may post threaded comments.

The comments will appear at the bottom of the page.

Number of comments to show on poll pages

Default

Disabled

Enabled

Disabled

Enabled

Disabled

10 comments

Option

Display order

Show categories

Show objects

Multiple polls per object

Precision of survey results calculation

Description

The order in which order polls are displayed

☰ Newest first | Oldest first | Points

For polls that are categorized, the category is displayed.

List wiki pages or other site objects that the poll is attached to.

When used with the rating features, allow multiple polls to be attached to a single object.

Number of decimal places in the percentage figures

Default

Points

Disabled

Disabled

Disabled

2 decimal places

Unable to load the jQuery Sortable Tables feature.

Option

Polls

Plugin Poll

Anonymous voting

Allow re-voting

Comments for polls

Number per page

Description

Presentation of a set of votable options, typically displayed in a module

Embed a poll

Allow anonymous users to participate in voting

 *This can be overridden by specific permissions.*

Visitors can vote multiple times in a poll.

Users with permission may post threaded comments.

The comments will appear at the bottom of the page.

Number of comments to show on poll pages

Default

Disabled

Enabled

Disabled

Enabled

Disabled

10 comments

Option

Display order

Show categories

Show objects

Multiple polls per object

Precision of survey results calculation

Description

The order in which order polls are displayed

☰ Newest first | Oldest first | Points

For polls that are categorized, the category is displayed.

List wiki pages or other site objects that the poll is attached to.

When used with the rating features, allow multiple polls to be attached to a single object.

Number of decimal places in the percentage figures

Default

Points

Disabled

Disabled

Disabled

2 decimal places

Unable to load the jQuery Sortable Tables feature.

Option

Surveys

Disable textarea toolbar

Description

Create questionnaires with multiple-choice or open-ended questions

Don't display the toolbar on text inputs in surveys.

Default

Disabled

Disabled

Unable to load the jQuery Sortable Tables feature.

Option

Surveys

Disable textarea toolbar

Description

Create questionnaires with multiple-choice or open-ended questions

Don't display the toolbar on text inputs in surveys.

Default

Disabled

Disabled

Unable to load the jQuery Sortable Tables feature.

Option

Surveys

Disable textarea toolbar

Description

Create questionnaires with multiple-choice or open-ended questions

Don't display the toolbar on text inputs in surveys.

Default

Disabled

Disabled

Unable to load the jQuery Sortable Tables feature.

Option

Surveys

Disable textarea toolbar

Description

Create questionnaires with multiple-choice or open-ended questions

Don't display the toolbar on text inputs in surveys.

Default

Disabled

Disabled

Unable to load the jQuery Sortable Tables feature.

PRINT

Option

PDF from URL

WebKit path

WeasyPrint path

Webservice URL

Description

Using external tools, generate PDF documents from URLs.

☰ Disabled | WebKit (wkhtmltopdf) | WeasyPrint | Webservice | mPDF

Full path to the wkhtmltopdf executable to generate the PDF document with

Full path to the weasyprint executable to generate the PDF document with

URL to a service that takes a URL as the query string and returns a PDF document

Default

Disabled

None

None

None

Option

PDF Orientation

PDF page size

Print Friendly PDF

Table of contents

Description

Landscape or portrait

☰ Portrait | Landscape

ISO Standard sizes: A0, A1, A2, A3, A4, A5 or North

American paper sizes: Letter, Legal, Tabloid/Ledger (for ledger, select landscape orientation)

☰ Letter | Legal | Tabloid/Ledger | A0 | A1 | A2 | A3 | A4 | A5 | A6

Useful for dark themes, enabling this option will change the theme background color to white and the color of text to black. If not activated, theme colors will be retained in the pdf file.

Generate auto table of contents with PDF

Default

Portrait

A4

Enabled

Disabled

Option

Link TOC with content

TOC heading

PDF TOC levels

Show Page title

Description

Link table of contents headings with content in the PDF

Heading to be displayed above the table of contents

These will be automatically created from the content; the default will be heading 1, heading 2 and heading 3 - for example, H1|H2|H3.

Print wiki page title with pdf

☰ Default | Yes | No

Default

Disabled

Table of Contents

H1|H2|H3

None

Option


PDF header text

PDF footer text


Left margin

Description

Possible values, Plain text, HTML, Wiki syntax,
45, {PAGETITLE}, {DATE j-m-Y}, Page
45 of {NB},

 *HTML / Wiki Syntax / Left text | Center Text | Right
Text*

HTML, Wiki Syntax, plain text, 45, {DATE j-m-
Y}, Page 45 of {NB}.

 *HTML / Wiki Syntax / Left text | Center Text | Right
Text*

Numeric value. For example 10

Default

None

None

10 pixels

Option

Right margin

Top margin

Bottom margin

Header margin from top of document

Description

Numeric value, no need to add px. For example 10

Numeric value, no need to add px. For example 10

Numeric value, no need to add px. For example 10

Only applicable if the header is set. Specify a numeric value, and there is no need to add "px". For example, 10.

 *Warning: Header can overlap text if top margin is not set properly*

Default

10 pixels

10 pixels

10 pixels

5 pixels

Option

Footer margin from bottom of document


Hyperlink behaviour in PDF


PDF Bookmarks

Number of columns

Description


Only applicable if the footer is set. Specify a numeric value, and there is no need to add "px". For example, 10.

 *Warning: Footer can overlap text if bottom margin is not set properly*

 Default | Off (Links will be removed) | Add as footnote (Links will be listed at end of document)

Automatically generate bookmarks

 *H1-H6, separated by |.For example: H1|H2|H3*

 Default - 1 Column | 2 Columns | 3 Columns | 4 Columns

Default

5 pixels

None

H1|H2|H3

None

Option

PDF password for viewing

Watermark text

Watermark Image URL

PDF page background color

PDF page background image

CoverPage text settings

Description

Password-protect the generated PDF.

PDF watermark text, if any

The watermark image will appear under the text. Enter the complete image URL.

Enter a valid CSS color code.

Enter the full URL.

Heading|Subheading|Alignment|Background color|Text color|Page border|Border color. Enter settings separated by |. Leave blank to use default settings.

Default

None

None

None

None

None

None

Option

Coverpage image URL

Allow Unsafe SSL Requests

Printing to PDF memory limit

Description

Enter the full URL.

Allow curl unsafe ssl request

Temporarily adjust the memory limit to use during Printing to PDF. Depending on the volume of data, some large operations require more memory. Increasing it locally, per operation, allows to keep a lower memory limit globally. Keep in mind that memory usage is still limited to what is available on the server.

 *for example: 256M*

Default

None

Enabled

None

Option

Printing to PDF time limit

Slideshow (reveal.js) PDF export

Print modules


Description

Temporarily adjust the time limit to use during Printing to PDF. Depending on the volume of data, some requests may take longer. Increase the time limit locally to resolve the issue. Use reasonable values.

 *for example: 30*

Wiki page based slideshow to pdf export 

Modules to show on when print a page

 Top modules | Topbar modules | Pagetop modules | Left modules | Right modules | Pagebottom modules | Bottom modules | Admin modules

Default

None

Disabled

None

Option

Print wiki authors

Print Wiki

MultiPrint

Print indexed

Description

Include wiki page authors and date in print versions of wiki pages.

Provide a print icon and layout of the wiki page formatted for printing

Enable printing of multiple wiki pages as well as an entire structure of wiki pages as a book in a single HTML document

Generate a printable version of the whole wiki or a subset of pages, filtered by category.

Default

Disabled

Disabled

Disabled

Disabled

Option

Print original wiki URL

Print articles

Print original tracker item URL

Print original forum post URL

Description

Include original wiki page URL in print versions of wiki pages.

Include original wiki page URL in print versions of wiki pages.

Include original forum post URL in print version of forum posts.

Default

Enabled

Enabled

Enabled

Enabled

Unable to load the jQuery Sortable Tables feature.

Option

PDF from URL

WebKit path

WeasyPrint path

Webservice URL

Description

Using external tools, generate PDF documents from URLs.

☰ Disabled | WebKit (wkhtmltopdf) | WeasyPrint | Webservice | mPDF

Full path to the wkhtmltopdf executable to generate the PDF document with

Full path to the weasyprint executable to generate the PDF document with

URL to a service that takes a URL as the query string and returns a PDF document

Default

Disabled

None

None

None

Option

PDF Orientation

PDF page size

Print Friendly PDF

Table of contents

Description

Landscape or portrait

☰ Portrait | Landscape

ISO Standard sizes: A0, A1, A2, A3, A4, A5 or North

American paper sizes: Letter, Legal, Tabloid/Ledger (for ledger, select landscape orientation)

☰ Letter | Legal | Tabloid/Ledger | A0 | A1 | A2 | A3 | A4 | A5 | A6

Useful for dark themes, enabling this option will change the theme background color to white and the color of text to black. If not activated, theme colors will be retained in the pdf file.

Generate auto table of contents with PDF

Default

Portrait

A4

Enabled

Disabled

Option

Link TOC with content

TOC heading

PDF TOC levels

Show Page title

Description

Link table of contents headings with content in the PDF

Heading to be displayed above the table of contents

These will be automatically created from the content; the default will be heading 1, heading 2 and heading 3 - for example, H1|H2|H3.

Print wiki page title with pdf

☰ Default | Yes | No

Default

Disabled

Table of Contents

H1|H2|H3

None

Option


PDF header text

PDF footer text


Left margin

Description

Possible values, Plain text, HTML, Wiki syntax,
78, {PAGETITLE}, {DATE j-m-Y}, Page
78 of {NB},

 *HTML / Wiki Syntax / Left text | Center Text | Right
Text*

HTML, Wiki Syntax, plain text, 78, {DATE j-m-
Y}, Page 78 of {NB}.

 *HTML / Wiki Syntax / Left text | Center Text | Right
Text*

Numeric value. For example 10

Default

None

None

10 pixels

Option

Right margin

Top margin

Bottom margin

Header margin from top of document


Description

Numeric value, no need to add px. For example 10

Numeric value, no need to add px. For example 10

Numeric value, no need to add px. For example 10

Only applicable if the header is set. Specify a numeric value, and there is no need to add "px". For example, 10.

 *Warning: Header can overlap text if top margin is not set properly*

Default

10 pixels

10 pixels

10 pixels

5 pixels

Option

Footer margin from bottom of document


Hyperlink behaviour in PDF


PDF Bookmarks

Number of columns

Description

Only applicable if the footer is set. Specify a numeric value, and there is no need to add "px". For example, 10.

 *Warning: Footer can overlap text if bottom margin is not set properly*

 Default | Off (Links will be removed) | Add as footnote (Links will be listed at end of document)

Automatically generate bookmarks

 *H1-H6, separated by |.For example: H1|H2|H3*

 Default - 1 Column | 2 Columns | 3 Columns | 4 Columns

Default

5 pixels

None

H1|H2|H3

None

Option

PDF password for viewing

Watermark text

Watermark Image URL

PDF page background color

PDF page background image

CoverPage text settings

Description

Password-protect the generated PDF.

PDF watermark text, if any

The watermark image will appear under the text. Enter the complete image URL.

Enter a valid CSS color code.

Enter the full URL.

Heading|Subheading|Alignment|Background color|Text color|Page border|Border color. Enter settings separated by |. Leave blank to use default settings.

Default

None

None

None

None

None

None

Option

Coverpage image URL

Allow Unsafe SSL Requests

Printing to PDF memory limit

Description

Enter the full URL.

Allow curl unsafe ssl request

Temporarily adjust the memory limit to use during Printing to PDF. Depending on the volume of data, some large operations require more memory. Increasing it locally, per operation, allows to keep a lower memory limit globally. Keep in mind that memory usage is still limited to what is available on the server.

 *for example: 256M*

Default

None

Enabled

None

Option

Printing to PDF time limit

Slideshow (reveal.js) PDF export

Print modules


Description

Temporarily adjust the time limit to use during Printing to PDF. Depending on the volume of data, some requests may take longer. Increase the time limit locally to resolve the issue. Use reasonable values.

 *for example: 30*

Wiki page based slideshow to pdf export 

Modules to show on when print a page

 Top modules | Topbar modules | Pagetop modules | Left modules | Right modules | Pagebottom modules | Bottom modules | Admin modules

Default

None

Disabled

None

Option

Print wiki authors

Print Wiki

MultiPrint

Print indexed

Description

Include wiki page authors and date in print versions of wiki pages.

Provide a print icon and layout of the wiki page formatted for printing

Enable printing of multiple wiki pages as well as an entire structure of wiki pages as a book in a single HTML document

Generate a printable version of the whole wiki or a subset of pages, filtered by category.

Default

Disabled

Disabled

Disabled

Disabled

Option

Print original wiki URL

Print articles

Print original tracker item URL

Print original forum post URL

Description

Include original wiki page URL in print versions of wiki pages.

Include original wiki page URL in print versions of wiki pages.

Include original forum post URL in print version of forum posts.

Default

Enabled

Enabled

Enabled

Enabled

Unable to load the jQuery Sortable Tables feature.

Option

PDF from URL

WebKit path

WeasyPrint path

Webservice URL

Description

Using external tools, generate PDF documents from URLs.

☰ Disabled | WebKit (wkhtmltopdf) | WeasyPrint | Webservice | mPDF

Full path to the wkhtmltopdf executable to generate the PDF document with

Full path to the weasyprint executable to generate the PDF document with

URL to a service that takes a URL as the query string and returns a PDF document

Default

Disabled

None

None

None

Option

PDF Orientation

PDF page size

Print Friendly PDF

Table of contents

Description

Landscape or portrait

☰ Portrait | Landscape

ISO Standard sizes: A0, A1, A2, A3, A4, A5 or North

American paper sizes: Letter, Legal, Tabloid/Ledger (for ledger, select landscape orientation)

☰ Letter | Legal | Tabloid/Ledger | A0 | A1 | A2 | A3 | A4 | A5 | A6

Useful for dark themes, enabling this option will change the theme background color to white and the color of text to black. If not activated, theme colors will be retained in the pdf file.

Generate auto table of contents with PDF

Default

Portrait

A4

Enabled

Disabled

Option

Link TOC with content

TOC heading

PDF TOC levels

Show Page title

Description

Link table of contents headings with content in the PDF

Heading to be displayed above the table of contents

These will be automatically created from the content; the default will be heading 1, heading 2 and heading 3 - for example, H1|H2|H3.

Print wiki page title with pdf

☰ Default | Yes | No

Default

Disabled

Table of Contents

H1|H2|H3

None

Option


PDF header text

PDF footer text


Left margin

Description

Possible values, Plain text, HTML, Wiki syntax,
111, {PAGETITLE}, {DATE j-m-Y}, Page
111 of {NB},

 *HTML / Wiki Syntax / Left text | Center Text | Right
Text*

HTML, Wiki Syntax, plain text, 111, {DATE j-m-
Y}, Page 111 of {NB}.

 *HTML / Wiki Syntax / Left text | Center Text | Right
Text*

Numeric value. For example 10

Default

None

None

10 pixels

Option

Right margin

Top margin

Bottom margin

Header margin from top of document

Description

Numeric value, no need to add px. For example 10

Numeric value, no need to add px. For example 10

Numeric value, no need to add px. For example 10

Only applicable if the header is set. Specify a numeric value, and there is no need to add "px". For example, 10.

 *Warning: Header can overlap text if top margin is not set properly*

Default

10 pixels

10 pixels

10 pixels

5 pixels

Option

Footer margin from bottom of document


Hyperlink behaviour in PDF


PDF Bookmarks

Number of columns

Description

Only applicable if the footer is set. Specify a numeric value, and there is no need to add "px". For example, 10.

 *Warning: Footer can overlap text if bottom margin is not set properly*

 Default | Off (Links will be removed) | Add as footnote (Links will be listed at end of document)

Automatically generate bookmarks

 *H1-H6, separated by |.For example: H1|H2|H3*

 Default - 1 Column | 2 Columns | 3 Columns | 4 Columns

Default

5 pixels

None

H1|H2|H3

None

Option

PDF password for viewing

Watermark text

Watermark Image URL

PDF page background color

PDF page background image

CoverPage text settings

Description

Password-protect the generated PDF.

PDF watermark text, if any

The watermark image will appear under the text. Enter the complete image URL.

Enter a valid CSS color code.

Enter the full URL.

Heading|Subheading|Alignment|Background color|Text color|Page border|Border color. Enter settings separated by |. Leave blank to use default settings.

Default

None

None

None

None

None

None

Option

Coverpage image URL

Printing to PDF memory limit

Description

Enter the full URL.

Temporarily adjust the memory limit to use during Printing to PDF. Depending on the volume of data, some large operations require more memory. Increasing it locally, per operation, allows to keep a lower memory limit globally. Keep in mind that memory usage is still limited to what is available on the server.

 *for example: 256M*

Default

None

None

Option

Printing to PDF time limit

Slideshow (reveal.js) PDF export

Print modules


Description

Temporarily adjust the time limit to use during Printing to PDF. Depending on the volume of data, some requests may take longer. Increase the time limit locally to resolve the issue. Use reasonable values.

 *for example: 30*

Wiki page based slideshow to pdf export 

Modules to show on when print a page

 Top modules | Topbar modules | Pagetop modules | Left modules | Right modules | Pagebottom modules | Bottom modules | Admin modules

Default

None

Disabled

None

Option

Print wiki authors

Print Wiki

MultiPrint

Print indexed

Description

Include wiki page authors and date in print versions of wiki pages.

Provide a print icon and layout of the wiki page formatted for printing

Enable printing of multiple wiki pages as well as an entire structure of wiki pages as a book in a single HTML document

Generate a printable version of the whole wiki or a subset of pages, filtered by category.

Default

Disabled

Disabled

Disabled

Disabled

Option

Print original wiki URL

Print articles

Print original tracker item URL

Print original forum post URL

Description

Include original wiki page URL in print versions of wiki pages.

Include original wiki page URL in print versions of wiki pages.

Include original forum post URL in print version of forum posts.

Default

Enabled

Enabled

Enabled

Enabled

Unable to load the jQuery Sortable Tables feature.

Option

PDF from URL

WebKit path

WeasyPrint path

Webservice URL

Description

Using external tools, generate PDF documents from URLs.

☰ Disabled | WebKit (wkhtmltopdf) | WeasyPrint | Webservice | mPDF

Full path to the wkhtmltopdf executable to generate the PDF document with

Full path to the weasyprint executable to generate the PDF document with

URL to a service that takes a URL as the query string and returns a PDF document

Default

Disabled

None

None

None

Option

PDF Orientation

PDF page size

Print Friendly PDF

Table of contents

Description

Landscape or portrait

☰ Portrait | Landscape

ISO Standard sizes: A0, A1, A2, A3, A4, A5 or North

American paper sizes: Letter, Legal, Tabloid/Ledger (for ledger, select landscape orientation)

☰ Letter | Legal | Tabloid/Ledger | A0 | A1 | A2 | A3 | A4 | A5 | A6

Useful for dark themes, enabling this option will change the theme background color to white and the color of text to black. If not activated, theme colors will be retained in the pdf file.

Generate auto table of contents with PDF

Default

Portrait

A4

Enabled

Disabled

Option

Link TOC with content

TOC heading

PDF TOC levels

Show Page title

Description

Link table of contents headings with content in the PDF

Heading to be displayed above the table of contents

These will be automatically created from the content; the default will be heading 1, heading 2 and heading 3 - for example, H1|H2|H3.

Print wiki page title with pdf

☰ Default | Yes | No

Default

Disabled

Table of Contents

H1|H2|H3

None

Option


PDF header text

PDF footer text


Left margin

Description

Possible values, Plain text, HTML, Wiki syntax,
144, {PAGETITLE}, {DATE j-m-Y}, Page
144 of {NB},

 *HTML / Wiki Syntax / Left text | Center Text | Right
Text*

HTML, Wiki Syntax, plain text, 144, {DATE j-m-
Y}, Page 144 of {NB}.

 *HTML / Wiki Syntax / Left text | Center Text | Right
Text*

Numeric value. For example 10

Default

None

None

10 pixels

Option

Right margin

Top margin

Bottom margin

Header margin from top of document


Description

Numeric value, no need to add px. For example 10

Numeric value, no need to add px. For example 10

Numeric value, no need to add px. For example 10

Only applicable if the header is set. Specify a numeric value, and there is no need to add "px". For example, 10.

 *Warning: Header can overlap text if top margin is not set properly*

Default

10 pixels

10 pixels

10 pixels

5 pixels

Option

Footer margin from bottom of document


Hyperlink behaviour in PDF


PDF Bookmarks

Number of columns

Description

Only applicable if the footer is set. Specify a numeric value, and there is no need to add "px". For example, 10.

 *Warning: Footer can overlap text if bottom margin is not set properly*

 Default | Off (Links will be removed) | Add as footnote (Links will be listed at end of document)

Automatically generate bookmarks

 *H1-H6, separated by |.For example: H1|H2|H3*

 Default - 1 Column | 2 Columns | 3 Columns | 4 Columns

Default

5 pixels

None

H1|H2|H3

None

Option

PDF password for viewing

Watermark text

Watermark Image URL

PDF page background color

PDF page background image

CoverPage text settings

Description

Password-protect the generated PDF.

PDF watermark text, if any

The watermark image will appear under the text. Enter the complete image URL.

Enter a valid CSS color code.

Enter the full URL.

Heading|Subheading|Alignment|Background color|Text color|Page border|Border color. Enter settings separated by |. Leave blank to use default settings.

Default

None

None

None

None

None

None

Option

Coverpage image URL

Printing to PDF memory limit

Description

Enter the full URL.

Temporarily adjust the memory limit to use during Printing to PDF. Depending on the volume of data, some large operations require more memory. Increasing it locally, per operation, allows to keep a lower memory limit globally. Keep in mind that memory usage is still limited to what is available on the server.

 *for example: 256M*

Default

None

None

Option

Printing to PDF time limit

Slideshow (reveal.js) PDF export

Print wiki authors

Print Wiki

Description

Temporarily adjust the time limit to use during Printing to PDF. Depending on the volume of data, some requests may take longer. Increase the time limit locally to resolve the issue. Use reasonable values.

 *for example: 30*

Wiki-page-based slideshow to pdf export 

Include wiki page authors and date in print versions of wiki pages.

Provide a print icon and layout of the wiki page formatted for printing

Default

None

Disabled

Disabled

Disabled

Option

MultiPrint

Print indexed

Print original wiki URL

Print articles

Print original tracker item URL

Description

Enable printing of multiple wiki pages as well as an entire structure of wiki pages as a book in a single HTML document

Generate a printable version of the whole wiki or a subset of pages, filtered by category.

Include original wiki page URL in print versions of wiki pages.

Include original wiki page URL in print versions of wiki pages.

Default

Disabled

Disabled

Enabled

Enabled

Enabled

Option

Print original forum post URL

Description

Include original forum post URL in print version of forum posts.

Default

Enabled

Unable to load the jQuery Sortable Tables feature.

PROFILES - ADVANCED

Option

Automatically approve wiki-plugins on pages installed by profiles

Developer mode

Repository URLs

Description

Some wiki-plugins require admin approval before they are executable. If turned on, then all wiki-plugins that are on wiki pages created via profiles are automatically approved.

 *Make sure your profiles are not executable or editable by untrusted users.*

For profiles under an approval workflow, always use the latest version, even if not approved.

 *Make sure you review the profiles you install.*

List of URLs for the profile repositories that will be used

 *Enter multiple repository URLs, one per line.*

Default

Disabled

Disabled


<http://profiles.tiki.org/pr...>


Option

Data channels

Description

Data channels are templates that can be applied from a post request. They can be used to automate work on more complex installations.

 *Data channels create a named pipe to run profiles from user space. One channel per line. Each line is comma delimited and contains **channel name, domain, profile, allowed groups, (optional) \$profilerequest:input\$ matches to groups.***

 *There are security considerations related to using data channels. Make sure the profile page is controlled by administrators only.*

Default

None

Option

Automatically approve wiki-plugins on pages installed by profiles

Developer mode

Repository URLs

Description

Some wiki-plugins require admin approval before they are executable. If turned on, then all wiki-plugins that are on wiki pages created via profiles are automatically approved.

 *Make sure your profiles are not executable or editable by untrusted users.*

For profiles under an approval workflow, always use the latest version, even if not approved.

 *Make sure you review the profiles you install.*

List of URLs for the profile repositories that will be used

 *Enter multiple repository URLs, one per line.*

Default

Disabled

Disabled


<http://profiles.tiki.org/pr...>


Option

Data channels

Description

Data channels are templates that can be applied from a post request. They can be used to automate work on more complex installations.

 *Data channels create a named pipe to run profiles from user space. One channel per line. Each line is comma delimited and contains **channel name, domain, profile, allowed groups, (optional) \$profilerequest:input\$ matches to groups.***

 *There are security considerations related to using data channels. Make sure the profile page is controlled by administrators only.*

Default

None

Option

Automatically approve wiki-plugins on pages installed by profiles

Developer mode

Repository URLs

Description

Some wiki-plugins require admin approval before they are executable. If turned on, then all wiki-plugins that are on wiki pages created via profiles are automatically approved.

 *Make sure your profiles are not executable or editable by untrusted users.*

For profiles under an approval workflow, always use the latest version, even if not approved.

 *Make sure you review the profiles you install.*

List of URLs for the profile repositories that will be used

 *Enter multiple repository URLs, one per line.*

Default

Disabled

Disabled


<http://profiles.tiki.org/pr...>


Option

Data channels

Description

Data channels are templates that can be applied from a post request. They can be used to automate work on more complex installations.

 *Data channels create a named pipe to run profiles from user space. One channel per line. Each line is comma delimited and contains **channel name, domain, profile, allowed groups, (optional) \$profilerequest:input\$ matches to groups.***

 *There are security considerations related to using data channels. Make sure the profile page is controlled by administrators only.*

Default

None

Option

Automatically approve wiki-plugins on pages installed by profiles

Developer mode

Repository URLs

Description

Some wiki-plugins require admin approval before they are executable. If turned on, then all wiki-plugins that are on wiki pages created via profiles are automatically approved.

 *Make sure your profiles are not executable or editable by untrusted users.*

For profiles under an approval workflow, always use the latest version, even if not approved.

 *Make sure you review the profiles you install.*

List of URLs for the profile repositories that will be used

 *Enter multiple repository URLs, one per line.*

Default

Disabled

Disabled


<http://profiles.tiki.org/pr...>


Option

Data channels

Description

Data channels are templates that can be applied from a post request. They can be used to automate work on more complex installations.

 *Data channels create a named pipe to run profiles from user space. One channel per line. Each line is comma delimited and contains **channel name, domain, profile, allowed groups, (optional) \$profilerequest:input\$ matches to groups.***

 *There are security considerations related to using data channels. Make sure the profile page is controlled by administrators only.*

Default

None

Option

Rating recalculation mode

Recalculation odds (1 in X)

Recalculation count

IP can be checked

Multiple votes per user

Description

Determines when and how rating aggregates are recalculated. When a vote recalculation, there may be inaccuracies if rating calculation is performed on a large scale.

☰ Recalculate on vote | Randomly recalculate oldest ratings (on load)

Dice roll performed on every request. When successful, will recalculate ratings.

How many ratings should be recalculated when odds strike.

Check anonymous votes by user's IP

Allow users to vote multiple times in the same poll.

☰ Disabled | Enabled

Default

Recalculate on vote

100 votes

100 ratings

Disabled

None

Option

Rating

Simple wiki ratings

Wiki rating options

User ratings on articles

Description

Enables adding a poll from the polls feature to a wiki page

Permissions involved: `group_permissions`, `wiki_vote_rating`

Enable users to rate wiki pages based on a simple numeric

List of options available for the rating of wiki pages

Allow users to rate articles.

Permissions involved: `rate_article`, `ratings_view_results`.

Default

Disabled

Disabled

0,1,2,3,4,5

Disabled

Option

Article rating options

Use vote system for comments

Simple wiki comment ratings

Wiki rating options

Display Post new comment form by default

Rating

Default rating options

Description

List of options available for the rating of articles.

Allow users with permission to vote on comments.

 *Permissions involved: vote_comments, wiki_view_comm*

Enable users to rate comments based on a simple numeric

List of options available for the rating of wiki comments.

A rating of the tracker item. Permissions involved: tracker

List of options available.

Default

0,1,2,3,4,5

Disabled

Disabled

0,1,2,3,4,5

Disabled

Disabled

0,1,2,3,4

Option

Detailed rating results

Include percentages in the detailed rating results

Smiley Ratings

Reversed Rating Options

Advanced Rating

Description

Displays a table with the result count and percentage per

☰ Disabled | Enabled

Include percentages in the detailed rating results. Otherwi

☰ Disabled | Enabled

Displays smiley faces or emojis in a simple ratings system

☰ Disabled | Enabled

Displays the ratings options in reverse.

☰ Disabled | Enabled

In an advanced rating system, the options and calculation

Default

None

None

None

None

Disabled

Unable to load the jQuery Sortable Tables feature.

Option

Rating recalculation mode

Recalculation odds (1 in X)

Recalculation count

IP can be checked

Multiple votes per user

Description

Determines when and how rating aggregates are recalculated. When a vote recalculation, there may be inaccuracies if rating calculation is delayed.

☰ Recalculate on vote | Randomly recalculate oldest ratings (on load)

Dice roll performed on every request. When successful, will recalculate ratings.

How many ratings should be recalculated when odds strike.

Check anonymous votes by user's IP

Allow users to vote multiple times in the same poll.

☰ Disabled | Enabled

Default

Recalculate on vote

100 votes

100 ratings

Disabled

None

Option

Rating

Simple wiki ratings

Wiki rating options

User ratings on articles

Description

Enables adding a poll from the polls feature to a wiki page

Permissions involved: `group_permissions`, `wiki_vote_rating`

Enable users to rate wiki pages based on a simple numeric

List of options available for the rating of wiki pages

Allow users to rate articles.

Permissions involved: `rate_article`, `ratings_view_results`.

Default

Disabled

Disabled

0,1,2,3,4,5

Disabled

Option

Article rating options

Use vote system for comments

Simple wiki comment ratings

Wiki rating options

Display Post new comment form by default

Rating

Default rating options

Description

List of options available for the rating of articles.

Allow users with permission to vote on comments.

 *Permissions involved: vote_comments, wiki_view_comm*

Enable users to rate comments based on a simple numeric

List of options available for the rating of wiki comments.

A rating of the tracker item. Permissions involved: tracker

List of options available.

Default

0,1,2,3,4,5

Disabled

Disabled

0,1,2,3,4,5

Disabled

Disabled

0,1,2,3,4

Option

Detailed rating results

Include percentages in the detailed rating results

Smiley Ratings

Reversed Rating Options

Advanced Rating

Description

Displays a table with the result count and percentage per

☰ Disabled | Enabled

Include percentages in the detailed rating results. Otherwi

☰ Disabled | Enabled

Displays smiley faces or emojis in a simple ratings system

☰ Disabled | Enabled

Displays the ratings options in reverse.

☰ Disabled | Enabled

In an advanced rating system, the options and calculation

Default

None

None

None

None

Disabled

Unable to load the jQuery Sortable Tables feature.

Option

Rating recalculation mode

Recalculation odds (1 in X)

Recalculation count

IP can be checked

Multiple votes per user

Description

Determines when and how rating aggregates are recalculated. When a vote recalculation, there may be inaccuracies if rating calculation is delayed.

☰ Recalculate on vote | Randomly recalculate oldest ratings (on load)

Dice roll performed on every request. When successful, will recalculate ratings.

How many ratings should be recalculated when odds strike.

Check anonymous votes by user's IP

Allow users to vote multiple times in the same poll.

☰ Disabled | Enabled

Default

Recalculate on vote

100 votes

100 ratings

Disabled

None

Option

Rating

Simple wiki ratings

Wiki rating options

User ratings on articles

Description

Enables adding a poll from the polls feature to a wiki page

Permissions involved: `group_permissions`, `wiki_vote_rating`

Polls feature: set a poll

Permissions involved: `group_permissions`, `wiki_vote_rating`

drop-down to

 *Permissions involved: group_permissions, wiki_vote_rating*

Enable users to rate wiki pages based on a simple numeric

List of options available for the rating of wiki pages

Allow users to rate articles.

 *Permissions involved: rate_article, ratings_view_results.*

Default

Disabled

Disabled

0,1,2,3,4,5

Disabled

Option

Article rating options

Use vote system for comments

Simple wiki comment ratings

Wiki rating options

Display Post new comment form by default

Rating

Default rating options

Description

List of options available for the rating of articles.

Allow users with permission to vote on comments.

 *Permissions involved: vote_comments, wiki_view_comm*

Enable users to rate comments based on a simple numeric

List of options available for the rating of wiki comments.

A rating of the tracker item. Permissions involved: tracker

List of options available.

Default

0,1,2,3,4,5

Disabled

Disabled

0,1,2,3,4,5

Disabled

Disabled

0,1,2,3,4

Option

Detailed rating results

Include percentages in the detailed rating results

Smiley Ratings

Reversed Rating Options

Advanced Rating

Description

Displays a table with the result count and percentage per

☰ Disabled | Enabled

Include percentages in the detailed rating results. Otherwi

☰ Disabled | Enabled

Displays smiley faces or emojis in a simple ratings system

☰ Disabled | Enabled

Displays the ratings options in reverse.

☰ Disabled | Enabled

In an advanced rating system, the options and calculation

Default

None

None

None

None

Disabled

Unable to load the jQuery Sortable Tables feature.

Option

Rating recalculation mode

Recalculation odds (1 in X)

Recalculation count

IP can be checked

Multiple votes per user

Description

Determines when and how rating aggregates are recalculated. When a vote recalculation, there may be inaccuracies if rating calculation is delayed.

☰ Recalculate on vote | Randomly recalculate oldest ratings (on load)

Dice roll performed on every request. When successful, will recalculate ratings.

How many ratings should be recalculated when odds strike.

Check anonymous votes by user's IP

Allow users to vote multiple times in the same poll.

☰ Disabled | Enabled

Default

Recalculate on vote

100 votes

100 ratings

Disabled

None

Option

Rating

Simple wiki ratings

Wiki rating options

User ratings on articles

Description

Enables adding a poll from the polls feature to a wiki page

Permissions involved: `group_permissions`, `wiki_vote_rating`

Polls feature: set a poll

Permissions involved: `group_permissions`, `wiki_vote_rating`

drop-down to

 *Permissions involved: group_permissions, wiki_vote_rating*

Enable users to rate wiki pages based on a simple numeric

List of options available for the rating of wiki pages

Allow users to rate articles.

 *Permissions involved: rate_article, ratings_view_results.*

Default

Disabled

Disabled

0,1,2,3,4,5

Disabled

Option

Article rating options

Use vote system for comments

Simple wiki comment ratings

Wiki rating options

Display Post new comment form by default

Rating

Default rating options

Description

List of options available for the rating of articles.

Allow users with permission to vote on comments.

 *Permissions involved: vote_comments, wiki_view_comm*

Enable users to rate comments based on a simple numeric

List of options available for the rating of wiki comments.

A rating of the tracker item. Permissions involved: tracker

List of options available.

Default

0,1,2,3,4,5

Disabled

Disabled

0,1,2,3,4,5

Disabled

Disabled

0,1,2,3,4

Option

Detailed rating results

Include percentages in the detailed rating results

Smiley Ratings

Reversed Rating Options

Advanced Rating

Description

Displays a table with the result count and percentage per

☰ Disabled | Enabled

Include percentages in the detailed rating results. Otherwi

☰ Disabled | Enabled

Displays smiley faces or emojis in a simple ratings system

☰ Disabled | Enabled

Displays the ratings options in reverse.

☰ Disabled | Enabled

In an advanced rating system, the options and calculation

Default

None

None

None

None

Disabled

Unable to load the jQuery Sortable Tables feature.

Option

RSS for articles

Title

Article RSS description

Maximum number of items to display

Show author

Homepage URL

RSS for blogs

Description

RSS feeds for articles

Description to be published as part of the RSS feed for articles.

RSS feeds for blogs

Default

Disabled

Tiki RSS feed for articles

Last articles.

10 items

Disabled

None

Disabled

Option

Title

Blogs RSS description

Maximum number of items to display

Show author

Homepage URL

RSS for individual blogs

Title

Description

Description to be published as part of the RSS feed for blogs.

RSS feeds for individual blogs

Title to be prepended to the blog title for all blogs. If this field is empty only the blog title will be used.

Default

Tiki RSS feed for blogs

Last posts to weblogs.

10 items

Disabled

None

Disabled

None

Option

Blog RSS Description

Maximum number of items to display

Show author

Homepage URL

RSS for file galleries

Title

Description

Description to be prepended to the blog description and published as part of the RSS feeds for individual blogs. If this field is empty, the blog description only will be used.

RSS feed for file galleries

Default

None

10 items

Disabled

None

Disabled

Tiki RSS feed for file gall...

Option

File galleries RSS description

Maximum number of items to display

Homepage URL

RSS for individual file galleries

Title

Individual file galleries RSS description

Maximum number of items to display

Description

Description to be published as part of the RSS feed for file galleries.

RSS feeds for individual file galleries

Description to be published as part of the RSS feeds for individual file galleries.

Default

Latest files uploaded to th...

10 items

None

Disabled

Tiki RSS feed for the file ...

Latest files uploaded to th...

10 items

Option

Homepage URL

RSS for wiki pages

Title

Wiki pages RSS description

Maximum number of items to display

Show author

Homepage URL

RSS for forums

Description

RSS feed for wiki pages

Description to be published as part of the RSS feed for wiki pages pages.

RSS feed for forums

Default

None

Disabled

Tiki RSS feed for the wiki ...

Latest wiki page changes.

10 items

Disabled

None

Disabled

Option

Title

Forums RSS description

Maximum number of items to display

Show author

Homepage URL

RSS for individual forums

Title

Description

Description to be published as part of the RSS feed for forums.

RSS feeds for individual forums

Default

Tiki RSS feed for forums

Latest forum topics.

10 items

Disabled

None

Disabled

Tiki RSS feed for forum:

Option

Individual forums RSS description

Maximum number of items to display

Show author

Homepage URL

RSS per tracker

Title

Individual trackers RSS description

Description

Description to be published as part of the RSS feeds for individual forums.

RSS feed per tracker

Description to be published as part of the RSS feed for individual trackers.

Default

Latest posts to this form

10 items

Disabled

None

Disabled

Tiki RSS feed for individua...

Latest additions to this tr...

Option

Maximum number of items to display

Show author

Homepage URL

Tracker labels

RSS for calendar events

Title

Calendar events RSS description

Maximum number of items to display

Description

Include tracker field labels in the RSS output

RSS feed for calendar events

Description to be published as part of the RSS feed for calendar events.

Default

10 items

Disabled

None

Enabled

Disabled

Tiki RSS feed for calendars

Upcoming Events.

10 items

Option

Show author

Homepage URL

RSS for directories

Title

Directories RSS description

Maximum number of items to display

Show author

Homepage URL

Description

RSS feed for directories

Description to be published as part of the RSS feed for directories.

Default

Disabled

None

Disabled

Tiki RSS feed for directory...

Latest sites.

10 items

Disabled

None

Option

RSS for shoutbox

Title

Shoutbox RSS description

Maximum number of items to display

Show author

Homepage URL

Description

RSS feed for shoutbox

Description to be published as part of the RSS feed for shoutbox messages.

Default

None

Tiki RSS feed for shoutbox ...

Latest shoutbox messages.

None

Disabled

None

Unable to load the jQuery Sortable Tables feature.

Option

RSS for articles

Description

RSS feeds for articles

Default

Disabled

Option

Title

Article RSS description

Maximum number of items to display

Show author

Homepage URL

RSS for blogs

Title

Description

Description to be published as part of the RSS feed for articles.

RSS feeds for blogs

Default

Tiki RSS feed for articles

Last articles.

10 items

Disabled

None

Disabled

Tiki RSS feed for blogs

Option

Blogs RSS description

Maximum number of items to display

Show author

Homepage URL

RSS for individual blogs

Title

Description

Description to be published as part of the RSS feed for blogs.

RSS feeds for individual blogs

Title to be prepended to the blog title for all blogs. If this field is empty only the blog title will be used.

Default

Last posts to weblogs.

10 items

Disabled

None

Disabled

None

Option

Blog RSS Description

Maximum number of items to display

Show author

Homepage URL

RSS for file galleries

Title

Description

Description to be prepended to the blog description and published as part of the RSS feeds for individual blogs. If this field is empty, the blog description only will be used.

RSS feed for file galleries

Default

None

10 items

Disabled

None

Disabled

Tiki RSS feed for file gall...

Option

File galleries RSS description

Maximum number of items to display

Homepage URL

RSS for individual file galleries

Title

Individual file galleries RSS description

Maximum number of items to display

Description

Description to be published as part of the RSS feed for file galleries.

RSS feeds for individual file galleries

Description to be published as part of the RSS feeds for individual file galleries.

Default

Latest files uploaded to th...

10 items

None

Disabled

Tiki RSS feed for the file ...

Latest files uploaded to th...

10 items

Option

Homepage URL

RSS for wiki pages

Title

Wiki pages RSS description

Maximum number of items to display

Show author

Homepage URL

RSS for forums

Description

RSS feed for wiki pages

Description to be published as part of the RSS feed for wiki pages pages.

RSS feed for forums

Default

None

Disabled

Tiki RSS feed for the wiki ...

Latest wiki page changes.

10 items

Disabled

None

Disabled

Option

Title

Forums RSS description

Maximum number of items to display

Show author

Homepage URL

RSS for individual forums

Title

Description

Description to be published as part of the RSS feed for forums.

RSS feeds for individual forums

Default

Tiki RSS feed for forums

Latest forum topics.

10 items

Disabled

None

Disabled

Tiki RSS feed for forum:

Option

Individual forums RSS description

Maximum number of items to display

Show author

Homepage URL

RSS per tracker

Title

Individual trackers RSS description

Description

Description to be published as part of the RSS feeds for individual forums.

RSS feed per tracker

Description to be published as part of the RSS feed for individual trackers.

Default

Latest posts to this form

10 items

Disabled

None

Disabled

Tiki RSS feed for individua...

Latest additions to this tr...

Option

Maximum number of items to display

Show author

Homepage URL

Tracker labels

RSS for calendar events

Title

Calendar events RSS description

Maximum number of items to display

Description

Include tracker field labels in the RSS output

RSS feed for calendar events

Description to be published as part of the RSS feed for calendar events.

Default

10 items

Disabled

None

Enabled

Disabled

Tiki RSS feed for calendars

Upcoming Events.

10 items

Option

Show author

Homepage URL

RSS for directories

Title

Directories RSS description

Maximum number of items to display

Show author

Homepage URL

Description

RSS feed for directories

Description to be published as part of the RSS feed for directories.

Default

Disabled

None

Disabled

Tiki RSS feed for directory...

Latest sites.

10 items

Disabled

None

Option

RSS for shoutbox

Title

Shoutbox RSS description

Maximum number of items to display

Show author

Homepage URL

Description

RSS feed for shoutbox

Description to be published as part of the RSS feed for shoutbox messages.

Default

None

Tiki RSS feed for shoutbox ...

Latest shoutbox messages.

None

Disabled

None

Unable to load the jQuery Sortable Tables feature.

Option

RSS for articles

Description

RSS feeds for articles

Default

Disabled

Option

Title

Article RSS description

Maximum number of items to display

Show author

Homepage URL

RSS for blogs

Title

Description

Description to be published as part of the RSS feed for articles.

RSS feeds for blogs

Default

Tiki RSS feed for articles

Last articles.

10 items

Disabled

None

Disabled

Tiki RSS feed for blogs

Option

Blogs RSS description

Maximum number of items to display

Show author

Homepage URL

RSS for individual blogs

Title

Description

Description to be published as part of the RSS feed for blogs.

RSS feeds for individual blogs

Title to be prepended to the blog title for all blogs. If this field is empty only the blog title will be used.

Default

Last posts to weblogs.

10 items

Disabled

None

Disabled

None

Option

Blog RSS Description

Maximum number of items to display

Show author

Homepage URL

RSS for file galleries

Title

Description

Description to be prepended to the blog description and published as part of the RSS feeds for individual blogs. If this field is empty, the blog description only will be used.

RSS feed for file galleries

Default

None

10 items

Disabled

None

Disabled

Tiki RSS feed for file gall...

Option

File galleries RSS description

Maximum number of items to display

Homepage URL

RSS for individual file galleries

Title

Individual file galleries RSS description

Maximum number of items to display

Description

Description to be published as part of the RSS feed for file galleries.

RSS feeds for individual file galleries

Description to be published as part of the RSS feeds for individual file galleries.

Default

Latest files uploaded to th...

10 items

None

Disabled

Tiki RSS feed for the file ...

Latest files uploaded to th...

10 items

Option

Homepage URL

RSS for wiki pages

Title

Wiki pages RSS description

Maximum number of items to display

Show author

Homepage URL

RSS for forums

Description

RSS feed for wiki pages

Description to be published as part of the RSS feed for wiki pages pages.

RSS feed for forums

Default

None

Disabled

Tiki RSS feed for the wiki ...

Latest wiki page changes.

10 items

Disabled

None

Disabled

Option

Title

Forums RSS description

Maximum number of items to display

Show author

Homepage URL

RSS for individual forums

Title

Description

Description to be published as part of the RSS feed for forums.

RSS feeds for individual forums

Default

Tiki RSS feed for forums

Latest forum topics.

10 items

Disabled

None

Disabled

Tiki RSS feed for forum:

Option

Individual forums RSS description

Maximum number of items to display

Show author

Homepage URL

RSS per tracker

Title

Individual trackers RSS description

Description

Description to be published as part of the RSS feeds for individual forums.

RSS feed per tracker

Description to be published as part of the RSS feed for individual trackers.

Default

Latest posts to this form

10 items

Disabled

None

Disabled

Tiki RSS feed for individua...

Latest additions to this tr...

Option

Maximum number of items to display

Show author

Homepage URL

Tracker labels

RSS for calendar events

Title

Calendar events RSS description

Maximum number of items to display

Description

Include tracker field labels in the RSS output

RSS feed for calendar events

Description to be published as part of the RSS feed for calendar events.

Default

10 items

Disabled

None

Enabled

Disabled

Tiki RSS feed for calendars

Upcoming Events.

10 items

Option

Show author

Homepage URL

RSS for directories

Title

Directories RSS description

Maximum number of items to display

Show author

Homepage URL

Description

RSS feed for directories

Description to be published as part of the RSS feed for directories.

Default

Disabled

None

Disabled

Tiki RSS feed for directory...

Latest sites.

10 items

Disabled

None

Option

RSS for shoutbox

Title

Shoutbox RSS description

Maximum number of items to display

Show author

Homepage URL

Description

RSS feed for shoutbox

Description to be published as part of the RSS feed for shoutbox messages.

Default

None

Tiki RSS feed for shoutbox ...

Latest shoutbox messages.

None

Disabled

None

Unable to load the jQuery Sortable Tables feature.

Option

RSS for articles

Description

RSS feeds for articles

Default

Disabled

Option

Title

Article RSS description

Maximum number of items to display

Show author

Homepage URL

RSS for blogs

Title

Description

Description to be published as part of the RSS feed for articles.

RSS feeds for blogs

Default

Tiki RSS feed for articles

Last articles.

10 items

Disabled

None

Disabled

Tiki RSS feed for blogs

Option

Blogs RSS description

Maximum number of items to display

Show author

Homepage URL

RSS for individual blogs

Title

Description

Description to be published as part of the RSS feed for blogs.

RSS feeds for individual blogs

Title to be prepended to the blog title for all blogs. If this field is empty only the blog title will be used.

Default

Last posts to weblogs.

10 items

Disabled

None

Disabled

None

Option

Blog RSS Description

Maximum number of items to display

Show author

Homepage URL

RSS for image galleries

Title

Description

Description to be prepended to the blog description and published as part of the RSS feeds for individual blogs. If this field is empty, the blog description only will be used.

RSS feed for image galleries

Default

None

10 items

Disabled

None

Disabled

Tiki RSS feed for image gal...

Option

Image galleries RSS description

Maximum number of items to display

Show author

Homepage URL

RSS for individual image galleries

Title

Individual image galleries RSS Description

Description

Description to be published as part of the RSS feed for image galleries.

RSS feeds for individual image galleries

Description to be published as part of the RSS feeds for individual image galleries.

Default

Latest images uploaded to t...

10 items

Disabled

None

Disabled

Tiki RSS feed for the image...

Latest images uploaded to t...

Option

Maximum number of items to display

Show author

Homepage URL

RSS for file galleries

Title

File galleries RSS description

Maximum number of items to display

Show author

Description

RSS feed for file galleries

Description to be published as part of the RSS feed for file galleries.

Default

10 items

Disabled

None

Disabled

Tiki RSS feed for file gall...

Latest files uploaded to th...

10 items

Disabled

Option

Homepage URL

RSS for individual file galleries

Title

Individual file galleries RSS description

Maximum number of items to display

Show author

Homepage URL

RSS for wiki pages

Description

RSS feeds for individual file galleries

Description to be published as part of the RSS feeds for individual file galleries.

RSS feed for wiki pages

Default

None

Disabled

Tiki RSS feed for the file ...

Latest files uploaded to th...

10 items

Disabled

None

Disabled

Option

Title

Wiki pages RSS description

Maximum number of items to display

Show author

Homepage URL

RSS for forums

Title

Description

Description to be published as part of the RSS feed for wiki pages pages.

RSS feed for forums

Default

Tiki RSS feed for the wiki ...

Latest wiki page changes.

10 items

Disabled

None

Disabled

Tiki RSS feed for forums

Option

Forums RSS description

Maximum number of items to display

Show author

Homepage URL

RSS for individual forums

Title

Individual forums RSS description

Description

Description to be published as part of the RSS feed for forums.

RSS feeds for individual forums

Description to be published as part of the RSS feeds for individual forums.

Default

Latest forum topics.

10 items

Disabled

None

Disabled

Tiki RSS feed for forum:

Latest posts to this form

Option

Maximum number of items to display

Show author

Homepage URL

RSS per tracker

Title

Individual trackers RSS description

Maximum number of items to display

Show author

Description

RSS feed per tracker

Description to be published as part of the RSS feed for individual trackers.

Default

10 items

Disabled

None

Disabled

Tiki RSS feed for individua...

Latest additions to this tr...

10 items

Disabled

Option

Homepage URL

Tracker labels

RSS for calendar events

Title

Calendar events RSS description

Maximum number of items to display

Show author

Homepage URL

Description

Include tracker field labels in the RSS output

RSS feed for calendar events

Description to be published as part of the RSS feed for calendar events.

Default

None

Enabled

Disabled

Tiki RSS feed for calendars

Upcoming Events.

10 items

Disabled

None

Option

RSS for directories

Title

Directories RSS description

Maximum number of items to display

Show author

Homepage URL

RSS for shoutbox

Title

Description

RSS feed for directories

Description to be published as part of the RSS feed for directories.

RSS feed for shoutbox

Default

Disabled

Tiki RSS feed for directory...

Latest sites.

10 items

Disabled

None

None

Tiki RSS feed for shoutbox ...

Option

Shoutbox RSS description

Maximum number of items to display

Show author

Homepage URL

Description

Description to be published as part of the RSS feed for shoutbox messages.

Default

Latest shoutbox messages.

None

Disabled

None

Unable to load the jQuery Sortable Tables feature.


RSS GENERAL PREFERENCES

Option

Default feed format

Description

 *Atom 1.0 - RSS 2.0*

 ATOM 1.0 | RSS 2.0

Default

ATOM 1.0

Option

Feed author name

Feed author email


Feed author homepage

Feed editor email

Feed webmaster email

Description

Default author of each item in the feed.

 *This field is mandatory unless both feed author email and homepage are empty.*

Email of the author of each item in the feed.

Homepage URL of the author of each item in the feed.

Email address for person responsible for editorial content.

Email address for person responsible for technical issues relating to channel.

Default

None

None

None

None

None

Option

Feed image path

Feed language

Feed caching time

RSS basic authentication

Description

Specifies a GIF, JPEG or PNG image that can be displayed with the feed.

The default language for this feed

Cache the feed for this number of seconds.

** Feed caching is done for anonymous users only.*

 *Use 0 for no caching*

Propose basic HTTP authentication if the user has no permission to see the feed

Default

img/tiki/Tiki_WCG.png

en-us

300 seconds

Disabled

Unable to load the jQuery Sortable Tables feature.

Option

Default feed format

Feed author name


Feed author email

Feed author homepage


Feed editor email

Description

 *Atom 1.0 - RSS 2.0*

 ATOM 1.0 | RSS 2.0

Default author of each item in the feed.

 *This field is mandatory unless both feed author email and homepage are empty.*

Email of the author of each item in the feed.

Homepage URL of the author of each item in the feed.

Email address for person responsible for editorial content.

Default

ATOM 1.0

None

None

None

None

Option

Feed webmaster email

Feed image path

Feed language

Feed caching time

RSS basic authentication

Description

Email address for person responsible for technical issues relating to channel.

Specifies a GIF, JPEG or PNG image that can be displayed with the feed.

The default language for this feed

Cache the feed for this number of seconds.

** Feed caching is done for anonymous users only.*

 *Use 0 for no caching*

Propose basic HTTP authentication if the user has no permission to see the feed

Default

None

img/tiki/Tiki_WCG.png

en-us

300 seconds

Disabled

Option

Default feed format

Feed author name


Feed author email

Feed author homepage


Feed editor email

Description

 *Atom 1.0 - RSS 2.0*

 ATOM 1.0 | RSS 2.0

Default author of each item in the feed.

 *This field is mandatory unless both feed author email and homepage are empty.*

Email of the author of each item in the feed.

Homepage URL of the author of each item in the feed.

Email address for person responsible for editorial content.

Default

ATOM 1.0

None

None

None

None

Option

Feed webmaster email

Feed image path

Feed language

Feed caching time

RSS basic authentication

Description

Email address for person responsible for technical issues relating to channel.

Specifies a GIF, JPEG or PNG image that can be displayed with the feed.

The default language for this feed

Cache the feed for this number of seconds.

** Feed caching is done for anonymous users only.*

 *Use 0 for no caching*

Propose basic HTTP authentication if the user has no permission to see the feed

Default

None

img/tiki/Tiki_WCG.png

en-us

300 seconds

Disabled

Option

Default feed format

Feed author name


Feed author email

Feed author homepage


Feed editor email

Description

 *Atom 1.0 - RSS 2.0*

 ATOM 1.0 | RSS 2.0

Default author of each item in the feed.

 *This field is mandatory unless both feed author email and homepage are empty.*

Email of the author of each item in the feed.

Homepage URL of the author of each item in the feed.

Email address for person responsible for editorial content.

Default

ATOM 1.0

None

None

None

None

Option

Feed webmaster email

Feed image path

Feed language

Feed caching time

RSS basic authentication

Description

Email address for person responsible for technical issues relating to channel.

Specifies a GIF, JPEG or PNG image that can be displayed with the feed.

The default language for this feed

Cache the feed for this number of seconds.

** Feed caching is done for anonymous users only.*

 *Use 0 for no caching*

Propose basic HTTP authentication if the user has no permission to see the feed

Default

None

img/tiki/Tiki_WCG.png

en-us

300 seconds

Disabled

Option

Fetch page content from incoming feeds

Tracker for articles

Tracker ID of tracker for articles

Index article info in tracker item

Description

Page content from the source will be fetched before sending the content to the generators.

Have a tracker to supplement article information

A tracker for articles must contain an "Articles" field

Sets whether the article info should be indexed in the tracker item. This automatically sets the article field to read-only and sets up categorization synchronization between articles and tracker items.

Default

Disabled

Disabled

None

Disabled

Unable to load the jQuery Sortable Tables feature.

Option

Fetch page content from incoming feeds

Tracker for articles

Tracker ID of tracker for articles

Index article info in tracker item

Description

Page content from the source will be fetched before sending the content to the generators.

Have a tracker to supplement article information

A tracker for articles must contain an "Articles" field

Sets whether the article info should be indexed in the tracker item. This automatically sets the article field to read-only and sets up categorization synchronization between articles and tracker items.

Default

Disabled

Disabled

None

Disabled

Unable to load the jQuery Sortable Tables feature.

Option

Fetch page content from incoming feeds

Tracker for articles

Tracker ID of tracker for articles

Index article info in tracker item

Description

Page content from the source will be fetched before sending the content to the generators.

Have a tracker to supplement article information

A tracker for articles must contain an "Articles" field

Sets whether the article info should be indexed in the tracker item. This automatically sets the article field to read-only and sets up categorization synchronization between articles and tracker items.

Default

Disabled

Disabled

None

Disabled

Unable to load the jQuery Sortable Tables feature.

Option

Fetch page content from incoming feeds

Tracker for articles

Tracker ID of tracker for articles

Index article info in tracker item

Description

Page content from the source will be fetched before sending the content to the generators.

Have a tracker to supplement article information

A tracker for articles must contain an "Articles" field

Sets whether the article info should be indexed in the tracker item. This automatically sets the article field to read-only and sets up categorization synchronization between articles and tracker items.

Default

Disabled

Disabled

None

Disabled

Unable to load the jQuery Sortable Tables feature.

RTC - BIGBLUEBUTTON

Option

BigBlueButton web conferencing

BigBlueButton server location

BigBlueButton server salt

Description

Integration with the BigBlueButton collaboration server for web conference and screen sharing.

Full URL to the BigBlueButton installation.

 <http://host.example.com/>

A salt key used to generate checksums for the BigBlueButton server to assure that requests are authentic.

Default

Disabled

None

None

Option

BigBlueButton recording maximum duration

Plugin BigBlueButton

Description

A maximum duration for the meetings must be submitted to BigBlueButton to prevent the recordings from being excessively long if a user leaves the conference window open.

Hold a video/audio/chat/presentation session using the BigBlueButton web conferencing system.

Default

300 minutes

Enabled

Unable to load the jQuery Sortable Tables feature.

Option

BigBlueButton web conferencing

Description

Integration with the BigBlueButton collaboration server for web conference and screen sharing.

Default

Disabled

Option

BigBlueButton server location

BigBlueButton server salt

BigBlueButton recording maximum duration

Description

Full URL to the BigBlueButton installation.

 <http://host.example.com/>

A salt key used to generate checksums for the BigBlueButton server to assure that requests are authentic.

A maximum duration for the meetings must be submitted to BigBlueButton to prevent the recordings from being excessively long if a user leaves the conference window open.

Default

None

None

300 minutes

Option

Plugin BigBlueButton

Description

Hold a video/audio/chat/presentation session using the BigBlueButton web conferencing system.

Default

Enabled

Unable to load the jQuery Sortable Tables feature.

Option

BigBlueButton web conferencing

BigBlueButton server location

BigBlueButton server salt

Description

Integration with the BigBlueButton collaboration server for web conference and screen sharing.

Full URL to the BigBlueButton installation.

 <http://host.example.com/>

A salt key used to generate checksums for the BigBlueButton server to assure that requests are authentic.

Default

Disabled

None

None

Option

BigBlueButton recording maximum duration

Plugin BigBlueButton

Description

A maximum duration for the meetings must be submitted to BigBlueButton to prevent the recordings from being excessively long if a user leaves the conference window open.

Hold a video/audio/chat/presentation session using the BigBlueButton web conferencing system.

Default

300 minutes

Enabled

Unable to load the jQuery Sortable Tables feature.

Option

BigBlueButton web conferencing

Description

Integration with the BigBlueButton collaboration server for web conference and screen sharing.

Default

Disabled

Option

BigBlueButton server location

BigBlueButton server salt

BigBlueButton recording maximum duration

Description

Full URL to the BigBlueButton installation.

 <http://host.example.com/>

A salt key used to generate checksums for the BigBlueButton server to assure that requests are authentic.

A maximum duration for the meetings must be submitted to BigBlueButton to prevent the recordings from being excessively long if a user leaves the conference window open.

Default

None

None

300 minutes

Option

Plugin BigBlueButton

Description

Hold a video/audio/chat/presentation session using the BigBlueButton web conferencing system.

Default

Enabled

Unable to load the jQuery Sortable Tables feature.

RTC - XMPP

Option

XMPP client (ConverseJS)

XMPP server domain

XMPP http-bind URL

Description

Integration with Converse.js XMPP client.

XMPP server domain

 *example.org*

Full URL to the http-bind.

 <https://xmpp.example.org/http-bind/>

Default

Disabled

None

None

Option

XMPP MUC Domain

Authentication method

Openfire REST API endpoint

Rest API username

Rest API password

Allow anonymous

Description

Required for auto-joining rooms

 *conference.example.org*

The authentication method to be used by XMPP client

 Plain | OAuth (uses Tiki as provider) | Openfire TikiToken

Full URL to API endpoint

 <https://xmpp.example.org:9091/plugins/restapi/v1/>

Username to allow Openfire API usage

Password to allow Openfire API usage

Allow anonymous users on Chat

Default

None

None

None

None

None

Disabled

Option

Always Load ConverseJS

ConverseJS Debug Mode

ConverseJS Extra Settings

Description

Adds the ConverseJS Javascript and CSS files to every page.

Enables more logging, e.g. XML stanzas and error tracebacks to the JavaScript Console

JSON format object defining extra optional settings to initialize ConverseJS

Default

Disabled

Disabled

None

Unable to load the jQuery Sortable Tables feature.

Option

XMPP client (ConverseJS)

Description

Integration with Converse.js XMPP client.

Default

Disabled

Option

XMPP server domain

XMPP http-bind URL

XMPP MUC Domain

Authentication method

Openfire REST API endpoint

Description

XMPP server domain

👉 *example.org*

Full URL to the http-bind.

👉 <https://xmpp.example.org/http-bind/>

Required for auto-joining rooms

👉 *conference.example.org*

The authentication method to be used by XMPP client

☰ Plain | OAuth (uses Tiki as provider) | Openfire TikiToken

Full URL to API endpoint

👉 <https://xmpp.example.org:9091/plugins/restapi/v1/>

Default

None

None

None

None

None

Option

Rest API username

Rest API password

Always Load ConverseJS

ConverseJS Debug Mode

ConverseJS Extra Settings

Description

Username to allow Openfire API usage

Password to allow Openfire API usage

Adds the ConverseJS Javascript and CSS files to every page.

Enables more logging, e.g. XML stanzas and error tracebacks to the JavaScript Console

JSON format object defining extra optional settings to initialize ConverseJS

Default

None

None

Disabled

Disabled

None

Unable to load the jQuery Sortable Tables feature.

Option

XMPP client (ConverseJS)

XMPP server domain

XMPP http-bind URL

XMPP MUC Domain

Authentication method

Description

Integration with Converse.js XMPP client.

XMPP server domain

👉 *example.org*

Full URL to the http-bind.

👉 <https://xmpp.example.org/http-bind/>

Required for auto-joining rooms

👉 *conference.example.org*

The authentication method to be used by XMPP client

☰ Plain | OAuth (uses Tiki as provider) | Openfire TikiToken

Default

Disabled

None

None

None

None

Option

Openfire REST API endpoint

Rest API username

Rest API password

Always Load ConverseJS

ConverseJS Debug Mode

ConverseJS Extra Settings

Description

Full URL to API endpoint

 <https://xmpp.example.org:9091/plugins/restapi/v1/>

Username to allow Openfire API usage

Password to allow Openfire API usage

Adds the ConverseJS Javascript and CSS files to every page.

Enables more logging, e.g. XML stanzas and error tracebacks to the JavaScript Console

JSON format object defining extra optional settings to initialize ConverseJS

Default

None

None

None

Disabled

Disabled

None

Option

XMPP client (ConverseJS)

XMPP server domain

XMPP http-bind URL

XMPP MUC Domain

Authentication method

Description

Integration with Converse.js XMPP client.

XMPP server domain

 *example.org*

Full URL to the http-bind.

 <https://xmpp.example.org/http-bind/>

Required for auto-joining rooms

 *conference.example.org*

The authentication method to be used by XMPP client

 Plain | OAuth (uses Tiki as provider) | Openfire TikiToken

Default

Disabled

None

None

None

None

Option

Openfire REST API endpoint

Rest API username

Rest API password

ConverseJS Debug Mode

ConverseJS Extra Settings

Description

Full URL to API endpoint

 <https://xmpp.example.org:9091/plugins/restapi/v1/>

Username to allow Openfire API usage

Password to allow Openfire API usage

Enables more logging, e.g. XML stanzas and error
tracebacks to the JavaScript Console

JSON format object defining extra optional settings to
initialize ConverseJS

Default

None

None

None

Disabled

None

Unable to load the jQuery Sortable Tables feature.