## Shibboleth Step 1: Update the Wiki

To enable Shibboleth authentication within the Wiki goto the Admin page and in dropdown box select Shibboleth When Selected Goto the bottom to the Shibboleth Seettings.

Below is a table of the options and what they do.

		· ·		
Option	Description	Default		
Create user if not registered in Tiki	If a user was externally authenticated, but not found in the Tiki user database, Tiki will create ar entry in its user database.			
Jse Tiki authentication for Admin log-in	The user "admin†will be authenticated by <b>only</b> using Tiki's user database. This option has no effect on users other than "adminâ€.	Disabled		
Valid affiliations	A list of affiliations which will allow users to log in to this wiki  \$\frac{1}{2}\$ Separate multiple affiliations with commas			
Create with default group		Disabled		
Default group	The name of the default group	Shibboleth		
Option	Description	Default		
Create user if not registered in Tiki	If a user was externally authenticated, but not found in the Tiki user database, Tiki will create an entry in its user database.			
Jse Tiki authentication for Admin log-in	n The user "admin†will be authenticated by <b>only</b> using Tiki's user database. This option has no effect on users other than "adminâ€.			
Valid affiliations	A list of affiliations which will allow users to log in to this wiki  Separate multiple affiliations with commas	None		
Create with default group		Disabled		
Default group	The name of the default group	Shibboleth		
Option	Description	Default		
Create user if not registered in Tiki	If a user was externally authenticated, but not found in the Tiki user database, Tiki will create an entry in its user database.			
Jse Tiki authentication for Admin log-in	for Admin log-in The user "admin†will be authenticated by <b>only</b> using Tiki's user database. This option has no effect on users other than "adminâ€.			

Default group	Ilt group The name of the default group	
Option	Description	Default
Create user if not registered in Tiki	If a user was externally authenticated, but not found in the Tiki user database, Tiki will create entry in its user database.	
Jse Tiki authentication for Admin log-in	The user "admin†will be authenticated by <b>only</b> using Tiki's user database. This option has no effect on users other than "adminâ€.	Disabled
Valid affiliations	A list of affiliations which will allow users to log in to this wiki  Separate multiple affiliations with commas	
Create with default group		Disabled
Default group	The name of the default group	Shibboleth
Option	Description	Default
Create user if not registered in Tiki	If a user was externally authenticated, but not found in the Tiki user database, Tiki will create a entry in its user database.	
Jse Tiki authentication for Admin log-in	The user "admin†will be authenticated by <b>only</b> using Tiki's user database. This option has no effect on users other than "adminâ€.	Disabled
Valid affiliations	A list of affiliations which will allow users to log in to this wiki  Separate multiple affiliations with commas	None
Create with default group		Disabled
Default group	The name of the default group	Shibboleth
·	I the wiki is ready to use shibboleth as an authentication source. You will now ensure that shibboleth is setup correctly. the files that were modified to enable Shibboleth Authentication;	need to
<ul><li>templates/modules/r</li></ul>	nod-login box.tpl	
	· · · · · · · · · · · · · · · · · · ·	

A list of affiliations which will allow users to log in to this wiki

**b** Separate multiple affiliations with commas

**Default** 

Disabled

None

**Description** 

Option

Valid affiliations

Create with default group

- templates/tiki-admin-include-login.tpl
- tiki-admin\_include\_login.php
- tiki-setup\_base.php

Below is a	table of these	files and a	description	of the changes;
------------	----------------	-------------	-------------	-----------------

riie name	Description
userslib.php	This is used to validate a shibboleth user, changes have been made to the validate_user function.
iki-admin-include-login.tpl	This file needs to be changed to display $\tilde{A} \not = \tilde{A} \cdot \tilde{A} \cdot$
iki-admin-include-login.tpl	This file needs to be changed to display the Shibboleth options in the Login Admin page
iki-admin_include_login.php	This file changes will process the new values in the Login Admin page above.
:iki-setup_base.php	This page will need to be changed to ensure the shibboleth user is validated.

## Shibboleth step 2:Update Shibboleth

To enable the wiki to be protected by Shibboleth you will need to add a the following to you apache conf.

Â Â Â AuthType shibboleth
 Â Â Â ShibRequireSession On
 Â Â Â ShibRequireAll On
 Â Â Â require valid-user

The other thing you will need to do is update your Shibboleth Service Providers AAP (Attribute Assertion Policy)

AAP.XML.

Below are the Attributes required by the Tikiwiki Auth and the required Header values;

ÂÂÂ ÂÂÂÂÂÂÂ ÂÂÂÂ.\*@.\* ÂÂÂ ÂÂÂÂ ÂÂÂÂÂÂ ÂÂÂ

ÂÂÂÂ ÂÂÂÂÂÂ ÂÂÂ