

Time and Memory Limits tab

Overview

Use this tab to configure the Tiki options that may affect your overall performance.

To Access

From the [Performance Admin Panel](#) page, click the **Time and Memory Limits** tab.

Related Topics

- [Performance](#)

Option

PHP execution memory limit

Description

Temporarily adjust the memory limit to use during PHP execution. Depending on the volume of data, some large operations require more memory. Increasing it locally, per operation, allows to keep a lower memory limit globally. Keep in mind that memory usage is still limited to what is available on the server.

 *for example 256M, currently is 160M*

Default

None

Option

PHP execution time limit

Description

Temporarily adjust the time limit to use during PHP execution. Depending on the volume of data, some requests may take longer. Increase the time limit locally to resolve the issue. Use reasonable values.

 *for example 30 seconds, currently is 30 seconds*

Default

None

Option

Tracker item export memory limit

Description

Temporarily adjust the memory limit to use during Tracker item export. Depending on the volume of data, some large operations require more memory. Increasing it locally, per operation, allows to keep a lower memory limit globally. Keep in mind that memory usage is still limited to what is available on the server.

 *for example: 256M*

Default

None

Option

Tracker item export time limit

Tracker clear time limit

Description

Temporarily adjust the time limit to use during Tracker item export. Depending on the volume of data, some requests may take longer. Increase the time limit locally to resolve the issue. Use reasonable values.

 *for example: 30*

Temporarily adjust the time limit to use during Tracker clear. Depending on the volume of data, some requests may take longer. Increase the time limit locally to resolve the issue. Use reasonable values.

 *for example: 30*

Default

None

None

Option

Printing to PDF memory limit

Description

Temporarily adjust the memory limit to use during Printing to PDF. Depending on the volume of data, some large operations require more memory. Increasing it locally, per operation, allows to keep a lower memory limit globally. Keep in mind that memory usage is still limited to what is available on the server.

 *for example: 256M*

Default

None

Option

Printing to PDF time limit

Description

Temporarily adjust the time limit to use during Printing to PDF. Depending on the volume of data, some requests may take longer. Increase the time limit locally to resolve the issue. Use reasonable values.

 *for example: 30*

Default

None

Option

Search index rebuild memory limit

Description

Temporarily adjust the memory limit to use during Search index rebuild. Depending on the volume of data, some large operations require more memory. Increasing it locally, per operation, allows to keep a lower memory limit globally. Keep in mind that memory usage is still limited to what is available on the server.

 *for example: 256M*

Default

None

Option

Search index rebuild time limit


Security check time limit

Description

Temporarily adjust the time limit to use during Search index rebuild. Depending on the volume of data, some requests may take longer. Increase the time limit locally to resolve the issue. Use reasonable values.

 *for example: 30*

Temporarily adjust the time limit to use during Security check. Depending on the volume of data, some requests may take longer. Increase the time limit locally to resolve the issue. Use reasonable values.

 *time allocated to check all tiki files on tiki-admin_security.php*

Default

None

60 seconds

Option

PHP execution memory limit

Description

Temporarily adjust the memory limit to use during PHP execution. Depending on the volume of data, some large operations require more memory. Increasing it locally, per operation, allows to keep a lower memory limit globally. Keep in mind that memory usage is still limited to what is available on the server.

 *for example 256M, currently is 160M*

Default

None

Option

PHP execution time limit

Description

Temporarily adjust the time limit to use during PHP execution. Depending on the volume of data, some requests may take longer. Increase the time limit locally to resolve the issue. Use reasonable values.

 *for example 30 seconds, currently is 30 seconds*

Default

None

Option

Tracker item export memory limit

Description

Temporarily adjust the memory limit to use during Tracker item export. Depending on the volume of data, some large operations require more memory. Increasing it locally, per operation, allows to keep a lower memory limit globally. Keep in mind that memory usage is still limited to what is available on the server.

 *for example: 256M*

Default

None

Option

Tracker item export time limit

Tracker clear time limit

Description

Temporarily adjust the time limit to use during Tracker item export. Depending on the volume of data, some requests may take longer. Increase the time limit locally to resolve the issue. Use reasonable values.

 *for example: 30*

Temporarily adjust the time limit to use during Tracker clear. Depending on the volume of data, some requests may take longer. Increase the time limit locally to resolve the issue. Use reasonable values.

 *for example: 30*

Default

None

None

Option

Printing to PDF memory limit

Description

Temporarily adjust the memory limit to use during Printing to PDF. Depending on the volume of data, some large operations require more memory. Increasing it locally, per operation, allows to keep a lower memory limit globally. Keep in mind that memory usage is still limited to what is available on the server.

 *for example: 256M*

Default

None

Option

Printing to PDF time limit

Description

Temporarily adjust the time limit to use during Printing to PDF. Depending on the volume of data, some requests may take longer. Increase the time limit locally to resolve the issue. Use reasonable values.

 *for example: 30*

Default

None

Option

Search index rebuild memory limit

Description

Temporarily adjust the memory limit to use during Search index rebuild. Depending on the volume of data, some large operations require more memory. Increasing it locally, per operation, allows to keep a lower memory limit globally. Keep in mind that memory usage is still limited to what is available on the server.

 *for example: 256M*

Default

None

Option

Search index rebuild time limit


Security check time limit

Description

Temporarily adjust the time limit to use during Search index rebuild. Depending on the volume of data, some requests may take longer. Increase the time limit locally to resolve the issue. Use reasonable values.

 *for example: 30*

Temporarily adjust the time limit to use during Security check. Depending on the volume of data, some requests may take longer. Increase the time limit locally to resolve the issue. Use reasonable values.

 *time allocated to check all tiki files on tiki-admin_security.php*

Default

None

60 seconds

Option

PHP execution memory limit

Description

Temporarily adjust the memory limit to use during PHP execution. Depending on the volume of data, some large operations require more memory. Increasing it locally, per operation, allows to keep a lower memory limit globally. Keep in mind that memory usage is still limited to what is available on the server.

 *for example 256M, currently is 512M*

Default

None

Option

PHP execution time limit

Description

Temporarily adjust the time limit to use during PHP execution. Depending on the volume of data, some requests may take longer. Increase the time limit locally to resolve the issue. Use reasonable values.

 *for example 30 seconds, currently is 30 seconds*

Default

None

Option

Tracker item export memory limit

Description

Temporarily adjust the memory limit to use during Tracker item export. Depending on the volume of data, some large operations require more memory. Increasing it locally, per operation, allows to keep a lower memory limit globally. Keep in mind that memory usage is still limited to what is available on the server.

 *for example: 256M*

Default

None

Option

Tracker item export time limit

Tracker clear time limit

Description

Temporarily adjust the time limit to use during Tracker item export. Depending on the volume of data, some requests may take longer. Increase the time limit locally to resolve the issue. Use reasonable values.

 *for example: 30*

Temporarily adjust the time limit to use during Tracker clear. Depending on the volume of data, some requests may take longer. Increase the time limit locally to resolve the issue. Use reasonable values.

 *for example: 30*

Default

None

None

Option

Printing to PDF memory limit

Description

Temporarily adjust the memory limit to use during Printing to PDF. Depending on the volume of data, some large operations require more memory. Increasing it locally, per operation, allows to keep a lower memory limit globally. Keep in mind that memory usage is still limited to what is available on the server.

 *for example: 256M*

Default

None

Option

Printing to PDF time limit

Description

Temporarily adjust the time limit to use during Printing to PDF. Depending on the volume of data, some requests may take longer. Increase the time limit locally to resolve the issue. Use reasonable values.

 *for example: 30*

Default

None

Option

Search index rebuild memory limit

Description

Temporarily adjust the memory limit to use during Search index rebuild. Depending on the volume of data, some large operations require more memory. Increasing it locally, per operation, allows to keep a lower memory limit globally. Keep in mind that memory usage is still limited to what is available on the server.

 *for example: 256M*

Default

None

Option

Search index rebuild time limit

Description

Temporarily adjust the time limit to use during Search index rebuild. Depending on the volume of data, some requests may take longer. Increase the time limit locally to resolve the issue. Use reasonable values.

 *for example: 30*

Default

None

Unable to load the jQuery Sortable Tables feature.

Option

PHP execution memory limit

Description

Temporarily adjust the memory limit to use during PHP execution. Depending on the volume of data, some large operations require more memory. Increasing it locally, per operation, allows to keep a lower memory limit globally. Keep in mind that memory usage is still limited to what is available on the server.

 *for example 256M, currently is 512M*

Default

None

Option

PHP execution time limit

Description

Temporarily adjust the time limit to use during PHP execution. Depending on the volume of data, some requests may take longer. Increase the time limit locally to resolve the issue. Use reasonable values.

 *for example 30 seconds, currently is 30 seconds*

Default

None

Option

Tracker item export memory limit

Description

Temporarily adjust the memory limit to use during Tracker item export. Depending on the volume of data, some large operations require more memory. Increasing it locally, per operation, allows to keep a lower memory limit globally. Keep in mind that memory usage is still limited to what is available on the server.

 *for example: 256M*

Default

None

Option

Tracker item export time limit

Tracker clear time limit

Description

Temporarily adjust the time limit to use during Tracker item export. Depending on the volume of data, some requests may take longer. Increase the time limit locally to resolve the issue. Use reasonable values.

 *for example: 30*

Temporarily adjust the time limit to use during Tracker clear. Depending on the volume of data, some requests may take longer. Increase the time limit locally to resolve the issue. Use reasonable values.

 *for example: 30*

Default

None

None

Option

Printing to PDF memory limit

Description

Temporarily adjust the memory limit to use during Printing to PDF. Depending on the volume of data, some large operations require more memory. Increasing it locally, per operation, allows to keep a lower memory limit globally. Keep in mind that memory usage is still limited to what is available on the server.

 *for example: 256M*

Default

None

Option

Printing to PDF time limit

Description

Temporarily adjust the time limit to use during Printing to PDF. Depending on the volume of data, some requests may take longer. Increase the time limit locally to resolve the issue. Use reasonable values.

 *for example: 30*

Default

None

Option

Search index rebuild memory limit

Description

Temporarily adjust the memory limit to use during Search index rebuild. Depending on the volume of data, some large operations require more memory. Increasing it locally, per operation, allows to keep a lower memory limit globally. Keep in mind that memory usage is still limited to what is available on the server.

 *for example: 256M*

Default

None

Option

Search index rebuild time limit

Description

Temporarily adjust the time limit to use during Search index rebuild. Depending on the volume of data, some requests may take longer. Increase the time limit locally to resolve the issue. Use reasonable values.

 *for example: 30*

Default

None

Unable to load the jQuery Sortable Tables feature.