

Toc í"Œëÿ¬ê·,ì,

TOC i€ "table of contents" (ëª©ì°)ì~ ì'ë<^ì...œìž...ë<^ë<ª. í•œ êµ¬ìì°ì²'ì— ì†ì•~ëš" íž~ì'ìš€ ì•ì—ì,,œ {toc} ífœê·,ë¼¼ ì,¬ìš©í•~ë©' ê·, íž~ì'ìš€ì~ í•~ìœ,, íž~ì'ìš€ë¼¼ ë,~ì—'í•~ëš" ëª©ì°"ë¼¼ í'œì<œí• ê²fìž...ë<^ë<ª (êµ¬ìì°ì²' ë,, ì, 'íž'ë³'ì< ì<œì~ª). íž~ì'ìš€ê°€ í•~ìœ,,íž~ì'ìš€ê°€ ì—†ì,, ê²½ìš°, ì•,,ë¬' ê²fë,, í'œì<œë~ìš€ ì•šì,, ê²fìž...ë<^ë<ª.

• êµ¬ìì°ì²'ì~ 'root' íž~ì'ìš€ì—ì,,œ ì,¬ìš©ë~ë©', êµ¬ìì°ì²' ì,,ì²'ì~ ëª©ì°" ì,,ë¶€ê°€ ëšŒë"æì- 'ìš'ë<^ë<ª.

• í•œ í•~ìœ,,íž~ì'ìš€ì—ì,,œ ì,¬ìš©ë~ë©', í•œ ì±•í,,òì~ ëª©ì°"ê°€ ëšŒë"æì- 'ìš'ë<^ë<ª (ê·, íž~ì'ìš€ì~ í•~ìœ,,íž~ì'ìš€ë"æëšŒ ë³'ìž,,).

ìœ ì,¬í•œ ífœê·,ëìœëš" {maketoc} ê°€ ìž~ìœ¼¼ë©°, ì'ëš" í•œ íž~ì'ìš€ì~ ì œëª©ë"æì—ì,,œì~ ëª©ì°"ë¼¼ ëšŒë"æê²Œ ë©ë<^ë<ª (PluginMaketoc ì,, ì°,ìì°).

ë³€ì^~

ê°€ëš¼í•œ ë³€ì^~ë"æì— ëŒ€í•œ ê·,ë³, ì,, í†ì,¬í•ì€ ì•,,ëž~ì—ì,,œ êµµì€ì²'ëìœ ë³'ìž...ë<^ë<ª.

ë³€ì^~	ê°'	ì,,æª...
order	asc í~ì€ desc	ì•ë ¬ì^œì,,œ
showdesc	0 í~ì€ 1	íž~ì'ìš€ì~ ì,,æª... í'œì<œ
shownum	0 í~ì€ 1	ë²^ì~ ,ëšæê¹€ í'œì<œ
type	plain í~ì€ fancy	fancy ì~ ê²½ìš°, íž~ì'ìš€ì~ ì,,æª...ì,, ìžë™ìœ¼¼ëìœ í'œì<œ ë° ê° ìæ,,ì— ëŒ€í•~ì—¬ toclevel í'ëž~ìšæ ëŒ€ì< fancytoclevel í'ëž~ìšæ ì,¬ìš©
structId	number (ê·,ë³, : íž~ì'ìš€ê°€ ì†ì•~ëš" êµ¬ìì°ì²' ID that the page belongs to)	êµ¬ìì°ì²'ì~ id, í~ì€ êµ¬ìì°ì²'ì~ ì'ëì,, (tw >2), í~ì€ êµ¬ìì°ì²' ë, 'ë¶€ì~ íž~ì'ìš€ì~ page_ref_id (íž~ì'ìš€ ì°,ìì° ID) (ì¶"ê°€ ì•ë³'ëš" ì•,,ëž~ë¼¼ ë³'ì<œì~ª)
maxdepth	number (ê·,ë³, : 0)	ëšŒë"æì-ìš^ íš,ëì¬ì~ ìµœëŒ€ ê¹šì', 0ì†ì~ ì^«ìž, 0 ì€ ì œí•œì—†ìŒì,, ì~ë~ ,
pagename	string (ê·,ë³, : í~,,ìž¬ íž~ì'ìš€ ëª...)	ëª©ì°"ë¼¼ ëšŒë"æê²Œ ë ëŒ€ì† íž~ì'ìš€ì~ ì'ëì,,

ì—→ëÿ→ ê°œèì~ êµ→ìì°ì²´ë“x ì•^ì~
ë™ ì¼í•œÂ íž~ì´ìš€

ì—→ëÿ→ ê°œèì~ êµ→ìì°ì²´ë“xì— ìž^ëš” íž~ì´ìš€ë¼ ífif%oí•~ëš” ê²fi€ í•´ë<¹ íž~ì´ìš€ì— ì,→ìš©ëœ ë²©ì°” í”œëÿ→ê·,ì,ì´
ì~^ìfì¹ ë²»í-^ë~ ë°©ì<ìœ¼ëìœ ìž´ë™ í•~ëš” ìì,ì´ ë ì~ ìž~ìšµë<^ë<x. ì´ ê²½ìš°ì—ëš” **structld** ë³èì^~ë¼ ìš€ì •í•ì—→
ë°©ì<, ìš€ì •í•¼ í•©ë<^ë<x.

^ë¼ ë“xë©´, "Full" ì´ë¼ ë¶^ëì→ëš” êµ→ìì°ì²´ì™ € "Shell" ì´ë¼ëš” êµ→ìì°ì²´ê°€ ìž^ë<xê³ ê°èì •í•©ì<œë<x. ê·,ëì→ê³ ì
ë´ê°œèì~ êµ→ìì°ì²´ì•^ì— ë²»ë´ í-í•”ëœ "Examples" ë¼ëš” íž~ì´ìš€ê°€ ìž^ë<xê³ ê°èì •í•©ì<œë<x. Full êµ→ìì°ì²´ã...”ì,œ
Examples íž~ì´ìš€ëš” í•~ë¶èì— "Example 1", "Example 2" ê·,ëì→ê³ "Example 3" ì´ë¼ëš” 3ê°œèì~ íž~ì´ìš€ê°€ ìž^ë<xê³
ê°èì •í•©ì<œë<x. Shell êµ→ìì°ì²´ì—ëš” Examples íž~ì´ìš€ í•~ì— í•~ë¶èì íž~ì´ìš€ê°€ ì—ìšµë<^ë<x.

Examples íž~ì´ìš€ê°€ ëšxë²^ ë¶^ë xìš^ ë•œëš^ë<x ë²©ì°” í”œëÿ→ê·,ì,ì—ì,œ 3ê°œèì~ example í•~ë¶èì íž~ì´ìš€ë“xì´
ë³´ë,,èì í•~ê³ ì¶ë<xë©´, **structld** ë³èì^~ê°€ Full êµ→ìì°ì²´ ë,´ë¶èì~ Examples íž~ì´ìš€ì~ **page_ref_id** ëìœ
ì,,xì •ë~ì-¼ í•©ë<^ë<x. ì´ **page_ref_id** ê°€ ë-ì—ì, ìš€ í™ •ì,ì´ ë xë©´, ë<xìœ ë<^ë³,,ë¼ ë”ë¼ì<œèì~x:

- **tiki-admin_structures.php** ëìœ ê°èì<ì<œèì~x
- êµ→ìì°ì²´ì~ ì´ëì,,ì,, í´ëìí•~ì<ì<œèì~x (ì´ ì~^ì œèì—ì,,œëš” "Full")
- í´œèì<œë~ëš” íž~ì´ìš€ì—ì,,œ ë²©ì°” í”œëÿ→ê·,ì,ì´ ì,→ìš©ë~ëš” íž~ì´ìš€ ì´ëì,, ìœ,,ëìœ
ëš^ìš°ìšx í-ì,ì,,°ë¼ ê°èì ì~xì<ì<œèì~x (ë³, ì~^ì œèì—ì,,œëš” "Examples")
- íž~ì´ìš€ë²... ìœ,,ëìœ ëš^ìš°ìšx í-ì,ì,,°ë¼ ê°èì ì™ ”ì,, ë•œ URLì~ ì¼ë¶èì, **page_ref_id**
ì— ì¼ë²©í•~ì<ì<œèì~x
- ë²©ì°” í”œëÿ→ê·,ì,ì´ ì•^ì~ **structld** ë³èì^~ë¼ ìœ,,ì—ì,,œ ì¼ë²©í•œ **page_ref_id** ê³¼
ë™ ì¼í•~ê²œ ì,,xì •í•~ì<ì<œèì~x

ì´ì œ Examples íž~ì´ìš€ì~ ë²©ì°” í”œëÿ→ê·,ì,ì´ Full êµ→ìì°ì²´ì—ì,,œ í•~ë¶èì~ 3 íž~ì´ìš€ë¼ ë³ì—ì,x,, ê²fìž...ë<^ë<x.

1: plain

1: plain

```
{toc order=asc shownum=1 type=plain }
```

All the Documentation

- 1 Introduction
 - 1.1 Goals
 - 1.2 Social Contract
- 2 Installation
 - 2.1 Requirements and Setup
 - 2.2 Download
 - 2.3 Linux
 - 2.3.1 Install with RPM
 - 2.3.2 Install on Debian
 - 2.3.3 Install on Gentoo
 - 2.4 Windows Desktop Install
 - 2.5 Advanced Settings
 - 2.5.1 Shared Hosting

ì—ì œ 2: fancyÂ ìœ í•

ì•„ěž~ì~ ì½”ě“œ:

```
{toc order=asc shownum=1 type=fancy }
```

ěŠ” All the Documentation íŽ~ì`ìš€ì— ëœ€í•~ì—¬ ëª©ì°”ě¥¼ ేశœë“α ê²fìž...ë^ë<α.

- 1 Introduction: Welcome
 - 1.1 Goals
 - 1.2 Social Contract
- 2 Installation: How to install tikiwiki
 - 2.1 Requirements and Setup: What is required to install TikiWiki
 - 2.2 Download: Downloading Tikiwiki
 - 2.3 Linux: Tiki Installation on Linux
 - 2.3.1 Install with RPM
 - 2.3.2 Install on Debian: How to install TikiWiki on Debian
 - 2.3.3 Install on Gentoo: Installation on Gentoo
 - 2.4 Windows Desktop Install: A step-by-step guide to install Tiki on Windows
 - 2.5 Advanced Settings
 - 2.5.1 Shared Hosting

~^` 3: fancy, showdescÂ ` ı̃ •

ı̃„ěž~ı̃ ı̃½”ě“œ:

{toc order=asc shownum=1 type=fancy showdesc=1 }

ěŠ” All the Documentation íŹ~ı̃`ı̃š€ı̃— ẽœ€ı̃•~ı̃—ı̃ ẽª©ı̃°”ẽ¥¼ ẽšœẽ“ı̃ ê²fiž...ě^ě<ı̃.

- 1 Welcome: Introduction
 - 1.1
 - 1.2
- 2 How to install tikiwiki: Installation
 - 2.1 What is required to install TikiWiki: Requirements and Setup
 - 2.2 Downloading Tikiwiki: Download
 - 2.3 Tiki Installation on Linux: Linux
 - 2.3.1
 - 2.3.2 How to install TikiWiki on Debian: Install on Debian
 - 2.3.3 Installation on Gentoo: Install on Gentoo
 - 2.4 A step-by-step guide to install Tiki on Windows: Windows Desktop Install
 - 2.5
 - 2.5.1

ı̃£¼ı̃~ı̃ı̃ ı̃ı̃€ ı̃` ı̃~^ı̃ ı̃œı̃—ı̃„œěŠ” ı̃„ı̃œª...ı̃` ẽ”¼ı̃ı̃ € ẽ³ı̃`ê³ ı̃•~ı̃`ı̃¼ẽšı̃—ẽ¼ẽŠ” ê²fê³¼ ı̃f€ı̃`ı̃<€ ı̃•„ẽ“œê°€ ẽ’ ẽ²^ı̃š, ẽı̃œ ẽ³ı̃` ẽ<ı̃œ¼ẽŠ” ê²fiž...ě^ě<ı̃. ẽšœı̃•½ íŹ~ı̃`ı̃š€ê°€ ı̃„ı̃œª... ı̃•„ẽ“œê°€ ı̃—ı̃tẽ<ı̃œ©’ (ẽ³, ı̃~^ı̃ ı̃œı̃ êµ—ı̃ı̃°ı̃²ı̃~ ẽšŹı̃€ ı̃Ź~ı̃`ı̃š€ẽ“ı̃ ı̃²~ẽY¼), ı̃„ı̃œª..., ẽšı̃— ı̃~ı̃ı̃ı̃ ı̃ ı̃œª©ı̃` ẽ³ı̃`ı̃š€ ı̃•Šı̃„ ê²fiž...ě^ě<ı̃. ı̃` ı̃„ ı̃fi, —ı̃ı̃ı̃ı̃ ẽª©ı̃°” ẽ, ’ẽ¶€ı̃~ ẽª”ẽ“ ı̃Ź~ı̃`ı̃š€ẽ“ı̃ı̃` ı̃„ı̃œª... ı̃•„ẽ“œê°€ ı̃„ı̃ı̃ •ẽ~ı̃—’ ı̃ž^ı̃„ ê²ı̃ı̃ı̃ı̃ı̃—ẽšœ ı̃, —ı̃š©ı̃• ©ě^ě<ı̃.

î~^î œ 4:Â pagename

ì„,ëž~ì ½”ë“œ:

{toc pagename="Documentation"}

ëš” All the Documentation íž~ì`ìš€ì— ëœ€í•~ì—→ ë²©ì°”ë¥¼ ëšœë“œ ê²fîž...ë^ëœœ.

íž~ì`ìš€ë²... (pagename) ì„, ì „ëœ¬í•~ëš” ê²fî€ (ìµœì†œ) 2ê°œì~ ê²½ìš°ì—ì„œ ìœ ìš©í•©ë^ëœœ:

1. êµ¬ìì°ì²`ì~ ëš^ìšœí„,° ë²©ì°” íž~ì`ìš€ë¥¼ êµ¬ìì°ì²`ì~ ëš^ìš€ëš%œ íž~ì`ìš€ëìœ í•ê³ ìœì„, ë•œ.

2. ëœœë¥, íž~ì`ìš€ ë,`ë¶€ì—ì„œ (PluginInclude ë¥¼ ì¬ìš©í•~ì—→) ë²©ì°” íœëê·,ëìœ íž~ì`ìš€ë¥¼ í¬í•”í•ê³ ìœì„, ë•œ.

íž~ì`ìš€ì~ ì`ëì„ì„, ë²©ì°” íœëê·,ëìœ ì„ëœ¬í•~ìš€ ì•šê³ ë²©ì°” íœëê·,ì™€ í•ê»~

íž~ì`ìš€ë¥¼ í¬í•”í• ê²½ìš°, ë²©ì°”ëš” í¬í•”ëœ íž~ì`ìš€ì— ëœ€í•œ ë²©ì°”ë¥¼

ë³`ì—¬ì£¼ëš” ê²f ëœ€ìœ ìžìœ ì` í¬í•”ëœ íž~ì`ìš€ì~ ë²©ì°”ë¥¼ ë³`ì—¬ì£¼ê²œ ë ê²fîž...ë^ëœœ.

ì`ëš” ê°œìš” ë° í¬í„, íž~ì`ìš€ì— ëœ€í•~ì—→ ìœ ìš©í•©ë^ëœœ.

ì£¼ì~: ëœœë¥, êµ¬ìì°ì²`ì—ì„œì~ ë²©ì°”ëìœ íž~ì`ìš€ë¥¼ í¬í•”í•`ì¼í• ê²½ìš°, êµ¬ìì°ì²` ID ë~í•œ ì„ëœ¬í• í•„ìš”ê°œ ìž^ìšµë^ëœœ.

ëª"ë"^-ì-ì,,œ ëª©ì°"ì~Â ífìf°%o

module wikistruçture ë¼ íµí•^-ì-ì ìœ,,í,æ íž~ì'ìš€ë"æì~ êµ-ìì°ì²'ì ëª©ì°"ì-ì,,œ ë™ì ì,-ì'ë"œ ë©"ë%o'ë¼ ëšœë"æ
ì~ ìž^ìšµë^ë<æ.

ë³ „ì¹