

Security Tokens tab

Overview

Use this tab to configure Tiki to use tokens for site access.

To Access

From the [Security Admin](#) page, click the **Tokens** tab.

Option

Token access

Token access default timeout

Related Topics

- [security admin](#)
- [Token Access](#)
- [PluginGetAccessesToken](#)

Description

With the presentation of a token, allow access to the content with elevated rights.

The primary use of this authentication method is to grant temporary access to content to an external service.

The default duration for which the generated tokens will be valid.

Default

Disabled

604800 seconds

Option

Token access default maximum hits

Share access rights with friends when using
Share

Description

The default maximum number of times a token can be used before it expires.

Allow users to share their access rights for the current page with a friend when sending the link by email, Twitter, or Facebook. The lifespan of the link is defined by the site.

Default

10 hits

Disabled

Option

Do not delete temporary users when token is deleted/expired

Description

Normally temporary users created (see tiki-adminusers.php) are deleted when their access token is deleted/expired. If turned on, this will keep those users around (and can be manually deleted later) but they will have no groups and therefore no perms

Default

Disabled

Unable to load the jQuery Sortable Tables feature.

Option

Token access

Token access default timeout

Token access default maximum hits

Description

With the presentation of a token, allow access to the content with elevated rights. The primary use of this authentication method is to grant temporary access to content to an external service.

The default duration for which the generated tokens will be valid.

The default maximum number of times a token can be used before it expires.

Default

Disabled

604800 seconds

10 hits

Option

Share access rights with friends when using Share

Do not delete temporary users when token is deleted/expired

Description

Allow users to share their access rights for the current page with a friend when sending the link by email, Twitter, or Facebook. The lifespan of the link is defined by the site.

Normally temporary users created (see tiki-adminusers.php) are deleted when their access token is deleted/expired. If turned on, this will keep those users around (and can be manually deleted later) but they will have no groups and therefore no perms

Default

Disabled

Disabled

Unable to load the jQuery Sortable Tables feature.

Option

Token access

Token access default timeout

Token access default maximum hits

Description

With the presentation of a token, allow access to the content with elevated rights. The primary use of this authentication method is to grant temporary access to content to an external service.

The default duration for which the generated tokens will be valid.

The default maximum number of times a token can be used before it expires.

Default

Disabled

604800 seconds

10 hits

Option

Share access rights with friends when using Share

Do not delete temporary users when token is deleted/expired

Description

Allow users to share their access rights for the current page with a friend when sending the link by email, Twitter, or Facebook. The lifespan of the link is defined by the site.

Normally temporary users created (see `tiki-adminusers.php`) are deleted when their access token is deleted/expired. If turned on, this will keep those users around (and can be manually deleted later) but they will have no groups and therefore no perms

Default

Disabled

Disabled

Unable to load the jQuery Sortable Tables feature.

Option

Token access

Token access default timeout

Token access default maximum hits

Description

With the presentation of a token, allow access to the content with elevated rights. The primary use of this authentication method is to grant temporary access to content to an external service.

The default duration for which the generated tokens will be valid.

The default maximum number of times a token can be used before it expires.

Default

Disabled

604800 seconds

10 hits

Option

Share access rights with friends when using Share

Do not delete temporary users when token is deleted/expired

Description

Allow users to share their access rights for the current page with a friend when sending the link by email, Twitter, or Facebook. The lifespan of the link is defined by the site.

Normally temporary users created (see tiki-adminusers.php) are deleted when their access token is deleted/expired. If turned on, this will keep those users around (and can be manually deleted later) but they will have no groups and therefore no perms

Default

Disabled

Disabled

Unable to load the jQuery Sortable Tables feature.

Option

Token access

Token access default timeout

Token access default maximum hits

Description

With the presentation of a token, allow access to the content with elevated rights. The primary use of this authentication method is to grant temporary access to content to an external service.

The default duration for which the generated tokens will be valid.

The default maximum number of times a token can be used before it expires.

Default

Disabled

604800 seconds

10 hits

Option

Share access rights with friends when using Share

Do not delete temporary users when token is deleted/expired

Description

Allow users to share their access rights for the current page with a friend when sending the link by email, Twitter, or Facebook. The lifespan of the link is defined by the site.

Normally temporary users created (see `tiki-adminusers.php`) are deleted when their access token is deleted/expired. If turned on, this will keep those users around (and can be manually deleted later) but they will have no groups and therefore no perms

Default

Disabled

Disabled

Unable to load the jQuery Sortable Tables feature.

For more details see [Token Access](#).

