User Settings tab

Overview

Configure general settings relating to useres.

To Access

From the User Settings page, click the **User Settings** tab.

Related Topics

User-

Preferences

Option	Description	Default
Jser preferences screen		Enabled
Display "My Account" in the application menu	Display "My Account" in the application menu	Enabled
KMPP account JID or username	XMPP account JID or username	None
KMPP account password	XMPP account password	None
KMPP http-bind URL	Full URL to the http-bind. https://xmpp.example.org/http-bind/	None
My pages	List all wiki pages edited by the user.	Enabled
My blogs	List all blogs and blog posts edited by the user.	Enabled
My messages	List all messages and replies by the user.	Enabled
My tasks	List all tasks by the user.	Enabled
My forum topics	List all forum topics by the user.	Enabled
My forum replies	List all forum replies by the user.	Enabled
My items	List all tracker items by the user.	Enabled
Displayed time zone	Use time zone set from user preferences, or the automatically detected time zone for anonymous (if browser allows). Site default is used as fallback. ☐ Always the site default time zone. Use time zone set from user preferences, or the automatically detected time zone for anonymous (if browser allows). Site default is used as fallback.	Use time zone set from user
Jse 12-hour clock for time selectors	Use the 12-hour clock (with AM and PM) in some edit screens to set the time for publishing new or edited blog posts, articles, etc.	Disabled
Jsers can change theme	lacktriangle Users can override the theme with this setting.	Enabled
4		,

Option	Description	Default
Number of visited pages to remember	≡ 1 2 3 4 5 10	4 visited pages
「asks per page	≡ 2 5 10 20 30 40 50	10 tasks
Jse interface that shows differences in any versions		Disabled
Keep closed remarksbox hidden	Remember the alert boxes that users have closed and don't display them again.	Enabled
Require admin users to enter their password for some critical actions	User password will be required for critical operations that can compromise the system security or stability, like adding users to the admin group	Enabled
ock user account after a period of nactivity	User account will be locked automatically after a defined period of not logging in or inactivity	Disabled
Period of inactivity before account get ocked	User account will be locked automatically after this period (in days)	30
Option	Description	Default
Jser preferences screen		Enabled
Display "My Account" in the application menu	Display "My Account" in the application menu	Enabled
KMPP account JID or username	XMPP account JID or username	None
KMPP account password	XMPP account password	None
KMPP http-bind URL	Full URL to the http-bind. https://xmpp.example.org/http-bind/	None
My pages	List all wiki pages edited by the user.	Enabled
My blogs	List all blogs and blog posts edited by the user.	Enabled
My messages	List all messages and replies by the user.	Enabled
My tasks	List all tasks by the user.	Enabled
My forum topics	List all forum topics by the user.	Enabled
My forum replies	List all forum replies by the user.	Enabled
My items	List all tracker items by the user.	Enabled
Displayed time zone	Use time zone set from user preferences, or the automatically detected time zone for anonymous (if browser allows). Site default is used as fallback. ☐ Always the site default time zone. Use time zone set from user preferences, or the automatically detected time zone for anonymous (if browser allows). Site default is used as fallback.	Use time zone set from user

Option	Desci	ription	Default
Jse 12-hour clock for time selectors		ne 12-hour clock (with AM and PM) in some edit screens to set the time for thing new or edited blog posts, articles, etc.	Disabled
Jsers can change theme	<u> </u>	ers can override the theme with this setting.	Enabled
Number of visited pages to remember	≡ 1 2	2 3 4 5 10	4 visited pages
Гasks per page	≔ 2 5	5 10 20 30 40 50	10 tasks
Jse interface that shows differences in any versions			Disabled
Keep closed remarksbox hidden	Reme	mber the alert boxes that users have closed and don't display them again.	Enabled
Require admin users to enter their password for some critical actions	•	bassword will be required for critical operations that can compromise the system ty or stability, like adding users to the admin group	Enabled
Lock user account after a period of nactivity	User a	account will be locked automatically after a defined period of not logging in or vity	Disabled
Period of inactivity before account get ocked	User a	account will be locked automatically after this period (in days)	30
Option		Description	Default
Jser preferences screen			Disabled
Display "My Account" in the application m	enu	Display "My Account" in the application menu	Disabled
KMPP account password		XMPP account password	None
My pages		List all wiki pages edited by the user.	Enabled
My blogs		List all blogs and blog posts edited by the user.	Enabled
My messages		List all messages and replies by the user.	Enabled
My tasks		List all tasks by the user.	Enabled
My forum topics		List all forum topics by the user.	Enabled
My forum replies		List all forum replies by the user.	Enabled
My items		List all tracker items by the user.	Enabled
Displayed time zone		Use time zone set from user preferences, or the automatically detected time zone for anonymous (if browser allows). Site default is used as fallback.	Use time zone set from user

Option	Description	Default
Jse 12-hour clock for time selectors	Use the 12-hour clock (with AM and PM) in some edit screens to set the time for publishing new or edited blog posts, articles, etc.	Disabled
Jsers can change theme	⚠ Users can override the theme with this setting.	Disabled
Number of visited pages to remember	≡ 1 2 3 4 5 10	4 visited pages
Гasks per page	≡ 2 5 10 20 30 40 50	10 tasks
Jse interface that shows differences in any versions		Disabled
Keep closed remarksbox hidden	Remember the alert boxes that users have closed and don't display them again.	Disabled
Require admin users to enter their password or some critical actions	User password will be required for critical operations that can compromise the system security or stability, like adding users to the admin group	Enabled
ock user account after a period of inactivity	User account will be locked automatically after a defined period of not logging in or inactivity	Disabled
Period of inactivity before account get locked	User account will be locked automatically after this period (in days)	30
Option	Description	Default
Jser preferences screen		Disabled
Display "My Account" in the application menu	Display "My Account" in the application menu	Disabled
KMPP account password	XMPP account password	None
My pages	List all wiki pages edited by the user.	Enabled
My blogs	List all blogs and blog posts edited by the user.	Enabled
My messages	List all messages and replies by the user.	Enabled
My tasks	List all tasks by the user.	Enabled
My forum topics	List all forum topics by the user.	Enabled
My forum replies	List all forum replies by the user.	Enabled
My items	List all tracker items by the user.	Enabled
Displayed time zone	Use time zone set from user preferences, or the automatically detected time zone for anonymous (if browser allows). Site default is used as fallback.	Use time zone set from user

Option	Description	Default
Jse 12-hour clock for time selectors	Use the 12-hour clock (with AM and PM) in some edit screens to set the time for publishing new or edited blog posts, articles, etc.	Disabled
Jsers can change theme	A Users can override the theme with this setting.	Disabled
Number of visited pages to remember	≡ 1 2 3 4 5 10	4 visited pages
Гasks per page	≡ 2 5 10 20 30 40 50	10 tasks
Jse interface that shows differences in any versions		Disabled
Keep closed remarksbox hidden	Remember the alert boxes that users have closed and don't display them again.	Disabled
Require admin users to enter their password for some critical actions	User password will be required for critical operations that can compromise the system security or stability, like adding users to the admin group	Enabled
Option	Description	Default
Jser preferences screen		Disabled
Display "My Account" in the application menu	Display "My Account" in the application menu	Disabled
KMPP account password	XMPP account password	None
My pages	List all wiki pages edited by the user.	Enabled
My blogs	List all blogs and blog posts edited by the user.	Enabled
My galleries	List all galleries edited by the user.	Enabled
My messages	List all messages and replies by the user.	Enabled
My tasks	List all tasks by the user.	Enabled
My forum topics	List all forum topics by the user.	Enabled
My forum replies	List all forum replies by the user.	Enabled
My items	List all tracker items by the user.	Enabled
Displayed time zone	Use time zone set from user preferences, or the automatically detected time zone for anonymous (if browser allows). Site default is used as fallback.	Use time zone set from user
Jse 12-hour clock for time selectors	Use the 12-hour clock (with AM and PM) in some edit screens to set the time for publishing new or edited blog posts, articles, etc.	Disabled

Option	Description	Default
Jsers can change theme	⚠ Users can override the theme with this setting.	Disabled
Number of visited pages to remember	≡ 1 2 3 4 5 10	4 visited pages
「asks per page	≡ 2 5 10 20 30 40 50	10 tasks
Jse interface that shows differences in any versions		Disabled
Keep closed remarksbox hidden	Remember the alert boxes that users have closed and don't display them again.	Disabled
Require admin users to enter their password or some critical actions	User password will be required for critical operations that can compromise the system security or stability, like adding users to the admin group	Enabled