# User Settings tab

**Overview** 

Configure general settings relating to useres.

**To Access** 

From the User Settings page, click the User Settings tab.

Related TopicsUser-Preferences

#### **Option**

User preferences screen

Display "My Account" in the application menu

XMPP account JID or username

XMPP account password

XMPP http-bind URL

Display "My Account" in the application menu

XMPP account JID or username

XMPP account password

Full URL to the http-bind.



Enabled

Enabled

None

None

None

My pages

My blogs

My messages

My tasks

My forum topics

My forum replies

My items

- List all wiki pages edited by the user.
- List all blogs and blog posts edited by the user.
- List all messages and replies by the user.
- List all tasks by the user.
- List all forum topics by the user.
- List all forum replies by the user.
- List all tracker items by the user.

Enabled

Enabled

Enabled

Enabled

Enabled

Enabled

Enabled

Displayed time zone

Use 12-hour clock for time selectors

Users can change theme

Number of visited pages to remember

Use time zone set from user preferences, or the automatically detected time zone for anonymous (if browser allows). Site default is used as fallback.

**E** Always the site default time zone. | Use time zone set from user preferences, or the automatically detected time zone for anonymous (if browser allows). Site default is used as fallback.

Use the 12-hour clock (with AM and PM) in some edit screens to set the time for publishing new or edited blog posts, articles, etc.

Users can override the theme with this setting.

**≔** 1 | 2 | 3 | 4 | 5 | 10

Use time zone set from user...

Disabled

Enabled

4 visited pages

#### Tasks per page

Use interface that shows differences in any versions Keep closed remarksbox hidden

Require admin users to enter their password for some critical actions

Lock user account after a period of inactivity

**≔** 2 | 5 | 10 | 20 | 30 | 40 | 50

Remember the alert boxes that users have closed and don't display them again.

User password will be required for critical operations that can compromise the system security or stability, like adding users to the admin group

User account will be locked automatically after a defined period of not logging in or inactivity

10 tasks

Disabled

Enabled

Enabled

Disabled

Period of inactivity before account get locked

User account will be locked automatically after this period (in days)

30

Unable to load the jQuery Sortable Tables feature.

#### **Option**

User preferences screen

Display "My Account" in the application menu

XMPP account password

My pages

My blogs

My messages

Display "My Account" in the application menu

XMPP account password

List all wiki pages edited by the user.

List all blogs and blog posts edited by the user.

List all messages and replies by the user.

Disabled

Disabled

None

Enabled

Enabled

Enabled

My tasks

My forum topics

My forum replies

My items

Displayed time zone

- List all tasks by the user.
- List all forum topics by the user.
- List all forum replies by the user.
- List all tracker items by the user.
- Use time zone set from user preferences, or the automatically detected time zone for anonymous (if browser allows). Site default is used as fallback.
- **E** Always the site default time zone. | Use time zone set from user preferences, or the automatically detected time zone for anonymous (if browser allows). Site default is used as fallback.

Enabled

Enabled

Enabled

Enabled

Use time zone set from user...

Use 12-hour clock for time selectors

Users can change theme

Number of visited pages to remember

#### Tasks per page

Use interface that shows differences in any versions

Keep closed remarksbox hidden

Use the 12-hour clock (with AM and PM) in some edit screens to set the time for publishing new or edited blog posts, articles, etc.

Users can override the theme with this setting.

Remember the alert boxes that users have closed and don't display them again.

Disabled

Disabled

4 visited pages

10 tasks

Disabled

Disabled

Require admin users to enter their password for some critical actions

Lock user account after a period of inactivity

Period of inactivity before account get locked

User password will be required for critical operations that can compromise the system security or stability, like adding users to the admin group

User account will be locked automatically after a defined period of not logging in or inactivity

User account will be locked automatically after this period (in days)

Enabled

Disabled

30

Unable to load the jQuery Sortable Tables feature.

## **Option**

User preferences screen

Disabled

#### Display "My Account" in the application menu

XMPP account password

My pages

My blogs

My messages

My tasks

My forum topics

My forum replies

My items

- Display "My Account" in the application menu
- XMPP account password
- List all wiki pages edited by the user.
- List all blogs and blog posts edited by the user.
- List all messages and replies by the user.
- List all tasks by the user.
- List all forum topics by the user.
- List all forum replies by the user.
- List all tracker items by the user.

# **Default** Disabled

None

Enabled

Enabled

Enabled

Enabled

Enabled

**Enabled** 

Enabled

Displayed time zone

Use 12-hour clock for time selectors

Users can change theme

Number of visited pages to remember

Use time zone set from user preferences, or the automatically detected time zone for anonymous (if browser allows). Site default is used as fallback.

**E** Always the site default time zone. | Use time zone set from user preferences, or the automatically detected time zone for anonymous (if browser allows). Site default is used as fallback.

Use the 12-hour clock (with AM and PM) in some edit screens to set the time for publishing new or edited blog posts, articles, etc.

Users can override the theme with this setting.

**≔** 1 | 2 | 3 | 4 | 5 | 10

Use time zone set from user...

Disabled

Disabled

4 visited pages

#### Tasks per page

Use interface that shows differences in any versions

Keep closed remarksbox hidden

Require admin users to enter their password for some critical actions

**≔** 2 | 5 | 10 | 20 | 30 | 40 | 50

Remember the alert boxes that users have closed and don't display them again.

User password will be required for critical operations that can compromise the system security or stability, like adding users to the admin group

10 tasks

Disabled

Disabled

**Enabled** 

Unable to load the jQuery Sortable Tables feature.

# Option

User preferences screen

Disabled

## **Option**

### Display "My Account" in the application menu

XMPP account password

My pages

My blogs

My galleries

My messages

My tasks

My forum topics

My forum replies

- Display "My Account" in the application menu
- XMPP account password
- List all wiki pages edited by the user.
- List all blogs and blog posts edited by the user.
- List all galleries edited by the user.
- List all messages and replies by the user.
- List all tasks by the user.
- List all forum topics by the user.
- List all forum replies by the user.

# **Default** Disabled

None

Enabled

Enabled

Enabled

Enabled

Enabled

**Enabled** 

Enabled

## **Option**

My items

Displayed time zone

Use 12-hour clock for time selectors

Users can change theme

List all tracker items by the user.

Use time zone set from user preferences, or the automatically detected time zone for anonymous (if browser allows). Site default is used as fallback.

**!≡** Always the site default time zone. | Use time zone set from user preferences, or the automatically detected time zone for anonymous (if browser allows). Site default is used as fallback.

Use the 12-hour clock (with AM and PM) in some edit screens to set the time for publishing new or edited blog posts, articles, etc.

Users can override the theme with this setting.

Enabled

Use time zone set from user...

Disabled

Disabled

## **Option**

Number of visited pages to remember

### Tasks per page

Use interface that shows differences in any versions

Keep closed remarksbox hidden

Require admin users to enter their password for some critical actions

Remember the alert boxes that users have closed and don't display them again.

User password will be required for critical operations that can compromise the system security or stability, like adding users to the admin group

4 visited pages

10 tasks

Disabled

Disabled

Enabled

Unable to load the jQuery Sortable Tables feature.