


Webservice Registration

Overview

With this feature you can pull data from any JSON or SOAP enabled service, for example from Yahoo:

To access

Click the **Webservice Registration** icon  on the [Admin Panel](#)
or

Access **<http://example.org/tiki-admin.php?page=webservices>**

Note

This feature is mainly useful for the [Webservice Plugin](#)

Related Topics

- [Webservice Plugin](#)
- [Bugs and Wishes](#)

Option

[Web services](#)

[Default cache](#)

Description

Can receive web services via JSON or YAML.

Cache time in seconds to use if the webservice does not supply "max-age" or "no-cache" in the response.

Default

Disabled

300 seconds

Unable to load the jQuery Sortable Tables feature.

Option

Web services

Default cache

Description

Can receive web services via JSON or YAML.

Cache time in seconds to use if the webservice does not supply "max-age" or "no-cache" in the response.

Default

Disabled

300 seconds

Option

Web services

Default cache

Unable to load the jQuery Sortable Tables feature.

Description

Can receive web services via JSON or YAML.

Cache time in seconds to use if the webservice does not supply "max-age" or "no-cache" in the response.

Default

Disabled

300 seconds

Unable to load the jQuery Sortable Tables feature.

Option

Web services

Description

Can receive web services via JSON or YAML.

Default

Disabled

Option

Default cache

Description

Cache time in seconds to use if the webservice does not supply "max-age" or "no-cache" in the response.

Default

300 seconds

Unable to load the jQuery Sortable Tables feature.

EXAMPLE

Webservice returning JSON.

1. In the "url" field enter:

```
http://luciash.eu/paypal_balance_conversion_in_json.php?amount_in=%amount_in%&currency_in=%currency_in%&currency_out=%currency_out%
```

2. In the "Type" dropdown leave "REST" selected.

3. In the "Parameters" textarea fill in the parameters as:

```
%amount_in% %currency_in% %currency_out%
```

4. Click "Lookup" button.

Now you can test the parameters.

You should see 3 new fields appear where you can enter the values to test.

Enter:

1. amount_in: 2
2. currency_in: EUR
3. currency_out: USD

The returned data under the "Response Information" will be something like this:

```
Array ( [amount_out_formatted] => 2.49 [from_currency_code] => USD [exchange_rate_formatted] => 1.24567 )
```

When tested you can save the Webservice under a name, e.g. `paypalexchangerate` (cannot contain anything else than letters) by clicking the "Register" button. Now you have registered Webservice called "paypalexchangerate" which you can use in [PluginWebservice](#).