


# Windows Azure

## CREATE A WEBSITE



PICK "CUSTOM CREATE"



WEB SITES

0

web sites PREVIEW

NEW



COMPUTE



WEB SITE

PREVIEW



QUICK CREATE



DATA SERVICES



VIRTUAL MACHINE



CUSTOM CREATE



APP SERVICES



MOBILE SERVICE

PREVIEW



FROM GALLERY



NETWORKS



CLOUD SERVICE

URL

REGION

North Central US

## CHOOSE OPTIONS FOR SITE

NEW WEBSITE - CUSTOM CREATE

### Create Web Site

URL


mytikitest  .azurewebsites.net

REGION


North Central US

DATABASE

Create a new MySQL database

DB CONNECTION STRING NAME 


DefaultConnection

Publish from source control 



2 3

# ACCEPT NAME FOR THE DATABASE



NEW WEBSITE - CUSTOM CREATE

## New MySQL Database

NAME

REGION


I agree to ClearDB's [legal terms](#) and that Microsoft will transfer my subscription and contact information to ClearDB. See also ClearDB's [privacy statement](#).

← → 3


# INDICATE SOURCE FOR THE CODE


Pick Github You should fork <https://github.com/lphuberdeau/tiki-azure> and use this.

# Where is your source code?

 Team Foundation Service

 Local Git repository

 GitHub

 Dropbox


 Bitbucket




GitHub is the best place to share code with friends, co-workers, classmates, and complete strangers. Over three million people use GitHub to build amazing things together.

## AUTHENTICATE WITH GITHUB

and pick repo



SEE THE DASHBOARD




# Tiki side configuration

## SET MYSQL SSL CONNECTION

It is recommended to use an SSL connection when using cloud based databases. See [MySQL SSL](#) for details

# Troubleshooting

## DEPLOYMENT FAILED



The screenshot shows the Windows Azure portal interface. The top navigation bar includes 'Windows Azure' and a dropdown arrow. The left sidebar contains various service icons, with 'mytikitest' selected. The main content area displays the 'mytikitest' resource page, which is in 'PREVIEW' status. The navigation menu includes 'DASHBOARD', 'DEPLOYMENTS', 'MONITOR', 'CONFIGURE', 'SCALE', and 'LINKED RESOURCES'. A deployment failure is highlighted with a red warning icon and the text: 'DEPLOYMENT FAILED: Thursday, June 13, 2013 11:37 AM'. Below this, it shows the source as 'Fetch from https://github.com/marclaporte/tiki-azure', the ID as 'temp-b9bcc', the author as 'N/A', and the deployer as 'GitHub'. A 'GITHUB http' link is visible in the top right. At the bottom of the deployment card, it says 'Not Modified: Thursday, June 13, 2013 11:46 AM'. The bottom of the screen features a dark blue bar with icons for '+ NEW', 'BROWSE', 'SYNC', and 'DISMISS'.