

Translation of this page is incomplete.

ë°°ê±° ê'€ë|¬

ë°°ë,,^ ì „ìš©ìœ¼ëíœ 2ê°œì~ ê'€ë|¬ íŽ~ì`ê°€ ìž^ìŠµë<^ë<x:

1. "ê'€ë|¬ > ë°°ë,,^" (**tiki-list_banners.php**)

ì—¬ê, °ëŠ" êµ¬ì—(zones)ì,, ë§Œë“xê³ , ì»”í...ì, ë¥¼ ì •ì~í•~ê³ ì, ¬ìš©ìžì—ê²Œ í• ê¹í•~ê³ , ìœê°,,ëŒë¥¼ ì •ì~í•~ëŠ" ë“±ì,, ìœ„í•œ ê³³ìž...ë<^ë<x....

Banners								
Tip To use a banner in a module or a template, use {banner zone=ABC}, where ABC is the name of the zone.								
Create banner								
Find <input type="text"/> Find								
ID	Client	URL	Zone	Created	Method	Use Dates?	Max Impressions	Clicks
5	Xavi	banner_click.php?id=5&url=http://doc.tikiwiki.org/Banners	LateralZoneText	Mon 13 of April, 2009	useText	n -1	3	0
1	admin	banner_click.php?id=1&url=http://doc.tikiwiki.org	LateralZone	Mon 13 of April, 2009	useImage	n 2147483647	18	0
3	admin	http://www.feedintariff.com.au/	TopZone	Mon 13 of April, 2009	useHTML	n 1000	85	0
4	Xavi	banner_click.php?id=4&url=http://cenatlic.es	HeaderZone	Wed 11 of March, 2009	useImage	n -1	0	0

Page: 1/1

1. "ê'€ë|¬ > ê'€ë|¬ í™^ > ì,¬ì`íŠ, ê'’ê³ ë° ë°°ë,,^" (**tiki-admin.php?page=ads**)

ì‘ë|,,ë§Œìœ¼ëíœ ë³’ë©’ ë” ë§Žì€ ê, °ëŠ¥ì,, ë<’ê³ ìž^ì, ê²f ê°™ì§€ë§Œ, í~”ìž¬ì` ê'€ë|¬ íŽ~ì`í§€ì~ ìœ ì¼í•œ ë¤©ì`ì€ ì,¬ì`íŠ, í—æ”ì~ì— ë°°ë,,^ êµ¬ì—ì, ì¶”ê°€í•~ê, °ìœ„í•œ ê²fiž...ë<^ë<x. ë°°ë,,^ ìœ„ì`í•ëŠ" ì...Œë§^ì— ë”°ë¼ ì•½ê° „ì”® ë<xë¥¼ ì~^ ìž^ìœ¼ë©®, ë°°ë,,^ êµ¬ì—ì€ ì,¬ì „ì— ì •ì~ë~ì— ìž^ì—ì•½ë§Œ í•©ë<^ë<x.

Site Ads and Banners

Configure Site Ads and Banners

Site Ads and Banners

Activate:

Content: {banner zone='TopZone'}

Example: {banner zone='Test'}

Publish:

Apply

ë°°ë,,^ êµ¬ì—

ë°°ë,,^ êµ¬ì— ì€ ì§€ì •ëœ ë°°ë,,^ë¥¼ í‘œê, °í• ì •ì~ëœ ì~ì—ìž...ë<^ë<x. ê·€í•~ì~ì,¬ì`íŠ,ì— ëŒ€í•~ì— ì• „ìš”í•œ ë§Œí¼ì~ ë°°ë,,^ë¥¼ ì •ì~í• ì~ìž^ìŠµë<^ë<x, ê·,ë|¬ê³ ê° êµ¬ì—ì— ë<xë¥, ë°°ë,,^ê°€ í‘œìœë~ë,ëi í• ì~^ ìž^ìŠµë<^ë<x. ì~ë¥¼ ë“æ©’, ì¼ë°~ìì, ì,¬ì`íŠ,ëŠ" 3ê°œì~ ë°°ë,,^ êµ¬ì—ì, ê°€ì§^ ì~^ ìž^ì, ê²fiž...ë<^ë<x:

- ìfë<” êµ¬ì—, ë¤”ë” íŽ~ì`í§€ì~ ìfë<”ì— ë°°ë,,^ ê’’ê³ ë¥¼ í‘œìœ
- ì¢Œì`ì í~ì€ ìš`ì, ì êµ¬ì—, ì¢Œì`ìì€ ìš`ì— ì—ì, ìœ ê’’ê³ ë¥¼ í‘œìœ
- í• ë<” êµ¬ì—, íŽ~ì`í§€ì~ ì• ë<”ì—ì, ìœ ê<xë¥, ë°°ë,,^ë¥¼ í‘œìœ

ë°°ë„^ êµ¬ì— ë§Œë“¤ê, °

ifj̄ ë°°ë, ^ë°¥¼ ë§Œë°xâ, °ì „ì—, ë°°ë, ^ë°¥¼ ë†°“ëŒ ë °ë°°ë, ^ êµ-ñ-i, ë³°`íœ í• `í•½ë§Œ í• @ëe^ë<x.

íf^ è°°ë„^ êµ¬ì—ì„ ë§Œë“œë æë©’:

1. ê€é!¬ ë©”ë‰ì„œ ë°°ë,, ^ë¥¼ í’ë!í•~ì<œí~œ. ë°°ë,, ^íŽì`ì§€ê°€ ë, ~íƒëë, ~ê³ í~, „íž¬ ë°°ë,, ^ë¥¼ í’œí<œí•@ëë^ë<œ.
 2. ë°°ë,, ^ë§Œë”¤ê, °ë¥¼ í’ë!í•~ì—¬ if^ ë°°ë,, ^êµ¬ì—ì,, ë§Œë”œì<ì<œí~œ. ã...ë,, ^íŽ,ì§’ í~¹ì€ ë§Œë”¤ê, °íŽì`ì§€ê°€ ë, ~íƒëë, @ëë^ë<œ.
 3. êµ¬ì— ë§Œë”¤ê, °í„œ“œì—ì,,œ, if^ ë°°ë,, ^êµ¬ì—ì— ëŒ€í•œ ì’ë!,ì,, ìž...ë ¥í•~ê³ (í~ë¥¼ ë”¤ë@’ TopZone) êµ¬ì— ë§Œë”¤ê, °ë¥¼ í’ë!í•~ì<œí~œ.

Edit or create banners

List banners

URL to link the banner

Client:

Max impressions:

Zone:

4. í̄́í̄, æǣ̄S̄̄ ð̄̄ ð̄̄ē̄ē̄, ^̄̄é̄̄mū̄-ī̄-ī̄, (í̄̄Z̄̄-ī̄-í̄̄s̄̄é̄̄ī̄-í̄̄-ē̄-ī̄-ī̄, ǣ̄) é̄̄, °̄̄ī̄-ī̄-é̄̄mū̄-ī̄-ī̄-ī̄-ē̄, @̄̄é̄̄ī̄-ī̄-í̄̄P̄̄"̄̄é̄̄í̄̄-@̄̄é̄̄-^̄̄ē̄-ē̄ǣ̄.

Remove Zones (you lose entered info for the ban)	
name	action
BottomZone	remove
TopZone	remove

ì`ì oe ë°ë„^ êµ-ri-i` iž`iœ¼ë-ëeiœ iœxœ ë°ë„^ ë¥¼ ëŒ“œ ïœœœœ „ë°€ ëœ ëœ ëœfjz...ëœ^ëœœ.

ë°°ë„^ìœí~•

í<°í, æëŠ” è<¤íŒì~ è°°ë„ ^ ìœ í~•ì,, è§Œë“¤ ì^~ ìž^ìŠµë<^ë<¤:

- **HTML** — ё°ё„ ^`~ „ ё°ї•œ HTML/XHTML і½”ё“œ. і~”ё¥¼ ё“œ. ѕё©’ , ё°ё„ ^ êµí™ ~і— і†Œitё~і-’ іž^ё“œ. ё°ё„ ^ є¥¼ íœі<œі• і½”ё“œ ії°ê°і, і~”ік í• і~” іž^іŠµе<œ. іf¼і~ : HTMLі~ і½”ё“œ. (-+<A HREF...>+) ёſí~ є¥¼ í~і• ~і~ ё“œ. ѕё©’ ё°ё„ ^`~ ёſí~і• **URL** і• „ ё“œ. є¥¼ іž~і •і~і• ^ ²fiž...ё“œ.
 - **ê·, ё!¼** — і- ё“œ. і§€ (PNG, BMP, і~”і€ GIF) і—...ёіœ“œі• ~і— — ё°ё„ ^ ёіœ і,—іš©і• і~” іž^іŠµе<œ.
 - **ê³ і •œ URL** — і~, і§xíŒ...ёœ іœ, „ і~”і—і, œ ё°ё„ ^ є¥¼ і—”ё°і• і~” іž^іŠµе<œ. і~” є¥¼ ё“œ. ѕё©’ , ё™і ё°ё„ ^ є¥¼ і œê³µí• ~ єŠ” ё°ё„ ^ êµí™ ~і— і†Œitё~і-’ іž^іœ¹” ё“œ. і,—іš©і• URLі, є°€і§€ê³ іž^і, і~” іž^іŠµе<œ. (і~” є¥¼ ё“œ. ѕё©’ <http://bannerserver/mybanner?id=foo> і™€ є°™і€).
 - **і...і§xíŠ**,-- ё“і~œі•œ і...і§xíŠ, ёіœë§Œ ёœ є’”ê³ . і...і§xíŠ, єŠ” **bannertext** CSS і§xíƒ€і½”і, і~”іš©і• ~і— — і, ”œі~і і§©і’ ё“œ. ѕё©’ , ё°ё„ ^ є¥¼ і•œ.

ë°°ë„^ë§Œë“¤ê,°

if ^ e ° ° e „ ^ e ¥ ¼ e § C E e “ o e e x e C ‘ :

1. ê'€é|¬ ë©"ë‰`ì—ì„æ ë°°ë„, ^ë¥¼ í'ë|í~`ì`ì<œì~¤. ë°°ë„ ^ íŽ`ì`ì§ëê°ë ë, ^ ifëë, ^ ê³` í~`ìž¬ ë°°ë„ ^ë¥¼`ì`œì<œí• @ë^ë¤.
 2. ë°°ë„ ^ë§ëŒë“¤ë „ ^ë¥¼ í'ë|í~`ì—¬ if^ë°°ë„ ^ë¥¼ë§ëŒë“œì<œì~¤. ë°°ë„ ^ íŽ`ì§`í~`ìëë§ëŒë“¤ë „ ^

URL to link the banner	<input type="text"/>	create zone:	<input type="button" value="create zone"/>
Client:	<input type="button" value="admin"/>		
Max impressions:	<input type="text" value="1000"/>		
Zone:	<input type="button"/>		
Show the banner only between these dates:			
From date:	<input type="button" value="April"/>	<input type="button" value="18"/>	<input type="button" value="2007"/>
To date:	<input type="button" value="April"/>	<input type="button" value="17"/>	<input type="button" value="2008"/>
Use dates	<input type="checkbox"/>		
Show the banner only in these hours:			
from:	<input type="button" value="00"/>	<input type="button" value="00"/>	<input type="button" value="00"/>
to:	<input type="button" value="23"/>	<input type="button" value="59"/>	<input type="button" value="59"/>
Show the banner only on:			
Mon:	<input checked="" type="checkbox"/>	Tue:	<input checked="" type="checkbox"/>
Wed:	<input checked="" type="checkbox"/>	Thu:	<input checked="" type="checkbox"/>
Fri:	<input checked="" type="checkbox"/>	Sat:	<input checked="" type="checkbox"/>
Sun:	<input checked="" type="checkbox"/>		
Select ONE method for the banner			
<input checked="" type="radio"/>	Use HTML	<input type="text"/>	
<input type="radio"/>	Use image	<input type="text"/>	<input type="button" value="Browse..."/>
<input type="radio"/>	Use image generated by URL (the image will be requested at the URL for each impression)	<input type="text"/>	
<input type="radio"/>	Use text	<input type="text"/>	

3. ё<xi>E í‘œë¥¼ ì,¬ìŠ©í·~ì—¬ íŽ~ì`ì§€`ì` ê° í•,,ë“œë¥¼ ì™ „ëfŒí·~ì`ì<œi` æ:

Configure Banner	
URI where the banner appears only	The fully qualified URL click-through for the banner, such as http://www.tikiwiki.org . The URL will open in a new browser window. If blank, the banner will not be clickable.
URL Notes:	<ul style="list-style-type: none"> * If you select an HTML banner type, you must include the URL in the HTML code — not in this field. * To track banner clicks, use: banner_click.php?id=XX&url=http://www.tikiwiki.org, where XX is the banner ID. The banner ID is shown on the Banners page. * Leave this blank if an HTML banner uses Javascript from a banner service such as AdSense because that code will make the banner clickable.
Client	Select a username as the "client" for this banner. Clients can display the stats for a specific banner.
Max impressions	The maximum number of times the banner will be displayed (default 1000). After reaching this number, the banner will no longer display. Hint: If your site has lots of traffic, increase this number.
Zone	Select the zone in which to display the banner. To create a new zone, in the Create Zone field, type a name for the new banner zone and click Create Zone .
Show between dates	To automatically turn this banner on and off at a specific date, select the Use dates option and then select a From and To date. For example, you can create a banner to display only for a specific holiday or event. If you do not select the Use dates option, the banner will be shown immediately, and continue to be shown until the Max impressions .
Show between hours	Select the time of the day that the banner will display. By default, the banner will display 24-hours-a-day. As of April 2009 and in Tiki 2.x sites, you may need to re-set the hours from the default ones, to "from 00:00 until 23:59h" in order to have your banners display properly.
Show only on	Select the specific days of the week that the banner will display. By default, the banner will appear 7-days-a-week. For example, you can create a banner to display only on weekends.
Banners method	Select a banner type: HTML , Image , URL , or Text .
URIs where the banner appears only	Give the list of URIs you want the banner to only appears. The URIs are enclosed with #. Example: #/tiki/my_page#/tiki/tiki-index_raw.php?page=my_page#. This banner will only appear in the page my_page. You can have as many banners of the zone appearing in the same URI. They will share the display. The zone when not in the URIs will display any banner with an empty URI selector.
	tiki>8.0

Unable to load the jQuery Sortable Tables feature.

4. **ë°°ë„^ì €ìž¥ì,, í́ëí•~ì<ì<œì~¤.**

ë°°ë„^ í’œì<œ

í^ºí, æl—l, œ ë°ë, ^ë¥¼ í’œl<œí•~ë æë©’, è^ºí^œíz^ë<ælŒ l½”ë“œë¥¼ í¶”ê°éí•~ë©’ è©è<^ëæ {banner zone=XXXXX}

(í—-é, „í„œ XXXXX eš” e„œ „ éµ-í—í~ í‘e!„íž...e[^]e<œ):

íœ„í,¤ íŽ˜í `í§€ ¤, ¤é¶€í—í „œ [PluginBanner](#) í, „í, ¬íš©í• í^~¤, íž^íŠµ¤[^]¤[^]¤

ì^ë¥¼ ë“¤ë© :

- *ë^a”ë“ iŽ`i`i§€iœ^{1/4} ifë<“i—ë^oë, ^ê^oë ë, ~ifëë, ~ê²Œ í•~ë xë© ‘, iTM ,i~•ê³^{1/4} êŠë,Œ ê‘ëë|¬ iŽ`i`i§€i~ i,¬i`iŠ, i—xë“ i,¬i§©iž i§€i • i½”ë“oe i...iŠxaiŠ, i`i—i—ë^oë, ^êµ|¬i—i, i¶“ê^oëí·~ê±^oë, ~ “ê‘ëë|¬ > ê‘ëë|¬ iTM ^ > i,¬i`iŠ, ê‘ëë|¬ ë^oë^oë,, ”ë¥^{1/4} i`iŽ`i`i§€i~ iœ—ë¶ë¶,i—i,,xë^a...ëœ ëŒëëiœ i,¬i§©i·~kì<œi~x.*
 - *i½ë¶ë iŽ`i`i§€i—i,oe ixa`i•TM i—i`ifë<“i—ë^oë, ^ê^oë ë, ~ifëë, ~ê²Œ í•~ë xë© ‘, iTM ,i~•ê³^{1/4} êŠë,Œ i,¬i§©iž i§€i • ixa`i•TM i— i—xë“oei—i—ë^oë i½”ë“oeë¥^{1/4} ë<œiŒê³^{1/4} ê^oTM i`i,½iž...i—i`i~ iž`iŠµëë^ë<œ:*

```
{if $section eq 'forums' and $smarty.request.forumId eq 2} {banner zone='forum2'} {elseif $section eq 'forums' and $smarty.request.forumId eq '6'} {banner zone='forum6'} {elseif $section eq 'blogs' and $smarty.request.blogId eq 4} {banner zone='blog4'} {* add your elseif *} {/if}
```

(i™, i~ • ê³¹/₄ ē Šē, (E i, -iš©iž i§€i • i¤`i•™ i— í—æ“œ í...iŠáS, i~l—i` i—tēŠ” i~¤éžœ è²„i „l~
í~ºi, xì—i, œéŠ”, iŒi~ è ^i~l—é, °ëŠ¥l, i™ cei, ±í™”í~ê³ l½”è“œë¥¼ iì i~l•œ iŒi~ è ^i~l—divi— èt“i•, è~“
í~^ iž^iŠmëe~x. è·, è, °ëŠ¥l’ i—tēŠ” í~ºi, xì~ è” i~¤éž~œ è²„i „l, è³~lœ i~ê³ iž^eŠ” è²½iš°,
i—...è·, è ^i~l“œi• ~i~lœi~x (è·, è §i§€i• Še~œë©’, .tpl iŒŒi¼ iž, i§i, itµi• ~i— i½”è“œê~€
i¶”è~€ë~i—i~¼i~©e~œ~x, è~i~lœ {literal} ifœê~œiœ è·, è, iš©i, i—iŒi~, eŠ” è²fl, ižŠi§€ eë~i~lœi~x).

- $\hat{e}^{\circ\circ}\hat{e}, \hat{e}^{\circ\circ}\hat{e}$ if $\text{CE} \sim \text{I} \in \text{S}$ $\rightarrow \text{I} = \text{I}, \text{OE} \hat{e}, \text{if } \hat{e}^{\circ\circ}\hat{e} \in \text{CE}$ $\rightarrow \text{I} = \text{I}, \text{OE} \hat{e}$

Use wysiwyg editor Create new user module

Name	SampleBanner
Title	Sample Banner
Data	{banner zone=ModuleZone}
Must be wiki parsed	<input type="checkbox"/>

create/edit

í<œí~¤

1. ë¤"ë" í• ë<í•~ê, °

1.10 ì`if ë²,,ì „í~í<œí~¤—ì„œëŠ" ë°°ë,,^ê°€ ë™í¹/4í•œ ì°¹/2í—ì—'ë!` ê²fi, ì§€ if^ ì°¹/2í—ì—'ë!` ê²fi, ì§€ë¥¹/4
ì§€ì •í• ì~ ìžìŠµë<ë<¤. ê, °ë³, ì€ if^ ì°¹/2í—ì„œ ì—'ëŠ" ê²fiž...ë<ë<¤

{banner zone=TopZone target=_self}

ë°°ë,,^ í†µê³,, í'œí<œ

ë°°ë,,^ ê°€ ê·éí•~í~ ì,—ì`íŠ, ì—ì„œ í™œì„±í™"ë~ê³ ë, ~ë©', ê·éí•~ í~ì€ ê³ ê°ì` í†µê³,,ë¥¹/4 ê²€í† í• ì~
ìžìŠµë<ë<¤.

if^ ë°°ë,,^ êµ¬ì—ì„œ§Œë“œë æë©':

1. ê'€ë!—ë©"ë‰"ì—ì„œ ë°°ë,,^ë¥¹/4 í'ë!í•~í<œí~¤. ë°°ë,,^ íž~ì`í§€ê°€ ë, ~íf€ë, ~ê³ ì„ìž—ë°°ë,,^ë¥¹/4
í'œí<œí•©ë<ë<¤.

	<u>Id</u>	<u>Client</u>	<u>Zone</u>	<u>Created</u>	<u>Method</u>	<u>Use Dates?</u>	<u>Max Impressions</u>	<u>Impressions</u>	<u>Clicks</u>	Action
	1	admin	TopZone	Sat 21 of Apr, 2007	useHTML	Y	1000	12	1	Edit Remove Stats

2. ê²€í† í• ë°°ë,,^í—ëŒ€í•œ í†µê³,,ë¥¹/4 í'ë!í•~í<œí~¤. ë°°ë,,^ í†µê³,,íž~ì`í§€ê°€ ë, ~íf€ë, ~ê³ ì„ìž—ë°°ë,,^ë¥¹/4

Banner stats
[List banners](#) [Edit](#) [Create new banner](#)

Banner Information

Client:	admin
URL:	http://www.tikiwiki.org
Zone:	TopZone
Created:	Sat 21 of Apr, 2007
Max Impressions:	1000
Impressions:	13
Clicks:	1
Click ratio:	0.076923076923077
Method:	useHTML
Use dates:	From: Sat 21 of Apr, 2007 to: Sun 20 of Apr, 2008
Hours:	From: 00:00 to: 23:59
Weekdays:	mon tue wed thu fri sat sun

Banner raw data



From Here

[Banners](#)

[Banner User](#)

[PluginBanner](#)