

# Í°í,æ ì,,œë²,, ê²€ì,-

## ê°œìš”

ì,,œë²,, ê²€ì,-ë¼¼ ì,-ìš©í•~ì-ì-ì,,œë²,, ì,,æì •ì,, ê²€íí í•~ê³ í™~ê²¼ì' í°í,æë¼¼ ìœ,,í•~ì-ì-ì ì í°í•~ê²€

ì,,æì •ë~ì-^ëš”ìš€ë¼¼ í™•ì,í•~ì<ìœì~æ. ì' ê,°ëš¼í€ í°í,æ10

ì-ì,,œ ì,, ì,, ê³~ì€ìœ¼¼ë©° ì ì ,, ê²,,ì ,,ì, í°í,æ 9.2 ëìœ

ì ìkë~ì-^ìšµë^ë<æ (í•~ìš€ëš€ ë...ë¼¼ì~ • ë²,,ì ,,ì€ í°í,æì~

ëã”ë” ë²,,ì ,,ê³¼ ìž'ë™ì,, í• ê²fìž...ë<^ë<æ) ê,ëì-ê³

50ì-ì-ê°œì~ ê²fë”æì,, ê²€ì,-í•~ê³ ê°œì,í™” ëœ í”¼ë”œë°±ì,,

ì œê³µí•©ë<^ë<æ. í°í,æì~ ì¼¼ë¶€ëìœì,,œ ì<æí-%œ ë ìš°

ìž”ìœ¼¼ë©° ë<”¼¼ í€€ì¼¼ ë<æìš'ëìœë”œëìœì,,œ

ì œê³µë~ê,ë,, í•©ë<^ë<æ. ì' í€€ì¼¼ì' ì,,œë²,, ì •ë³'ë¼¼

ë...ì¶œí•~ê,° ë€€ë-ì-ì,, í°í,æë¼¼ ì,,æì~í•~ê³ ë,~ë©'

ë¹,,ë°€ë²^ì',ëìœ ë³'ì',ë©ë<^ë<æ. í°í,æë¼¼ ì,,æì~í•~ìš€

ì•šê,°ëìœ ê²°ì •í•~ì~€ë<æë©', ì' í€€ì¼¼ì,, ì,ì œí•~ìœëš” ê²fì,,

ê¶€ìž¼í•©ë<^ë<æ.

- ê'€ë” ì€¼¼ì œ
- ìš”êµ-ì,-í•
- ì,,æì~
- ServerCheck

## ì 'ê-¼¼í•~ë æë©'

tiki-check.php

### Server Check

Server Information

Property	Value
Operating System	Linux
Web Server	Apache
Server Signature	

Server Properties

Property	Value	Tiki Fitness	Explanation
Disk Space	605.75 GB	good	You have more than 251MB of free disk space. Tiki will run nicely, but you may run into issues when your site grows (e.g. file uploads) When the disk runs full you will not be able to log into your tiki any more.

PHP

Property	Value	Tiki Fitness	Explanation
PHP version	5.3.13-nmm1	good	Your PHP version is recent enough.
memory_limit	256M	good	Your memory_limit is at 256M. This is known to behave well.

Click to expand

eval()	Available	good	The eval() function is required by the Smarty templating engine.
error_reporting	30711	ugly	You will not get all errors reported. This is not necessarily a bad thing (and it might be just right for production sites) as you will still get critical errors reported, but sometimes it can be handy to get more information. Check your error_reporting level in php.ini in case of having issues.
ini_set	Enabled	good	ini_set is used in some places to accomodate for special needs of some features. Check disable_features in your php.ini.

MySQL





Property	Value	Tiki Fitness	Explanation
Version		good	Tiki requires MySQL >= 5.x.
max_allowed_packet	16M	good	Your max_allowed_packet setting is at 16M. You can upload quite big files, but keep in mind to set your script timeouts accordingly.

Click to expand

Setting	Description
<b>Fieldset or section</b>	
MySQL <code>ě°í'í,,°ě² ì Ĩšx ìtì,,±</code>	MySQL ì' í'í,í,í— ì ì ^í•œê°€?
MySQL <code>í—ěž~ìkœ í'œ</code>	MySQL ì' ě¬,ì œè—tì' ìkí-%œě~ê³ ìž^ěš"ê°€?
<code>ì'ě©"ì¼ ì ,,ìtì ìkœí—~</code>	ìkœìšxí...œè—ì,,œ ì'ě©"ì¼ì,, ě³'ě,¼ ì^~ ìž^ěš"ê°€?
<code>ì,,œě²,, ì •ě³'</code>	ìš'ì~ì²'ì œ, ì>ì,,œě²,,, ê, °íœ"±ě"±.
<code>ì,,œě²,, ìtì,,±</code>	ì œê³µě~ěš" ě""ìšxí— ê³µê°,,
PHP <code>ìšxí—ě!½íœ... ì¬,ì-'</code> <code>ìtì,,±</code>	ì,,xì • ě°©ě²•ì— ěœí'•œ íœ ì œê³µ
<code>ì•,,íœœì¹~ ìtì,,±</code>	ì,,xì • ě°©ě²•ì— ěœí'•œ íœ ì œê³µ
PHP <code>ě³'ì^ ìtì,,±</code>	ì,,xì • ě°©ě²•ì— ěœí'•œ íœ ì œê³µ
MySQL <code>ě³œì^~ ì •ě³'</code>	MySQL ì' ì,,xì •ì— ěœí'•œ ì •ě³'ě¥¼ ìœě ¥
PHP <code>ì •ě³'</code>	PHP ì' ì,,xì •ì— ěœí'•œ ì •ě³'ě¥¼ ìœě ¥ (ì ,,ì²' ěª©èì)

Unable to load the jQuery Sortable Tables feature.

←

	<code>ìç&lt;ìœ</code>	ì^œìì°èìœìš' ê²½í—~ì,, ì œê³µí• ê²fìž,, ←
	<code>ìšœì œœŕ,,í• ì'ífi ì'š,, ì•šìšœěšœ ě¹,êµì ê'œì°@ì,, ê²fìž,,. ě¬,ì œè ě°œê²¬ ìkœ, ìž¬ě°©ě¬, êŕœê³ .←</code>	
	<code>ě,~ì"</code>	ě¬,ì œê°œ ě°œíŕ'•œěkê³ ì•œě xìš←
	<code>ì •ě³'</code>	íŕµìfi ìœ¼œìœ ì- 'ě-x ê²½ìš°ì—ěš" ìç<ìšœěšœ, ê, ì™,ì—ěš" ě,~ì ì^~ ìž^ěš" ì,,xì •ì— ěœí'•œ ê²fìž,,.←

## ìŕ"ê°€ ì •ě³'

í'í,í,í ê²œì,¬ ě'í'œ [tiki-check.php on SourceForge.net](http://tiki-check.php) ì—ì,,œ ě...ě!½í~•ìœ¼œìœì" ì œê³µě~ě©° í'í,í,íœ¥¼ ì,,xì¹'í~ê,° ì ,,ì— í™~ê²½ ê²œì,¬ě¥¼ ìœ,,í' ì,¬ìš©ě~ê±°ě,~ ê,°ìí' í'í,í,í,í,í~ì— ěœí'•œ í™~ê²½ì,, ê²œì,¬í'ê,° ìœ,,í'~ì— ì,¬ìš©ě ì^~ ìž^ìšµě<^ěk.

ì%œ~ ì 'ě¼ì,, íŕµí'~ì—¬ [tiki-check](http://tiki-check.php) ě¥¼ ì-»ěš" ě°©ě²•

wget - -output-document=tiki-check.php  
<http://sourceforge.net/p/tikiwiki/code/HEAD/tree/trunk/tiki-check.php?format=raw>

í íæï¼ì,, ì, ñš©í• ì~ ìž^è«æ©´, èæí•œè' èª"è' OKì, ìš€ í™• ì, ì' ì<ìœè~æ. è, ^è-´ ì è±°è, ~  
è,, ^è-´ è³¼í•œ èæí•œèè è- ì œè¼¼ ì¼ê, °í• ì~ ìž^ìšµè<^è«æ

## ì•æè æìš,, è- ì œè è"æ

ìž~èª»èœ DB-ìžè²©ìèª...ì, ìž...è ¥í• è²¼ìš°, ìšæí-èì½íš, è°€ è³'è, ° í%óí•œ ì~æè¥~ è©"ì,, ìš€è¼¼  
íœè, °í•~è©° ìœæí•œè²æ è©èè<è«æ. è" è³'è, ° ìœì€ ì~æè¥~ è©"ì,, ìš€è¼¼ èšæè"æ ì~  
ì-ì- ìšµè<^è«æ, è, ì ìœ èš" ì~ì™ (exception)ì,, catch í• ì~ ì-ìœ¼è©°, ìšæí-èì½íš, è¼¼  
ìš,, í-%óí• ì~ ì-ìœ¼è©° è²èì, ñ~ è, ~è,, ìš€è¼¼ è³ ì-ìæ,, ì~ ì-ìè, °è•æè- ì, è, è, ì ìœ èš"  
PHP 4ì™ èì´ í™ ì,, ±ì,, ìœ ìš€í•~è, ° ìœ,, í• ìž...è<è«æ (è, èì-è³ PHP 4ì-ì,, œèš" ì-è²° ìœèè°, ì-  
PDOè°€ í- ìš©í•~èš" ì~æè¥~ ì²èì-ì ìœ ì¼í•œ è©è²•ì, exepction ì- èæí•~ì- ì-èª"è¥'è, °  
è•æè- ìž...è<è«æ). è, èÿ-í•œ ì ìœ èìœ, ì èí-èš" error\_reporting ì,, è°èìž¥ è¼èæè, °è¹æìš€  
ì,, æì •í•è³ ì~æè¥~è¼¼ è³'è, °í- í%óí•œ è©ìœ¼èìœ íœèìœí•~èš" í•è²°ì±...ìœ¼èìœ ì-è³'è¼¼  
í•ì¼èšæ í- ìšµè<^è«æ.

## è°±è, è¼ìš'è"œ ì •è³'

í°í, æèš" è«æ...,, è°,, èšžì€ ìœèè, ~èì-ìæì-ì,, œ ì,, æì¹è~ì-ì™"ìœ¼è©°, ì,, œè²,, ì- è- ì œè°€  
ìž^è«æ©´ (ì~è¼¼ è"æè©´: memory\_limit ì' è,, ^è-´ è, ®ìæ è"±ì) è'èèì-ìžì-è²æ íœè, °í•~è, °  
ìœ,, í•~ì- ì½"è"œè¼¼ íìµí•~ì- è«ì-í•œ è²èì, ñè¼¼ ì~í-%óí• ì™"ìšµè<^è«æ (è°èìž¥ èšžì'  
ì•æè æìš,, è²fì tiki-install.php ì™€ tiki-admin.php)

ì"è"æì€ è³'íì è'èè " è, èš¥/ì,, æì • ì~ìè è'èèì- íæ"è,, ì^ì- ìž^ìšµè<^è«æ. ì'èš" è, ~èì,,  
ìœ ìš©í• ìš€èšæ, ìf^ è²,, ì,, œèì- ì,, æì¹è<èèì- è, è"æì- èæí•œ ìæì™ è²èì, ñèª©èì' ì-ì'èš" (íš¹íž'  
ì>í" ìšæíæ...ì,, ìœ,, í• íœ è²'è, ì,, æì •èè ì ì-ìèš" ì,, œè²,,), èª"è" ì,, æì •ì,, ìì ì^í•~è, ° ìœ,, í•~ì-  
ì~èšžì€ ìžì-...ì,, è°è³µí• ì¼èšæ í• è²fìž...è<è"è"è«æ. ì-è-æ è²fì' è- ì œè°€ èœè«èš" è²fì,,  
í™• ì, ì'è, ° ìœ,, í•~ì- ì°í, æè¼¼ è¼¼ì € ì,, æì¹èè¼¼ è°í-%óí•~ì- ì¼ í•©è<è«æ. è, èæèì< ,  
lè°èì~ íæï¼ì,, ì-...èìœè"œ í•è³ (tiki-check.php), ìš°èì-èš" ì-è-æ èæèèè,, ì ìì ìè~ì- ì¼  
í•èš" èª"è" è²fì- èæí•œ èª...í™• í•œ è³'è³ è¼¼ è°ì,, ì~ ìž^ìšµè<^è«æ.

ì'èš" ì<è•æèìœ ì,, æì¹è ì°í, æ ì,, æì¹èè¼¼ í•œ ì,, œè²,, ì-ì,, œ è«æè¥, ì,, œè²,, èìœ ì'è™ ìœèì-  
ìœ ìš©í•©è<è«æ. ì'èš" è~í•œ ì, ñèžæè"æì' è²,, è, è¼¼ è³'è³ í• è•æè,, ì>èì' è è²fìž...è<è«æ (è²,, è,  
ìš, èž~ì»æì- ì' ì •è³'è¼¼ è³µì, ñ-èæ™ì- ñè,, fè, ° í• ì~ ìž^ìšµè<^è«æ).

## è- èž~ ìž'ì-...

ìæ"è°€ ì •è³'èš", [Server Check](#) ì,, ì, ìž'è³'ì<ìœè~æ.

## Related links

- [phpSysInfo](#) ì€ "ì, ñš©ìž ìš€ì • è°èšš¥í•œ PHP ìšæí-èì½íš, èìœè" /proc è, èæèì~ è«ì-í•œ  
íæï¼è"æì,, èµ-è-èæ,, ì, í•è³ íœè, °í•©è<è«æ. Uptime, CPU, Memory, SCSI, IDE, PCI,  
Ethernet, Floppy, è° Video ì™€ è°™ì€ ìœèìšæí...œèì ì, ñ-ìœè³¼ è'èè"èœ ì •è³'è¼¼  
íœè, °í•©è<è«æ.

è³, ìž~ììš€ì~ Alias ì'èì,,: