

í<°í,¤11

í<ºí,¤11í€ í• i^ ^ 2013ë..., „4í”ëíœ i^ ^í •ë^í- íž^í- ^íœ¹/4ë, ~, 2013ë..., 6í”í—íµœí¢... í¶œíœë  
é°ëëŠ¥í,,±í` é†’íŠµë<^ë<¤. ë^ „í^ ^ë^... í£¹/4ê, °í—é”°ë¹/4 12.1í` í¶œíœë é•Œê¹Œí§ë í§ëí»ë é²fiž...ë<^ë<¤.

Tiki10 i<sup>2</sup> e<sup>Y</sup><sub>1/4</sub>, i• „i<sup>~</sup>l, -i•i€ PHP 5.3.x iž...e<sup><</sup>e<sup><</sup>ø

pre-5.3 *i§€i>i` i• „iš”i~`i<œë<œë©’ , iž¥ê\_° i§€i> e²\_i „i\_ Tiki9 i„i,-iš©í~`i<œ i^~ iž`iŠµë^œ<œ.*

- 1.1. ê<sup>3</sup> ê<sup>%</sup> ë“±ê<sup>%</sup>
  - 1.2. ê<sup>2</sup>ëì,¬ (ê<sup>°</sup>œì,, ì,¬í•)
  - 1.3. ëŒ“ê,€
  - 1.4. ì<sup>TM</sup>,ë¶€ ë½ì’ë,Œëÿ¬ë!¬ë“xì, ê‘ëë!¬í•~ê,° ìœ,,í•~ì—¬ì»’í¬ì €ê°€ ì¶”ê°€ë“
  - 1.5. ì½~ì†”
  - 1.6. ì—~íŒŒì,ë” (elFinder)
  - 1.7. íŒŒì½ ê°¤ëÿ¬ë!¬
  - 1.7.1. ì—~íŒŒì,ë”ëiœ ê‘ëë!¬
  - 1.8. Gravatar
  - 1.9. êµ¬ê,€ Analytics ↳
  - 1.10. ê,°ê<sup>3</sup>, „ë<sup>2</sup>~ì—
  - 1.11. ê@”ì½ ↳
  - 1.12. ë<sup>a</sup>”ë“^
  - 1.12.1. freetags\_most\_popular ë<sup>a</sup>”ë“^ ê°œì,, ë”
  - 1.12.2. last\_youtube\_playlist\_videos (íœœê·½ ìœ íŠœë,Œ ìž¬ifë<sup>a</sup>@ëi ë<sup>TM</sup>ì—¬ìf) ë<sup>a</sup>”ë“^ì’í-¥ìfë“
  - 1.12.3. ì,ê,° ë,“ëiœê±°ë¥½ ë,~ì—’í•~ëŠ” ë<sup>a</sup>”ë“^
  - 1.13. OpenPGP
  - 1.14. íŠ<sup>1</sup>ì • ìž<sup>1</sup>—...ì— ëŒëí•~ì—¬ ëŒ”ë<sup>a</sup>”ë!¬ì<sup>TM</sup>€ ìœœê°,, ì œí•œì,, ì~¤ë<sup>2</sup>,ë½ì’ë“œ
  - 1.15. ì§ëë¶^
  - 1.16. rewrite ê·œì<sup>1</sup><sup>TM</sup>ì,, routing íŒŒì½ëiœ êµì<sup>2</sup>’
  - 1.17. ê<sup>2</sup>ëif‰
  - 1.18. ì,,ì...~ì¶@ëŒ ë<sup>3</sup>’í~,
  - 1.19. Setup.sh
  - 1.20. í...Œë§^
  - 1.20.1. mod ì—ì—...ë°ì’íŠ,ë”:ë<¤ì^~
  - 1.20.2. ì<sup>·</sup> ê·œ: Greenvally
  - 1.20.3. ì<sup>·</sup> ê·œ: Uthopias
  - 1.20.4. ì<sup>·</sup> ê·œ: teal frmo jqui ë,‘ë¶ì—ì^~í‰ì,, ì, íƒ,¬í•
  - 1.21. íŠ,ëž~ì»¤
  - 1.21.1. ì,ë½ì, íŽ,ì§‘
  - 1.21.2. íŠ,ëž~ì»¤ ë,~ì—’:í•„ë“œ ì°¾ê,°ì—ìžë<sup>TM</sup>ì<sup>TM</sup>,ì,,±ì’ì¶”ê°€ë“.
  - 1.21.3. íŠ,ëž~ì»¤ í•„ë“œ: ì<sup>1</sup>½í~¬ë½
  - 1.21.4. íŠ,ëž~ì»¤ í•„ë“œ: Math
  - 1.22. ë<sup>2</sup>~ì—
  - 1.23. ë<sup>TM</sup>ì~`ìf
  - 1.24. ìœ,,í,¤
  - 1.24.1. í”Œëž~ê·, í’œê,°ëœ ì^~ì •
  - 1.25. ìœ,,í,¤ í”Œëÿ¬ê·,ì,
  - 1.25.1. ListExecute í”Œëÿ¬ê·,ì,
  - \*\* ì— ê: ë,~ì’ë“œ \*\*

## 1.1. ê³ ê, %o ë“±ê, %o↔

- Dogfood Ease Importance Priority ì— êŒ€í•œ ë<ñì-‘í•œ ê, °ëŠ¥ í-¥if

## 1.2. ê²€ì,¬ (ê°œì,, ì,¬í•)

í°í,¤-ê²€ì,¬ ë, ¤é¶€ì— ìœ ^ìøì<œ (WinCache) ê°”ì’íŠ, ì½”ë“œ ìøì<œ(ByteArray Cache) ì— êŒ€í•œ ê²€ì,¬ë¥¼ ì¶”ê°€í•”. ì,œë², ¤ê²€ì,¬ë¥¼ ì°,ìi°í•”ì<œì~¤

## 1.3. ëŒ“ê, €

- ì^ê, ° ê²Œì<œ ì„ì— ìœ ì~^ ê, °ê, ¤ë™ì•^ ìž’ê°€ëiœ ì•~ì—¬ê, ^ êŒ“ê,€ì’ íŽ,ì§’ë~ëŠ” ê²fi,, ì— ìš©

## 1.4. ì™, ¤ë¶€ ë¼ì’ë, ¤éëë|¬ë“¤ì,, ê’€ë|¬í•~ê, ° ìœ,,í•~ì—¬ ì»’í¬ì €ê°€ ì¶”ê°€ë~

ì’ëŠ” í°í,¤ ì,¬ìš©ìži—ê²ŒëŠ” ì~í-¥i,, ë~,ì¹~ì§€ ì·Šì§€ë§Œ, ê°œë°œìžë“¤ì— êŒ€í•~ì—¬ ë” ë, ¤é i™~ê²¹ì,, ìœê³µí•©ë<sup>3</sup>ë<œ. ì¶”ê°€ ì •ë³’ëŠ” <https://dev.tiki.org/Composer> ì™€ ì•,ëž~ì~ "#ì—...ê·,ë ^ì’ë“œ” ì,¹ì...~ì, ì,íŽ’ë³ì<œì~¤.

## 1.5. ì½~ì†”

í°í,¤ ½~ì†”ì€ ë¤...ë 1ì¤,, ì†µí•~ì—¬ ì°í,¤ ì,,¤ì¹~ë¥¼ ê’€ë|¬í•~ê, ° ìœ,,í•œ ê²fi...ë<sup>3</sup>ë<œ. ì’ëŠ” Symfony ì~ ì½~ì†” ì»’í¬ë, ¤éíŠ, ì— ê, °ë°~í•~ê³ ìž’ìŠµë<sup>3</sup>ë<œ. ë<œì~ë, ¤éíŠ, ì²~ë|¬í•©ë<œ

- ì°í,¤ ì,,¤ì¹~, êµ¬ì,,±, ì—...ë°ì’íŠ,
  - ì`ì „ 'php installer/shell.php' ë¤...ë 1ì- ì™€ ë“±í•©ë<œ
- ì”,,ëiœí•,, ì,,¤ì¹~ ì„, ìžŠì-‘ë²,ë|¬ê, °
- ìøì<œ ì,ì œ
- ê²€ìf‰ ìøì<œ ë|¬ë¹Œë“œ
- ....

ì½~ì†”ì,, ì°,ë³ ì•~ì<œì~¤.


## 1.6. ì—~íŒŒì,ë” (elFinder)

#ì—~íŒŒì,ë”ëiœ\_ë’€ë|¬ ì°,ìi°

## 1.7. íŒŒì¼ ê°¤ëÿ¬ë|¬

### 1.7.1. ì—~íŒŒì,ë”ëiœ ê’€ë|¬

íŒŒì¼ ê°¤ëÿ¬ë|¬ëŠ” ìf”ëiê³ ë³’ë<œ ë” ë¹,,ì¥¬ì-¼í•œ ë°©ì<œ¼ëiœ íŒŒì¼ê³¼ í’ë”ë¥¼ ê’€ë|¬í•~ëŠ” ê²fi,, ì—ìš©í•~ì—, ë”œëž~ê·, ì•¤ ë”œëi ê, °ëŠ¥ì’ íŒŒì¼ ê°¤ëÿ¬ë|¬ ë, ¤é¶€ì—,œ ê°€ëëŠ¥í•’ì§€ë©°, ëiœì»¬ ë”ìŠ¤í—í†±ê³¼ í°í,¤ íŒŒì¼ ê°¤ëÿ¬ë|¬ì,,œë, ¤éëŠ¥í•’ì§’ë<œ



ì¶”ê°€ ì •ë³’ëš”, íŒŒì¼ ê°æë¬ë|¬ ë° ì—íŒŒì„ë” ë¥¼ ì° „ê³

## 1.8. Gravatar

ëä”ë“ ì,¬ìš©ìž ì„ë°”íf€ì— ëŒ€9í•~ì—¬ ê·,ë¼ë°”íf€ë¥¼ ì,¬ìš©í• ì,, ífl,¬í• ì¶”ê°€  
ë“(<https://en.gravatar.com/>)

## 1.9. êµ¬ê, € Analytics ↵

- [Google Analytics](#) ی€ ی`í œ ê, °ë³, ï„œì • ی`í-`í, œ ë" ی`íf [PluginGoogleAnalytics](#) ی, ï, -ïš©í• ی•, ïš"ê€  
ی—†íŠپë<sup>^</sup>ë<œ

1.10. ê, °ê³,, ë²^í—

- i§€ì>i` êµ¬ê, € ë²^i— ë² „i „ 2 i— ëŒ€í•~i—¬ i—...ë°l'íŠ, ë” (v1 i€ e” i`if ë¬'ëŒ€ê°€ i• „ë<”)
  - ë¹™ ë²^i—ê, ^i— ëŒ€í•œ i§€ì> i¶”ê°€ë”

↑

1.11.  $e^{\circ} \approx 1^{1/4}$

- Zend\_Mail implementation is based on htmlMailMime class equipped

1.12. ä“ë“^

í „í œ í...œí”Œë!{ ð ð, ’ë¶€í— ðð“ë“^ ð° ð¤“ë“^ êµ¬ì—ì„ í~ë“œ ì½”ë”Œí~ëŠ” ê²fí” êº€ëŠ¥

êμ-ì— ē, 'ē¶€ì— ē<sup>a</sup>”ē“ ē<sup>a</sup>”ē“^ì,, í’œē,°

{modulelist zone=top}

í...œí”Œé|‡ œ, †œ¶€í— œ¤”œ“^í~ œ³€í~œ¥¼ í•~œ“œ í½”œ”Œí•~œŠ” œ²ƒí,, í~œí”Œ

```
{module module=search title="xyz" ...}
```

í `éS" êºœéºœ, íœí~ , éººí¬éY¼ í†l‰o½ê²Œ í±í~í~éS" êº íœ íš©í~ : êµí„± ê ´éë!¬

- <http://sourceforge.net/p/tikiwiki/code/44270>!ì,¬ìš©ìž i • ì~ è¤"è"“ ì`í—ì,, í—^ìš©
  - íŽ~ì`í§€ è, 'ë¶€ì~ ì,¬ìš©ìž ì§€ì • è¤"è"“ ì`í—ì,, í“œì<œí• ModuleList ìœ,,í,¤ í”ŒëÝ¬ê·,ì,
  - íŠ¤ë§“í° í”ŒëÝ¬ê·,ì,ì,ì,ì,¬ìš©í“ì—¬ í...œí”Œëì‡ è, 'ë¶€ì — è¤"è"“ è¤@ëìì,, í—í“í~ëŠ” è²fi,, í—^ìš©
  - <http://thread.gmane.org/gmane.comp.cms.tiki.devel/28929>

freetags\_most\_popular ë„ë“^ë „ë „ë¶€ì—ê°œì^ì~ìœ í~•ì,, (ìœ,í,¤ íŽ`ì`ì§€, ë „ëœê·, ê^Œì<œë¬¼, ê „ì,¬, íŒŒì^¼ ê°¤ëÝ¬ë|¬, ë“±ë“±) ì,, ífí• if^ë§¤ê°œë³€ì^~ê°€ íž`ìŠµë<^ë¤.

1.12.2. `last_youtube_playlist_videos` (íματα ·¼ ιαε íŠœë, ΕΕ ιž-ñifëë©ëi ë™ι—→if) ë¤“ë“^ι’ í-¥ifë“  
í’ ë¤“ë“í€ The module accepts the param "orderby" è§xâºœë³ì”~è¥¼ èº>ì• „ë“xì—→ í’œì<œë~ëŠ”  
ιž-ñifëë©ëi ë, ‘ë¶ì—→, iñifì” i•ë → i”œì, œë¥¼ i§ëi •í• ~ê³, ê, °ë³, i’ ιαε íŠœë, ΕΕ i” ê³µì ê, °ë³, i, 'position'  
(ιαε, j¹~) ιιøe ë(E)• „ì™”ìŠœë<sup>^</sup>ë<sup>g</sup>.

Module last youtube playlist videos  $\frac{1}{4}$  1° 11° 1• 11° 1<oe> 1° 1

1.12.3. ì, ê, ° ë, "ëíœê±°ë¥¼ ë, ~ì—'í•~ëŠ" ë¤"ë"~  
ì, ê, ° ë, "ëíœê±° (top blogger) ë¥¼ ë, ~ì—'í•~ëŠ" ë¤"ë"~

## 1.13. OpenPGP

OpenPGP i§€ì>ì' i¶"ê°€ë"~.

1.14. íŠì • ìžì—...ì— ëŒ€í•~ì—~ ë©"ë¤"ë!—ì™€ ì<œê°,, ì œí•œì,, ì~œë²,, ë¹¼ì'ë"œ

- <http://sourceforge.net/p/tikiwiki/code/43870>
- <http://sourceforge.net/p/tikiwiki/code/43907>

## 1.15. i§€ë¶^

í«í, »11 ëíœ ê, ° ì'í i§€ë§Œ ê, °ëŠ¥ì„±ì,, ê°-i¶~ ì‡¼ì•' ì,—ì'íŠ, ë¥¼ ë§Œë"ë ì~ì~ ìž~ëŠ" ì~ì~ ìœ í...œí"Œë|ì.  
TikiKart í„, ëíœí•,, ì— ì~ì—~ ì,—ìš©ë~ë©°, ë§~ì~ë, ' ìž~ë™í•"!

(ì•,, i§ ë§xìš° ì<œí—ìì, ë<"ë³,, ì'ë©°, ì•,, i§ ì,—ìš©ìž i§€ì • ê²€ìf%o ë° ì—~ëŸ—ì,—í•ì,, i¶"ê°€í•'ì•¼ì•"...)

1.16. rewrite ê·œì¹™ì,, routing íŒŒì¹¼ëíœ êµì²'

- <http://sourceforge.net/p/tikiwiki/code/44661/>

## 1.17. ê²€ìf%o

- í†µí•© ê²€ìf%oì— ëŒ€í•~ì—~ í†µê³,, ê²€ìf%o i§€ì>

1.18. ì,, ì...~ i¶©ëŒ ë³'í~,

- <http://sourceforge.net/p/tikiwiki/code/45249/>

## 1.19. Setup.sh

i¶"ê°€ ì•ë³'ëŠ" ìœ,,ì~ "#ì»'í—ì €(Composer)"ì™€ ì•,,ëž~ì~ "#ì—...ê·,ë~ì~ë"œ"ë¹¼ëŠ" ì,,ì...~ë"œì,,  
ì,—íŽ'ë³'ì<œì~ë.

## 1.20. í...Œë§^

1.20.1. mod ì— ì—...ë°ì'íŠ,ë": ë<ë ì~

Andreas08, Andreas09, CandiiClouds, Club Card, Faulkner, Fluid Index, Green Blog, Judy, Kubrick, LiteJazz, Milkyway, Mittwoch, Mollio, Planetfall, Smooth, Tikipedia, Twenty Ten, Underground,

1.20.2. ì< ê·œ: Greenvalley

ìžì—°ì~ ëŠë,Œì'ë,~ëŠ" ìf~ëíœìš' ì...Œë§^. RTL ì-,ì-~ì™€ë,, ìž~ë™ ìž~ì•".

1.20.3. ì< ê·œ: Uthopias

ìf~ ìœ í† í"¹¼ì•,, ì...Œë§^ ë° ì,, ífì,—í•, another, attainable, foundation, greycard, north, spaces, writer.

1.20.4. ì< ê·œ: teal frmo jqui ë, ' ë¶€ì— ì~ì%oì,, ì,, ífì,—í•

ì< ê·œ: teal ë, ' ë¶€ì— jqui-Horizons tjsxortkgkd

1.21. íŠ,ëž~ì»ë

1.21.1. ì,ë¹¼ì,, íŽ,ì§'

í•ë¤@ì,, í'œì<œëœ í•ë¤@ë"œì~ë¤@ëì—ì,,œ (ajax\_inline\_edit)ì,, ì,—ìš©í•~ì—~ ì,ë¹¼ì,, íŽ,ì§'ì,, í—~ìš©í•~ëŠ"  
ìf~ëíœìš' ë, °ëŠ¥ì'íŠ,ëž~ì»ë—ë,,ìž...ë~ì—~ìŠµë<ë<ë.

ë¶€ê°€ì ìœ¼ëíœ PluginTrackerList í~¹ì€ PluginTrackerFilter ëíœë¶€í, ° jfl,,±ë~ëŠ" í•ë¤©ë“xì~ ê¤©ëìì€ íŽ,ì§'ë` i~^ iž^ìœ¼ë¤°, jfl'í•~ëŠ" jf^ è§¤ê¤œë³ëì~ "editable" (í•,,ë“œì~ ê¤©ëìì€ íŽ,ì§'ê¤€ëŠ¥í• `í•¼í•") í~¹ì€ "editableall=y" ê¤€ ì,,¬ìš©ë ê²½ìš° ê¤€ëŠ¥.

ì¶"ê¤€ì •ë³`ëŠ", Tracker Inine edit ì,, ì°,ìi°

1.21.2. íŠ,ëž~ì»¤ ë,~ì—': í•,,ë“œ ì°¾ê,°ì— ižë™ì™ „ì,,±ì`ì¶"ê¤€ë”.

1.21.3. íŠ,ëž~ì»¤ í•,,ë“œ: ì¹¼í~¤ë¹¼

1.21.4. íŠ,ëž~ì»¤ í•,,ë“œ: Math

- Inline editing (ajax\_inline\_edit), è§Žì€ íŠ,ëž~ì»¤ í•ë¤©ë“xì,, í•œ ê²~ì— íŽ,ì§' ê¤€ëŠ¥í•~ê,° ìœ,,í•”
- è~,ë”ì—`ë¥¼ íŠ,ëž~ì»¤ í•ë¤©ì— i²”ë¶€í•~ê,° ìœ,,í•œ ì¹¼í~¤ë¹¼ íŠ,ëž~ì»¤ í•,,ë“œ

1.22. ê²~ì—

- è§žì¶xí~ • ižë°”íŠxí~ë!½íŠ, ê²~ì—: ižë°”íŠxí~ë!½íŠ, ê‘€ë” è¤”ìœì§€ì— èŒ€í•~ì—, ê·, ì-`ë- í•œ ìœ íš”í•œ ižë°”íŠxí~ë!½íŠ, è¥¼ í•~í•”í• ì§€ë¼ë,, è§žì¶xí~ • ê²~ì—ìœ¼ëíœ ì-,ì-`ì— èŒ€í•~ì— lang/xx/custom.js íŒŒì¼ì— ê~” ì~^ iž~ìŒ

1.23. ë™ì~ìf

- íŠ,ëž~ì»¤ í•ë¤©ì— è~,ë””ì—`ë¥¼ i²”ë¶€í•~ê,° ìœ,,í•œ ì¹¼í~¤ë¹¼ íŠ,ëž~ì»¤

1.24. ìœ,,í,¤

1.24.1. í”Œëž~ê·, í’œê,°ëœ ì~”ì •

í”Œëž~ê·, í’œê,°ëœ ì~”ì • i~ jfíœì— èŒ€í•~ì— ì¼ê’,, ìŠ¹ì, ê³¼ è³’ê³ ê,°ëŠ¥ì,, í~í•”í•œ è§Žì€ í~ìf è,`ì— .

1.25. ìœ,,í,¤ í”ŒëÝ~ê·,ì,

1.25.1. ListExecute í”ŒëÝ~ê·,ì,

PluginListExecute ì,, ì°,ìi°

«

\*\* ì—...ê·,ë~ì`ë“œ \*\*

ì,,œë,Œë²,ì,,ì, í†µí•~ì— ì,,xì¹~ í~¹ì€ ì—...ë°ì’íŠ,ë¥¼ í•~ëŠ" ê²½ìš°, è¤‡ë¤‡ì™,ë¶€ ë¼ì`ë,ŒëÝ~ê·,ë“xì€ ì`ì œ (using “ì»’í~ì €”ë¥¼ ì,¬ìš©í•~ì—) è¤¤ë¥’ê²Œ ì·”ê,‰oë©ë<^ë<¤:«

```

root@camagroc:/var/www/tiki_trunk# sh setup.sh
curl is /usr/bin/curl
#!/usr/bin/env php
All settings correct for using Composer
Downloading...

Composer successfully installed to: /var/www/tiki_trunk/temp/composer.phar
Use it: php temp/composer.phar
php is a tracked alias for /usr/bin/php
Loading composer repositories with package information
Installing dependencies from lock file
Warning: The lock file is not up to date with the latest changes in composer.json. You may be getting outdated dependencies. Run update to update them.
- Installing adodb/adodb (5.18)
  Downloading: 100%

- Installing phpcas/phpcas (1.3.1)
  Downloading: 100%

- Installing phpseclib/phpseclib (0.3.1)
  Downloading: 100%

- Installing smarty/smarty (v3.1.13)
  Checking out /tags/v3.1.13@4699

- Installing zetacomponents/base (1.8)
  Downloading: 100%

- Installing zetacomponents/webdav (1.1.3)
  Downloading: 100%

- Installing zendframework/zendframework1 (1.12.1)
  Checking out /tags/release-1.12.1@25165

```

í™•ëŒ€í•~ë æ© ´ í`é!í•~ì`í<œí~¤

í`éŠ” è~í•æ ê·€í•~í`í,æë²,ì— php5-gmp php-compat ê³¹/₄ ê°™ì¢ ë‡ë‡ì¶”ê°€ íŒ”í,æì§€ë“¤, phpseclib íµœì í™”ëœ ë™íž`í, ìœ,,í•~í—¬, ì¶”ê°€í• `í•¹/₄í• ì§€ë,, ëª”ë¥,ë<œéŠ” ê²fl, „í~ë~,í•@ë<^ë<¤. ê·,ë #ì§€ í•Šë<œë© ´, ì•,,ëž~í™€ ê°™ì¢ ìœ í~•í~ ë©”ì<œì§€ë¥¼ ë³’ë²Œë í~ë,, íž~íŠµë<^ë<¤:«

»

«

*phpseclib/phpseclib suggests installing ext-gmp (Install the GMP (GNU Multiple Precision) extension in order to speed up arbitrary precision integer arithmetic operations.)* «  
*phpseclib/phpseclib suggests installing pear-pear/PHP\_Compat (Install PHP\_Compat to get phpseclib working on PHP = 4.3.3.)* «

«

í°ë¹,,í•^ ê,°ë°~í`í,æë²,ì—í,æëéŠ” è<œìŒê³¹/₄ ìœ í,¬í•æ ëª...ë ¹í-`ë¥¼ í`íš©í•~í—¬ í,,æì¹í• í~íž`íŠµë<^ë<¤ (ë<œë¥, íš `í~í²`í œí~ ê²¹/₂íš° í•Œëëžê²Œ ë³€ê²¹/₂í~í<œí~¤):

í½~í†” í™”ë© ´í—í,,œí~ ëª...ë ¹íž...ë ¥

sudo apt-get install php5-gmp php-compat «

í°í,æ11í— í—°ê²ºë~ëŠ” íž~í`í§€

No pages link to í°í,æ11