


Calendar


This page is the documentation of Tiki's **Calendar** feature.

For **calendar synchronisation** of Tiki calendars with other apps, please see [CalDAV](#) which was implemented in [Tiki21](#) via [SabreDAV](#). See also [CardDAV](#) and [Calendar Invitations by email](#).

Tiki has several calendar-related features. These enable creating, viewing and editing multiple event calendars that can display as a full page or in a [module](#), and can also show [tracker](#) data and [site content activity](#).

To activate and access

Activate the feature on [tiki-admin.php?page=features](#) and then click the Calendar icon  on the Admin Panel or go to [tiki-admin.php?page=calendar](#).



The screenshot displays the Tiki Calendar interface. At the top, there are navigation buttons: "Admin Calendars", "Add Event", "Export Calendars", "List View", and "Visible Calendars". Below these are filter buttons: "Altres Congressos, Cursos i Seminaris", "Altres Reunions", "Cursos propis", "Seminaris", "(Intern)", and "Altres Reunions i Seminaris". The current date is "2014-03-07". The main view is a monthly calendar for "July 2013", with navigation arrows and a "today" button. The calendar grid shows events for the first two weeks of July. Events include "MEIO 2013 Summer School", "10a Curs 'Estadística Avançada per a la Investigació Biomèdica'", "9:30a Jornada 'Advancing towards Personalized Medicine: the role of Bioinformatics'", "10a Curs 'Estadística Avançada per a la Investigació Biomèdica'", "11:30a Session at Summer(R) School 'MEIO/UB-UPC: 'Web 2.0 interfaces for R'", "9a Session at Summer(R) School 'MEIO/UB-UPC: 'Web 2.0 interfaces for R'", "10a Curs 'Estadística Avançada per a la Investigació Biomèdica'", "3p Reunió especificacions", "9a Tutorial 'Web 2.0 interfaces for R with Tiki' at UseR!2013 on July 9th, 9:00h-12:30h", "UseR! 2013 a Albacete", "10a Curs 'Estadística Avançada per a la Investigació Biomèdica'", and "3p Reunió planificació nou".

Option

Calendar

Plugin Calendar

Plugin Events

Plugin Mayan Calendars

Plugin Add to Google Calendar

Display only selected calendars by default

Select default calendars to display

Default view mode

Description

Events calendar with public, private and group channels.

Display a calendar and its events

Display events from calendars

Convert a Gregorian date to a Mayan calendar date

Add a calendar item to a Google calendar.

☰ Example

☰ Day | Week | Month | Quarter | Semester | Year

Default

Disabled

Enabled

Enabled

Disabled

Disabled

Disabled

None

Month

Option

Event click action

View list begins

First day of the week

Split hours in periods of

Minute Interval

Manual selection of time/date

Show "Export Calendars" button

Description

View or edit item on click

☰ Edit | View

☰ Focus date | Period beginning

☰ Sunday | Monday | Depends user language

Times shown in week and day view.

☰ 1 | 5 | 10 | 15 | 30

Interval to show between minutes on time selectors

☰ 1 | 5 | 10 | 15 | 30

Default

Edit

Period beginning

Depends user language

30 minutes

5 minutes

Disabled

Disabled

Option

Show "Export Calendar Item" Button

Show "Add to Google Calendar" icon

Calendar start of day

Calendar end of day


Date picker for date selection

First year in the dropdown

Description

Allow exporting a single calendar event as an iCal file

JavaScript popup date selector (uses jQuery UI DatePicker).

 *Enter a year or use +/- N to specify a year relative to the current year. Year selection is valid when the JS Calendar **is not** enabled*

Default

Disabled

Disabled

25200 seconds

72000 seconds

Enabled

-3 years

Option

Last year in the dropdown


Sticky popup

Action calendar


Item view tab

Days to display in the calendar

Description

 *Enter a year or use +/- N to specify a year relative to the current year*

Displays a calendar of system events, such as wiki page modifications, forum posts and article publications. Days with events show links to the action calendar page.

 Sunday | Monday | Tuesday | Wednesday | Thursday | Friday | Saturday

Default

+5 years

Disabled

Disabled

Disabled

0, 1, 2, 3, 4, 5, 6

Option

Treat calendar item descriptions as HTML

Enable watch events when you are the editor

License for FullCalendar premium plugins

Description

Use this if you use the WYSIWYG editor for calendars.
This is to handle legacy data from Tiki pre 7.0.

Check this to receive email notifications of events you changed yourself.

FullCalendar premium license.

 *For details on the premium license please check*
<https://fullcalendar.io/license>

Default

Enabled

Enabled

None

Unable to load the jQuery Sortable Tables feature.

Option

Calendar

Description

Events calendar with public, private and group channels.

Default

Disabled

Option

Plugin Calendar

Plugin Events

Plugin Mayan Calendars

Plugin Add to Google Calendar

Display only select calendars by default

Select default calendars to display

Default view mode

Event click action

Description

Display a calendar and its events

Display events from calendars

Convert a Gregorian date to a Mayan calendar date

Add a calendar item to a Google calendar.

☰ Example

☰ Day | Week | Month | Quarter | Semester | Year

View or edit item on click

☰ Edit | View

Default

Enabled

Enabled

Disabled

Disabled

Disabled

None

Month

Edit

Option

View list begins

First day of the week

Split hours in periods of

Minute Interval

Manual selection of time/date

Show "Export Calendars" button

Show "Export Calendar Item" Button

Description

☰ Focus date | Period beginning

☰ Sunday | Monday | Depends user language

Times shown in week and day view.

☰ 1 | 5 | 10 | 15 | 30

Interval to show between minutes on time selectors

☰ 1 | 5 | 10 | 15 | 30

Allow exporting a single calendar event as an iCal file

Default

Period beginning

Depends user language

30 minutes

5 minutes

Disabled

Disabled

Disabled

Option

Show "Add to Google Calendar" icon

Date picker for date selection

First year in the dropdown

Last year in the dropdown

Sticky popup

Description

JavaScript popup date selector (uses jQuery UI DatePicker).

👉 *Enter a year or use +/- N to specify a year relative to the current year. Year selection is valid when the JS Calendar **is not** enabled*

👉 *Enter a year or use +/- N to specify a year relative to the current year*

Default

Disabled

Enabled

-3 years

+5 years

Disabled

Option

Action calendar

Item view tab

Days to display in the calendar

Treat calendar item descriptions as HTML

Enable watch events when you are the editor

Description

Displays a calendar of system events, such as wiki page modifications, forum posts and article publications. Days with events show links to the action calendar page.

☰ Sunday | Monday | Tuesday | Wednesday | Thursday | Friday | Saturday

Use this if you use the WYSIWYG editor for calendars. This is to handle legacy data from Tiki pre 7.0.

Check this to receive email notifications of events you changed yourself.

Default

Disabled

Disabled

0, 1, 2, 3, 4, 5, 6

Enabled

Enabled

Option

License for FullCalendar premium plugins

Description

FullCalendar premium license.

👉 *For details on the premium license please check*
<https://fullcalendar.io/license>

Default

None

Unable to load the jQuery Sortable Tables feature.

Option

Calendar

Plugin Calendar

Plugin Events

Plugin Mayan Calendars

Plugin Add to Google Calendar

Description

Events calendar with public, private and group channels.

Display a calendar and its events

Display events from calendars

Convert a Gregorian date to a Mayan calendar date

Add a calendar item to a Google calendar.

Default

Disabled

Enabled

Enabled

Disabled

Disabled

Option

Display only select calendars by default

Select default calendars to display

Default view mode

View list begins

First day of the week

Split hours in periods of

Minute Interval

Description

☰ Day | Week | Month | Quarter | Semester | Year

☰ Focus date | Period beginning

☰ Sunday | Monday | Depends user language

Times shown in week and day view.

☰ 1 | 5 | 10 | 15 | 30

Interval to show between minutes on time selectors

☰ 1 | 5 | 10 | 15 | 30

Default

Disabled

None

Month

Period beginning

Depends user language

30 minutes

5 minutes

Option

Manual selection of time/date

Show "Export Calendars" button

Show "Export Calendar Item" Button

Show "Add to Google Calendar" icon


Date picker for date selection

First year in the dropdown

Description

Allow exporting a single calendar event as an iCal file

JavaScript popup date selector (uses jQuery UI DatePicker).

 *Enter a year or use +/- N to specify a year relative to the current year. Year selection is valid when the JS Calendar **is not** enabled*

Default

Disabled

Disabled

Disabled

Disabled

Enabled

-3 years

Option

Last year in the dropdown


Sticky popup

Action calendar


Item view tab

Days to display in the calendar

Description

 *Enter a year or use +/- N to specify a year relative to the current year*

Displays a calendar of system events, such as wiki page modifications, forum posts and article publications. Days with events show links to the action calendar page.

 Sunday | Monday | Tuesday | Wednesday | Thursday | Friday | Saturday

Default

+5 years

Disabled

Disabled

Disabled

0, 1, 2, 3, 4, 5, 6

Option

Treat calendar item descriptions as HTML

Enable watch events when you are the editor

License for FullCalendar premium plugins

Description

Use this if you use the WYSIWYG editor for calendars.
This is to handle legacy data from Tiki pre 7.0.

Check this to receive email notifications of events you changed yourself.

FullCalendar premium license.

 *For details on the premium license please check*
<https://fullcalendar.io/license>

Default

Enabled

Enabled

None

Unable to load the jQuery Sortable Tables feature.

Option

Calendar

Description

Events calendar with public, private and group channels.

Default

Disabled

Option

Plugin Calendar

Plugin Events

Plugin Mayan Calendars

Plugin Add to Google Calendar

Display only select calendars by default

Select default calendars to display

Default view mode

View list begins

First day of the week

Description

Display a calendar and its events

Display events from calendars

Convert a Gregorian date to a Mayan calendar date

Add a calendar item to a Google calendar.

☰ Day | Week | Month | Quarter | Semester | Year

☰ Focus date | Period beginning

☰ Sunday | Monday | Depends user language

Default

Enabled

Enabled

Disabled

Disabled

Disabled

None

Month

Period beginning

Depends user language

Option

Split hours in periods of

Minute Interval

Manual selection of time/date

Show "Export Calendars" button

Show "Export Calendar Item" Button

Show "Add to Google Calendar" icon

Use FullCalendar to display calendars

Description

Times shown in week and day view.

☰ 1 | 5 | 10 | 15 | 30

Interval to show between minutes on time selectors

☰ 1 | 5 | 10 | 15 | 30

Allow exporting a single calendar event as an iCal file

Default

30 minutes

5 minutes

Disabled

Disabled

Disabled

Disabled

Disabled

Option

Date picker for date selection

First year in the dropdown

Last year in the dropdown

Sticky popup

Description

JavaScript popup date selector (uses jQuery UI DatePicker).

👉 *Enter a year or use +/- N to specify a year relative to the current year. Year selection is valid when the JS Calendar **is not** enabled*

👉 *Enter a year or use +/- N to specify a year relative to the current year*

Default

Enabled

-3 years

+5 years

Disabled

Option

Action calendar

Item view tab

Days to display in the calendar

Treat calendar item descriptions as HTML

Enable watch events when you are the editor

Description

Displays a calendar of system events, such as wiki page modifications, forum posts and article publications. Days with events show links to the action calendar page.

☰ Sunday | Monday | Tuesday | Wednesday | Thursday | Friday | Saturday

Use this if you use the WYSIWYG editor for calendars. This is to handle legacy data from Tiki pre 7.0.

Check this to receive email notifications of events you changed yourself.

Default

Disabled

Disabled

0, 1, 2, 3, 4, 5, 6

Enabled

Enabled

GENERAL

There are several time/date- and calendar-related features:

- The [Mini Calendar](#): MyTiki's personal calendar. A simple appointment list.
- The **Calendar**: Tiki's main calendar. This can display:
 - The [Tools Calendars](#) which report system-created lists of changes/additions, such as the creation or edit of a wiki page, upload of a file, including date and time, user, and description. This requires the permission `tiki_p_view_tiki_calendar`.
 - The **Event Calendars** which show user created information such as events or appointments, and requires the permission `tiki_p_view_calendar`. Different calendars can be created, with distinct permissions for each. It is also possible to setup a Personal calendar here. This duplicates the mini-calendar feature but with integration with the other calendars (so you can see in one view both your personal events and the other events).
- The feature [jscalendar](#) adds a nifty date picker to Event Calendars. (and trackers)
- The [modules](#) `calendar` and `calendar_new` add a small calendar to a lateral column with events in hover boxes
- A plugin is available to display tracker data in a calendar-type of display of items, useful for project management, where you can drag & drop to move or click & drag to resize the duration of events. See [PluginTrackerCalendar](#).

EXAMPLE

For the moment there is no possibility to include a calendar formatted like tiki-calendar.php into a wiki page, beyond the [PluginTrackerCalendar](#). To display a calendar in that format one must use a link

```
[domain/tiki-calendar.php?callDs=1|Display Calendar Nr 1]
```

To display multiple calendars use the following code

```
[domain/tiki-calendar.php?callDs~0=4&callDs~1=6|Display Calendar Nr 4 and Nr 6]
```

Example of usage in a wiki page through the plugin module and several modules inside.



KEY FUNCTIONS AND SUB-FEATURES

- Calendar tab provides view of appointments for a time period set by administrator
- Event tab allows for event scheduling
- Events can be all day long.
- Several categories for simple selection.
- Import Events from a CSV - using *url/tiki-calendar_import.php* ([see details](#))
- You can change your site's date and time preferences in *url/tiki-admin.php?page=general*

SOME CALENDAR FEATURES

- Calendar names are now translatable (but not individual events).
 - This is useful if you have a calendar ID which has events in several languages. Ex. Training/Formation for CalendarID #4 and each event's info (ex.: name/description) can be in any language or you can make bilingual. The translation of the calendar name label is done like any other translation string in Tiki (lang/**/language.php or lang/**/custom.php or [Interactive Translation](#)).
- New options have been added to set default new events to all day, and another option to put the name of the event on each day.
- New look of calendars in every views, especially in week view which is now displayed with hours details. Events on multiple days are also better displayed. In week view, when there is more than 3 events, a special zone will be displayed and the overbox will contain all details,
- New recurrence feature to have the same event each week/month/year between two dates or for X occurrences. An event from an occurrence can be modified later. When modifying an event from a recurrence, TikiWiki will ask the user if he wants to change only the current event, all the events of the recurrence, or events of the recurrence which were not already modified,
- New iCal export feature,
- New option to choose the calendars to display by default. Also keep in database the user last calendar choices in order to keep use the same filter when he comes back,
- New "standard colors" when creating a calendar to ease the choice of calendar colors

RELATED LINKS

- [CalDAV](#)
- [Calendar User](#)
- [Calendar Admin](#)
- [Js Calendar](#)
- [Module calendar_new](#)

ALIASES

- [User Calendar](#)
- [Calendars](#)
- [event](#)
- [calendar of events](#)
- [event calendar](#)
- [Scheduling](#)