

Category Tracker Field

The field type enables you to assign one or more categories to a tracker item.
The categories that are displayed are the children of one category. This parent category must be identified by its category ID.
Once tracker item is categorized, it inherits [Category Permissions](#) if applicable as per [Permission Enforcement Order](#)

Options

Option	Value	Description	Version
parentId	Numeric	Category ID of the parent category. This ID can be found by browsing the admin->categories page. (You will first need to have created a new category and any child categories if need be.)	
inputtype	d , radio, m or checkbox	Default will display checkboxes, radio for radio buttons, m for multi-select list box and checkbox for Multiple-selection checkboxes	2.0
selectAll	0 or 1	1 will display a checkbox 'select all' that will give the opportunity to select/deselect all the categories in one click	1.9.8
descendants	0 , 1 or 2	All descendant categories (not just first level children) will be included if set to 1, using the full path if set to 2, default is first level only 0	6.0
help	0 or 1	Displays the field description in a help tooltip	pre 7.0
output type	"" , links, ul or ulinks	Output Type: Plain, links, unordered list or unordered list of links	12.0?
doNotInheritCategories	0 or 1	Do not inherit the parent tracker's categories (default is to inherit)	13.0
recategorize	save or index	Recategorization event: on save (default) or save and re-index	15.0

Note

Removing a tracker's category field does not uncategorise the items. This should be done manually before removing the field or using category admin afterwards.

Old pre 7.x notes

[\[+\]](#)

Style

The div that contains the selec all button has a class `.categSelectAll`

Category Browsing

The main field of the tracker item will be displayed in the categories browsing.