## Derived Attribute of a date

For any WikiPlugin that uses Search and List from Unified Index (ex.: very useful in PluginPivotTable but it works in PluginList etc.)

You can customize the date format to show only the date or week or month, not the specific date or time. Ex.:

- ullet only the  ${f day\ number\ of\ the\ month\ with\ } {\mbox{\mbox{$\mbox{$^{\circ}$}$d}}}$  , or
- only the day number of the year with %z , or
- only or the **week number** of the year with %W , or
- ullet only the **month number** with  $\mbox{\ensuremath{\$m}}$  , or
- only the **year** with %Y, etc

This way, you can get the aggregated values of interest for your report.

Example of code to display only the month number from these dates so that you can draw charts with counts per month, etc:

```
{display name="creation_date" format="date" dateFormat="%m"} {display name="modification date" format="date" dateFormat="%m"}
```

Full list of codes available here:

http://php.net/manual/en/function.date.php

It is similar to this but directly in Tiki. And it's fast because it's done by PHP. It is also similar to Grouped Data.

## Numeric representation of a month, with leading zeros

Use this in a Pivot Table so all dates are converted the month number

{display name="tracker field TimeSheetDate" default="" format="date" dateFormat="%m"}

## Year and week

And now for weeks. %o is used instead of %Y because This has the same value as Y, except that if the ISO week number (W) belongs to the previous or next year, that year is used instead.

 $\{display\ name="tracker_field\_TimeSheetDate"\ format="date"\ dateFormat="\%o-\%W"\}$ 

Related links
• derived attributes
<ul> <li>Date-based aggregations</li> <li>https://github.com/nicolaskruchten/pivottable/wiki/Derived-Attributes</li> </ul>
- https://github.com/mediaski uchten/pivottable/wiki/Delived Attributes