

# Facebook Tab

Error: **Cant find socialnetworks-facebook** you may choose from one of the following:

ads-activatethefeature  
ads-plugins  
ads-siteadsandbanners  
ads  
articles-articleslistingandview-articleview  
articles-articleslistingandview-listarticles  
articles-articleslistingandview  
articles-generalsettings-activatethefeature  
articles-generalsettings-features  
articles-generalsettings-plugins  
articles-generalsettings-sharingonsocialnetworks  
articles-generalsettings  
blogs-blogslistings-itemstodisplay  
blogs-blogslistings  
blogs-generalsettings-activatethefeature  
blogs-generalsettings-comments  
blogs-generalsettings-features  
blogs-generalsettings-plugins  
blogs-generalsettings-sharingonsocialnetworks  
blogs-generalsettings  
calendar-activatethefeature  
calendar-generalsettings  
calendar-plugins  
calendar  
category-activatethefeature  
category-categoryobjects  
category-features  
category-forum  
category-inlineplugins  
category-performance  
category-plugins  
category-poll  
category-structure  
category-theme  
category-tracker  
category-wiki  
category  
comments-annotations  
comments-displayoptions  
comments-sitewidefeatures  
comments-usingcommentsinvariousfeatures  
comments  
community-communityfeatures-additionalsoptions  
community-communityfeatures-community  
community-communityfeatures  
community-plugins  
community-socialinteraction-activitystream  
community-socialinteraction-friendshipandfollowers  
community-socialinteraction-goalrecognitionandrewards  
community-socialinteraction-score  
community-socialinteraction-selectwhichitemstodisplaywhenlistingusers  
community-socialinteraction  
connect-jitsi-jitsi  
connect-jitsi  
connect-settings-tikiconnect  
connect-settings  
copyright-activatethefeature  
copyright-features  
copyright

directory-activatethefeature  
directory-directory  
directory  
faqs-activatethefeature  
faqs-settings  
faqs  
features-globalfeatures-3  
features-globalfeatures-4  
features-globalfeatures-additionalfeatures  
features-globalfeatures-administrativefeatures  
features-globalfeatures-interactionwithonlineservicesorothersoftware  
features-globalfeatures-mailandsharing  
features-globalfeatures-mainfeatures  
features-globalfeatures-paymentandaccounting  
features-globalfeatures-progressivewebapp  
features-globalfeatures-secondaryfeatures  
features-globalfeatures  
features-interface-elementplus  
features-interface-experimental  
features-interface-jquerypluginsandaddons  
features-interface  
features-programmer-customcode  
features-programmer-loggingandreporting  
features-programmer  
fgal-adminlistings-0  
fgal-adminlistings  
fgal-enhancements-access  
fgal-enhancements-draw  
fgal-enhancements-h5p  
fgal-enhancements-scorm  
fgal-enhancements-vimeo  
fgal-enhancements  
fgal-generalsettings-activatethefeature  
fgal-generalsettings-features  
fgal-generalsettings-quota  
fgal-generalsettings-settingsfordiagrams  
fgal-generalsettings-settingsformediaalchemyst  
fgal-generalsettings-settingsforrecordrtc  
fgal-generalsettings-uploadregex  
fgal-generalsettings  
fgal-listings  
fgal-plugins-plugins  
fgal-plugins  
fgal-searchindexing  
forums-forumlisting  
forums-generalsettings-activatethefeature  
forums-generalsettings-features  
forums-generalsettings-searches  
forums-generalsettings-threads  
forums-generalsettings  
freetags-activatethefeature  
freetags-plugins  
freetags-tags  
freetags-tagsearchpage  
freetags  
general-dateandtime-datetimeselectors  
general-dateandtime-timezoneandformat  
general-dateandtime  
general-generalpreferences-errortracking  
general-generalpreferences-headlessbrowserintegration  
general-generalpreferences-loggingandreporting  
general-generalpreferences-mail  
general-generalpreferences-newsletter  
general-generalpreferences-schedulerssettings  
general-generalpreferences-siteidentity

general-generalpreferences-webcron  
general-generalpreferences  
general-generalsettings-contact  
general-generalsettings-help  
general-generalsettings-multidomain  
general-generalsettings-server  
general-generalsettings-sessions  
general-generalsettings-siteterminal  
general-generalsettings-stats  
general-generalsettings-termsandconditions  
general-generalsettings  
general-navigation-breadcrumbs  
general-navigation-homepage  
general-navigation-menus  
general-navigation-namespace  
general-navigation-redirects  
general-navigation-siteaccess  
general-navigation-sitemapprotocol  
general-navigation-user  
general-navigation  
i18n  
intertiki-intertikiclient-activatethefeature  
intertiki-intertikiclient-clientserversettings  
intertiki-intertikiclient-currentlylinkedmasterserver  
intertiki-intertikiclient  
intertiki-intertikimasterserver-activatethefeature  
intertiki-intertikimasterserver-masterserversettings  
intertiki-intertikimasterserver  
login-cas-cascentralauthenticationservice  
login-cas-casserver  
login-cas  
login-generalpreferences-captcha  
login-generalpreferences-cookies  
login-generalpreferences-password  
login-generalpreferences-registration  
login-generalpreferences-username  
login-generalpreferences  
login-ldap-ldapadmin  
login-ldap-ldapbindsettings  
login-ldap-ldapuser  
login-ldap-warning  
login-ldap  
login-ldapexternalgroups-ldapadmin  
login-ldapexternalgroups-ldapbindsettings  
login-ldapexternalgroups-ldapexternalgroups  
login-ldapexternalgroups-ldapgroup  
login-ldapexternalgroups-ldapgroupmemberifgroupmembershipcanbefoundingroupattributes  
login-ldapexternalgroups-ldapuser  
login-ldapexternalgroups-ldapusergroupifgroupmembershipcanbefoundinuserattributes  
login-ldapexternalgroups  
login-oauthserversettings-0  
login-oauthserversettings  
login-openidconnect-0  
login-openidconnect  
login-pam-pam  
login-pam  
login-passwordblacklist-password  
login-passwordblacklist  
login-phpbb-phpbb  
login-phpbb  
login-remotetikiautologin-warning  
login-remotetikiautologin  
login-saml2-advancedsettings  
login-saml2-attributemapping  
login-saml2-groupmapping

login-saml2-identityprovidersettings  
login-saml2-options  
login-saml2-saml2  
login-saml2  
login-shibboleth-shibboleth  
login-shibboleth  
login-webserver-webserver  
login-webserver  
look-customization-customcode  
look-customization-editing  
look-customization  
look-layout-logo  
look-layout-modulezonevisibility  
look-layout-sitereportbar  
look-layout-title  
look-layout  
look-miscellaneous-contextmenus  
look-miscellaneous-favicons  
look-miscellaneous-responsiveimages  
look-miscellaneous-separators  
look-miscellaneous-tabs  
look-miscellaneous  
look-pagination  
look-shadowlayer  
look-theme  
look-UIeffects-other  
look-UIeffects-standardUIeffects  
look-UIeffects-tabUIeffects  
look-UIeffects  
maps-defaults  
maps-settings  
maps  
mautic-credentials  
mautic-mainsettings  
mautic  
messages-activate the feature  
messages-settings  
messages  
metatags-geometatags  
metatags-metatags-facebook  
metatags-metatags-general  
metatags-metatags-twitter  
metatags-metatags  
metatags-robots  
module-crumbscrumbdescription  
module-modulezonevisibility  
module  
payment-advancedshoppingcart-advancedcarttrackernamessetup  
payment-advancedshoppingcart-cartsettings  
payment-advancedshoppingcart-features  
payment-advancedshoppingcart-productstrackerssetup  
payment-advancedshoppingcart  
payment-payment-0  
payment-payment  
payment-plugins-plugins  
payment-plugins  
payment-shipping  
performance-database  
performance-majorslowdown  
performance-memcache  
performance-monitor  
performance-newsletter  
performance-performance  
performance-plugins  
performance-redis

performance-sessions  
performance-timeandmemorylimits  
performance-wiki  
polls-polls-activatefeature  
polls-polls-plugins  
polls-polls-settings  
polls-polls  
polls-surveys-1  
polls-surveys-activatefeature  
polls-surveys  
print-articles  
print-otherfeatures  
print-pdfsettings  
print-wikiprintversion  
print  
profiles-advanced-repositorystatus  
profiles-advanced  
rating-advanced  
rating-articles  
rating-comments  
rating-defaultoptions  
rating-globalconfiguration  
rating-trackers  
rating-userinterface  
rating-wiki  
rating  
rss-feeds  
rss-generalpreferences  
rss-incomingfeeds  
rtc-bigbluebutton  
rtc-xmpp  
score-activatefeature  
score-causescoresolderthanacertainnumberofdaystoexpire  
score  
search-federatedsearch  
search-generalsettings-features  
search-generalsettings-filegalleriessearches  
search-generalsettings-forumsearches  
search-generalsettings-search  
search-generalsettings  
search-searchresults-informationtodisplayforeachresult  
search-searchresults-itemstodisplayinsearchresults  
search-searchresults  
search-storedsearch  
security-api  
security-generalsecurity-csrfsecurity  
security-generalsecurity-httpheaders  
security-generalsecurity-smartyandfeaturessecurity  
security-generalsecurity-trackerssecurity  
security-generalsecurity-userencryption  
security-generalsecurity  
security-openpgp-openpgpfunctionalityforpgpmimeencryptedemailmessaging  
security-openpgp  
security-siteaccess  
security-spamprotection-captcha  
security-spamprotection  
security-tokens  
security-webhooks  
sefurl-activatefeature  
sefurl-settings  
sefurl  
semantic-activatefeature  
semantic  
share-activatefeature  
share-sitewidefeatures

share  
socialnetworks-bit  
socialnetworks-general  
socialnetworks-legacyintegrations-facebook  
socialnetworks-legacyintegrations-linkedin  
socialnetworks-legacyintegrations-warning  
socialnetworks-legacyintegrations  
socialnetworks-sharethis  
stats-googleanalytics-0  
stats-googleanalytics  
stats-piwikanalytics-0  
stats-piwikanalytics  
stats-tikistatistics-0  
stats-tikistatistics  
textarea-generalsettings-defaultsize  
textarea-generalsettings-externallinksandimages  
textarea-generalsettings-features  
textarea-generalsettings-markdown  
textarea-generalsettings-miscellaneous  
textarea-generalsettings-plugins  
textarea-generalsettings-typography  
textarea-generalsettings-wikisyntax  
textarea-generalsettings  
textarea-plugins-editpluginicons  
textarea-plugins-filter  
textarea-plugins-pluginpreferences  
textarea-plugins-plugins  
textarea-plugins  
trackers-plugins-0  
trackers-plugins  
trackers-settings-activatethefeature  
trackers-settings-fieldsettings  
trackers-settings-linkedwikipages  
trackers-settings-trackerattachmentpreferences  
trackers-settings-trackerforcefillfeature  
trackers-settings-trackersettings  
trackers-settings  
trackers-systemtrackers-systemtrackers  
trackers-systemtrackers  
user-messagingandnotifications-messages  
user-messagingandnotifications-usernotifications  
user-messagingandnotifications  
user-userfeatures-useraccountfeatures  
user-userfeatures  
user-userfiles-activatethefeature  
user-userfiles-settings  
user-userfiles  
user-userinfoandpicture-profilepicture  
user-userinfoandpicture-userinformationdisplay  
user-userinfoandpicture  
user-usersettings-adminuserpreferences  
user-usersettings-defaultuserpreferences  
user-usersettings  
video-kaltura-activatethefeature  
video-kaltura-enablerelatedtrackerfieldtypes  
video-kaltura-kalturadynamicplayer  
video-kaltura-kalturapartnersettings  
video-kaltura-kalturatikiconfig  
video-kaltura-legacysupport  
video-kaltura-plugintoembedinpages  
video-kaltura  
webservices-activatethefeature  
webservices-options  
webservices  
wiki-features-attachments

- wiki-features-comments
- wiki-features-generalfeatures
- wiki-features-namespaces
- wiki-features-redirectandsimilar
- wiki-features-structures
- wiki-features-wikiwatch
- wiki-features-wikiwordsfeatures
- wiki-features
- wiki-flaggedrevision-0
- wiki-flaggedrevision
- wiki-generalpreferences-activatethefeature
- wiki-generalpreferences-automatictableofcontents
- wiki-generalpreferences-editing
- wiki-generalpreferences-pagedisplay
- wiki-generalpreferences-pagename
- wiki-generalpreferences-plugins
- wiki-generalpreferences
- wiki-pagelistings-configuration
- wiki-pagelistings-options
- wiki-pagelistings
- workspace-areas-activatethefeature
- workspace-areas
- workspace-workspaces-activatethefeature
- workspace-workspaces-advanced
- workspace-workspaces-dependencies
- workspace-workspaces
- wysiwyg-activatethefeature
- wysiwyg-legacyckeditorwysiwyg
- wysiwyg-markdowntoastuiwysiwyg
- wysiwyg-relatedfeatures
- wysiwyg-wysiwygeditorfeatures
- wysiwyg

Since Tiki 16 Tiki integrate default parameters that are used by Facebook when fetching a page if they are missing or if you prefer to use your own for the entire Tiki.

## Activate Facebook integration

*Note: It is possible to have your post (forum, blog, article, etc) posted to Twitter using an external social media automation solution. Those external services are very popular and use Tiki RSS feed to fetch and publish content on your behalf.*

**Consumer Key** and **Consumer Secret** are used for integrate your Tiki and Facebook using a Facebook application.

## Setting up Facebook integration

First, you need to register a new application with Facebook. This can be done via the [Developers tool](#). Later on, you can edit the Application via [Application settings](#) in your Facebook profile.

### Step 0

On the Developer page click on [Set Up New Application](#) and enter a name for your Application, sell your soul (agree to the terms) and click on **Create Application**. After a successful captcha check, you can proceed with step 1.

You may need to login in Facebook to accept the validation process in Facebook (to allow the developer application use your account details in Facebook, etc).

### Step 1

The name of your application is already set, so you don't need to enter a new one. Feel free to upload a logo and icon for your app. As I give support via e-Mail, I entered my email address for the users support.



### Step 2

Enter the site URL and the Site Domain. My test server is at test.ott-consult.de and tiki is at the URL for my test server is at <http://test.ott-consult.de/trunk>. The Site URL therefore is **http://test.ott-consult.de/trunk/tiki-socialnetworks.php?request\_facebook**.

Edit Site

Back to My Applications

AboutWeb SiteFacebook IntegrationMobile and DevicesAdvanced

Core Settings

Application ID	1.....38	Your OAuth client_id
Application Secret	7.....4	Your OAuth client_secret
Site URL	.ott-consult.de/trunk/tiki-socialnetworks.php?request_facebook	Your site's URL
Site Domain	test.ott-consult.de	If set, Facebook will enable authentication on all subdomains (e.g., "example.com" will enable *.example.com)

Save Changes

### Step 3

In this step, you don't to change anything since the **Post-Authorize Callback URL** field has been removed by Facebook.

About

Web Site

Facebook Integration

Mobile and Devices

Credits

Advanced

Core Settings

Application ID

Application Secret

Your OAuth client\_id

Your OAuth client\_secret

Canvas

Canvas Page

Canvas URL

Secure Canvas URL

Canvas Type

Iframe Size

Bookmark URL

http://apps.facebook.com/

/

facebook pulls the content for your app's canvas pages from this base URL.

facebook uses this secure version of the Canvas URL when your app is accessed by a user over a secure connection (https).

Choose whether your Canvas URL renders HTML in an iframe or returns FBML.

Choose "Auto-resize" if you are using FB.Canvas.setAutoResize() in your iframe app and want the Canvas frame to grow to the height of your app's content.

The URL to load when a user clicks your app's bookmark. If blank, this defaults to your Canvas Page

Discovery

Social Discovery

Enabled

Disabled

If social discovery is enabled, Facebook may highlight a user's usage of your app in News Feed and other places to help the user's friends discover your app.

Page Tabs

Tab Name

Tab URL

Edit URL

http://apps.facebook.com/

CANVAS\_URL/

The title of your tab on a Page

Facebook pulls content for your tab from this URL, which must be relative to your Canvas Page

URL at which Page administrators can edit app settings

Save Changes

### Step 4

Here, you choose the way your application authorizes with Facebook. As it is set by default, just check that **HTML5/mobile web** for your **Application type** is selected.

Facebook

Edit octestserver

Back to My Applications

About

Web Site

Facebook Integration

Mobile and Devices

Advanced

Core Settings

Application ID	1	8	Your OAuth client_id
Application Secret	7	4	Your OAuth client_secret
Application Type	<input checked="" type="radio"/> HTML5 / mobile web <input type="radio"/> Native application		Native applications use a different authentication mechanism via the iPhone or Android SDKs

Apple iOS

iTunes App Store ID

Facebook uses this ID to link to your app in the iTunes App Store (e.g., 284882215). [Read More.](#)

Save Changes

### Step 5

Start Using Facebook Credits, this financial/billing integration mostly not needed for Tikiwiki, leave it that way.



About

Web Site

Facebook Integration

Mobile and Devices

Credits

Advanced

Start Using Facebook Credits

Welcome to the Facebook Credits program. To get started:

1. Register your company below
2. Provide core settings below
3. Review API documentation and complete your integration

Company Information

Company Name

No company registered

Don't see your company listed? [Register it now](#)

Before accepting Facebook Credits, we need to collect company information to pay you for Credits users spend in your application.

Core Settings

Credits Callback URL

Facebook pings this URL after a user initiates or updates an order.

Email

This email is used for payments related communication.

Credits Test Users (optional)

Users entered here (UIDs, comma-delimited) will be able to use your app and go through Facebook Credits flows but will not be charged.

Save Changes

## Step 6

On this last step, you can give the Facebook **Deauthorize Callback** which will be called, when a user disallows your application on Facebook. Don't choose sandbox mode here.

Usually, your web server has a static IP address. By putting it on the **server whitelist**, you can add a bit of security, as only requests from that IP will be processed. If you run a server farm with multiple servers, add all IP addresses.

You can also uncheck all the "deprecated" setting, it won't hurt.

About

Web Site

Facebook Integration

Mobile and Devices

Credits

Advanced

Authentication

Deauthorize Callback

<http://www.tumblr.com/140-creditevents.php/home>

Facebook ping this URL when a user disallows your app.

Facebook Mode

☐ Enable ☒ Disable

If enabled, only the developer of your app will be able to use the app.

Migration

Disable Deprecated Auth Methods

☐ Enabled ☒ Disabled

Disables deprecated methods including the deprecated OAuth 1.0a flow.

Disable Deprecated Connect Methods

☐ Enabled ☒ Disabled

The Connect API is deprecated and will be removed in the near future.

Disable Deprecated FQL Methods

☐ Enabled ☒ Disabled

Disables deprecated FQL methods including the deprecated FQL API.

Disable Deprecated FBML Methods

☐ Enabled ☒ Disabled

Disables deprecated FBML methods including the deprecated FBML API.

Disable Deprecated Permissions Methods

☐ Enabled ☒ Disabled

Disables deprecated permissions methods including the deprecated permissions API.

Disable Deprecated Profile Methods

☐ Enabled ☒ Disabled

Disables deprecated profile methods including the deprecated profile API.

Disable Deprecated Tags Methods

☐ Enabled ☒ Disabled

Disables deprecated tags methods including the deprecated tags API.

Screen post URL security

☐ Enabled ☒ Disabled

Enables a screen post URL security check to prevent spoofing.

OAuth 2.0 for Canvas

☐ Enabled ☒ Disabled

Enables a Canvas OAuth 2.0 flow for Canvas apps.

OAuth 2.0 for Native

☒ Enabled ☐ Disabled

Enables a Native OAuth 2.0 flow for Native apps.

Canvas Session Expiration (Experimental)

☐ Enabled ☒ Disabled

Enables a Canvas session expiration for Canvas apps.

November 2010 Rollout

☒ Enabled ☐ Disabled

Enables the November 2010 rollout for Canvas apps.

Timeline view events

☒ Enabled ☐ Disabled

Enables the timeline view for Canvas apps.

JSON encoding Empty Arrays

☒ Enabled ☐ Disabled

Enables the JSON encoding of empty arrays for Canvas apps.

Security

Server Whitelist

If enabled, Facebook will only process requests from the specified IP addresses.

Advertising

Advertising Accounts

Enables the use of advertising accounts for Canvas apps.

Advanced Canvas Features

Postback FQL

Enables the use of postback FQL for Canvas apps.

Postback FQL Multiparty

0

Enables the use of multiparty postback FQL for Canvas apps.

Early Patch

0

Enables the use of early patch for Canvas apps.



Save Changes



Now you created the application at Facebook and you can enter the data on your tiki server. Go to Admin->Social networks and enter the data from Facebook.



## Facebook Settings

### Note

To use Facebook integration, you must register this site as an application at <http://developers.facebook.com/setup/> and allow extended access for the application. Enter <your site URL>tiki-socialnetworks.php as connect URL.

API key: 1 1  

Application secret: 7 4   


Application ID: 1 8  

### User authorization

Users need the tiki\_p\_social\_network [permission](#) in order to use social networks. To login via facebook, the Anonymous group will need this permission.

Before being able to use the Facebook integration, users must authorize the TikiWiki site by requesting an oauth token. This can be done via the **Social networks** tab on [My Tiki](#).

Note : As i (Bernard) authorize it i encounter an error from Facebook servers: "message": "Invalid redirect\_uri: Given URL is not allowed by the Application configuration.". I had to logout/login for Facebook to accept the authorization. It is possible also that you have to wait more than 15mn for the Facebook server to use the setting you just entered.