


# Import Trackers

There are several ways to import a tracker, its fields and its data:


## 1st Way: Import Tracker using its structure (own code)



The screenshot shows the 'Trackers' application interface. At the top, there's a 'Trackers' tab and a 'Duplicate/Import Tracker' sub-tab. The main heading is 'Duplicate Tracker'. Below this, there's a 'Name' input field, a 'Tracker' dropdown menu set to 'Dynamic tracker example', and two checkboxes: 'Duplicate categories' and 'Duplicate permissions'. A 'Duplicate' button is located below these options. The 'Import' section is expanded, showing 'Import Structure' with a 'Raw data' text area, a 'Preserve tracker ID' checkbox, and a 'Note' box containing the text 'Use "Tracker -> Export -> Structure" to produce this data.' An 'Import' button is at the bottom of the 'Import' section.

Click to expand

## 2nd way: Import Tracker using Profile/Yaml code




The screenshot shows the 'Import' section of the application. The 'Import Structure' dropdown is expanded to show 'Import From Profile/YAML'. A 'New Feature' banner is visible at the top of the expanded section, with the text 'Please note: Experimental - work in progress'. Below this is a 'YAML' text area and an 'Import' button. A 'Toggle Highlighter' button is located at the bottom right of the 'Import From Profile/YAML' section.


Click to expand


# Export and Import of Tracker Fields

In the **Edit Fields** page (/tiki-admin\_tracker\_fields.php?trackerId=) you need to select all fields you want to export with the checkboxes, then at the bottom there is a dropdown where you select **Export Selected**.




This will open a window with the code you need to copy, then paste in to the **Import Tracker Fields** tab.





## Import Tracker data

To import data, you can import data through the other interface:



Click to expand

In order to get the right syntax for the file, you can export your tracker data first, so that you can see an example of how columns are data are formatted. See [Export Trackers](#).

## Use from remote sources

You can alternatively use tracker data from remote sources through the **ODBC** read/write support added in [Tiki23](#).

See [ODBC](#)

### Related

---

- [Trackers](#)
- [MultilingualTracker](#)
- [Export Trackers](#)
- [Tracker Import Export](#)
- [ODBC](#)

### Alias names for this page

---

[Tracker Import](#) | [TrackerImport](#) | [Import Tracker](#) | [ImportTracker](#) | [ImportTrackers](#)