


Inter-User Messages

Users can send messages to other Tiki users and read/reply/remove messages in their mailboxes. Messages can have a priority and the user may choose to be notified by email when important messages are received by Tiki. The user can close his mailbox from this user preferences screen and he will not receive messages. Messages can be flagged for follow up. Admins can send broadcast messages to all the users in a Tiki site. A module to display the number of unread messages is also included. User with permission can send messages to all the members of a group.

The user messages screen can be used to access the Tiki internal messaging system between users (like email but internal to your Tiki site).

Mailbox



The screenshot shows the Tiki Mailbox interface. At the top, there are three tabs: "Mailbox", "Compose", and "Broadcast". Below the tabs, there are search filters: "Messages:" with a dropdown menu set to "All", "Priority:" with a dropdown menu set to "All", and "Containing:" with a text input field and a "filter" button. Below the filters, there are action buttons: "delete", "Mark as unread" with a dropdown arrow, and "mark". The main part of the interface is a table with the following columns: "from", "subject", "date", and "size". The table contains two rows of messages.

	from	subject	date	size
<input type="checkbox"/>	admin	<u>fsfs</u>	Sun Mar 2003 [16:04]	12 b
<input type="checkbox"/>	admin	<u>Hola admin</u>	Sat Mar 2003 [16:04]	28 b

The messages section is divided in four screens: Mailbox, compose, broadcast (if permissions are ok) and archive. The mailbox is shown on the left of this text, it displays the list of messages ordered by date. The user can sort messages as he wants, he can filter messages by different flags or priority or find messages containing some text. Messages can be mark as read, unread or

flagged/unflagged. There s a filter to see only flagged messages or unflagged. The checkboxes on the left are used to mark or remove some messages. Unread messages are displayed in bold font to make the user notice them. If the user clicks on any message subject a screen to read messages is displayed:



The user can read the message, reply it, move to the next message or flag the message for follow up if he wants. Since 1.9 the user can move messages to the archive, thus speeding up the regular mail check process, because the mail archive is a separate table. The size of the mailbox and the size of the archive can be defined by the admin in admin / login (where most of the general user settings are). If the maximum number is set to 0 (zero), the number is 'unlimited'. If the number is bigger than zero, the user cannot receive any more mails if the number of mails in the users mailbox exceeds this limit. He can archive some mails then or delete some. If the archiving limit is reached, no more mails can get archived by the user.

Composing messages

The screenshot shows a web interface for composing a message. At the top, there are three tabs: "Mailbox", "Compose", and "Broadcast". The "Compose" tab is active. Below the tabs, there are several input fields: "To:", "CC:", and "BCC:", each followed by a text box. To the right of the "To:" field is a "send" button. Below these fields is a "Priority:" dropdown menu currently set to "3 -Normal-". At the bottom of this section is a "Subject:" label followed by a text box. Below all these fields is a large, empty rectangular area for the message body.

In this screen the user can compose a message. The to, cc and bcc are similar to the fields used to send emails but Tiki user names should be entered instead of mail addresses. Multiple addresses can be separated with semicolons (";"). If any of the users has a full mailbox, you receive an error that the mail could not get delivered to that user.

Broadcasting



Group: Anonymous

Priority: 3 -Normal- send

Subject:

A broadcast is a message sent to many users, the message can be sent to a Tiki group or to all users (if permissions are ok).

Tips

The function to send messages is `messu-compose.php` (it is useful to put this function in a menu for a contact page for example)

You can force Subject or cc or to record by using

`messu-compose.php?subject=foo&to=admin&cc:otheruser`

How To Enable This Feature

As administrator of a Tiki site, you can enable this feature in order to allow users send messages to other users provided they know their usernames.

Those are the needed steps:

1. Under "Admin home > Community", "User Features" section, enable "**User messages**"
2. Grant permission **tiki_p_messages** ("Can use the messaging system") to the group you need (you may probably want to grant it to "Registered" users)

***Note:** An admin might consider granting to editors or admin group the permissions "tiki_p_broadcast" (Can broadcast messages to groups) or "tiki_p_broadcast_all" (Can broadcast messages to all users)*

3. Under "Admin home > Login", you may want to modify these preferences:
 1. Checkbox "**Users can opt-out internal messages:**"
 2. Checkbox "**Users accept internal messages by default:**"


There a few other options in the admin panel for messages:

Messages

Preference Filters




☒ Basic ☒ Advanced ☒ Experimental ☐ Unavailable [Set as my default](#)

Configuration search: [Search](#)





[Change preferences](#)


Activate the feature


☒ User Messages   


Settings


☒ Users accept internal messages by default 

☒ Users can opt-out of internal messages 



Maximum mailbox size (messages, 0=unlimited): 

Maximum mail archive size (messages, 0=unlimited): 

Maximum sent box size (messages, 0=unlimited): 

☐ Show user's real name instead of login in autocomplete selector in messaging feature 

You need to set [Show user's real name instead of login \(when possible\)](#)

Truncate internal message notification to number of characters:  

[Change preferences](#)

Click to expand

alias

[Inter User Messages](#) | [Inter-User Message](#) | [Intratiki-Messages](#) | [Intratiki-Messaging](#) | [Intratiki Messages](#) | [Intratiki Messaging](#) | [Tiki-Messages](#) | [Tiki-Messaging](#) | [Tiki Messages](#) | [Tiki Messaging](#) | [Messages](#) | [Messaging](#) | [User messages](#) | [User messaging](#)