

This page is superceded by [Interface translation](#). Anything here not there should be moved.

This page explains how to add custom translations to your Tiki.

In short, you have to translate the strings you will find at the files under your `./lang/xx/` folder (being `xx` the two-letter code of your language):

- `./lang/xx/language.php`
- `./lang/xx/language.js` (since [Tiki6.1](#))

### How to customize your language file

first way for tikiwiki<=1.9 : the 'easy' but slow one

At this end of the `lang/your_language/language.php` file (`your_language` will be replaced by `en,fr, en-uk...`)

Insert the following block just before `?>`



```
include('lang/your_language/customization.php'); if (!empty($customizationLang)) $lang=
array_merge($lang, $customizationLang);
```

Create the file `lang/your_language/customization.php` like this



```
"My new translation" ); ?>
```

Don't forget that the `customization.php` file must be utf8 encoded

Don't forget to clean the cache (admin-> System admin) to have the translation updated

This change the tikiwiki files - so be careful when you sync with the latest version

Update also your `./lang/xx/language.js` (available since [Tiki6.1](#))

second way:

Use the `get_strings` procedure. Create a file `lang/your_language/language.patch` (same format and encoding than above) and run `get_strings.php?patch=y` as an admin. Idem clear the cache. It is the fastest method but it is a little more difficult

third way for tikiwiki>=2.0

This method is the most simple. This can also be done to provide more appropriate or desired phrasing for a particular site and so may not be a translation issue per se.

The file should have this name and path: `lang/your_language/custom.php` where `"your_language"` is the directory of the particular language that the alternative text is for. The file's content is a mini version of the normal language file, like (spaces added for php tags to display): An example exists in `lang/fr/custom.php_example`

```
< ? php $lang_custom=Array( "Text in template" => "My new version of text",
"###end###"=>"###end###"); $lang = $lang_custom + $lang; ? >
```

âžžïï, Be sure the file is saved with UTF-8 encoding. If the file is not saved with UTF-8 encoding, a fatal

error may result and no Tiki pages will display. Terms/phrases in the custom file will be used in place of the same terms/phrases in the regular language file. (Not just anything can be added to these files, of course. They must be strings specified for translation in the templates, etc.)

---

### Related pages

---

- [Interface translation](#)
  - [Interactive Translation](#)
- [Internationalization](#)
- [Internationalization Admin](#)
- [Creating or maintaining translations](#)

### alias

---

- [i18n User](#) old page name