

Module last_tracker_items

This is a **stub**. Some [screenshot](#) is needed

Parameters

Displays the value of a field of the specified number of tracker items. If the specified tracker has no main field, either Field name or Field identifier is required.

Required parameters are in **bold**.

[Go to the source code](#)

Preferences required: feature_trackers

Parameters Values	Accepted Values	Description	Default	Since
<code>trackerId</code>	int	Identifier of the tracker from which items are listed. Example value: 13.		
<code>name</code>	any string except for HTML and PHP tags	Name of the field from which values are listed. Example value: age.		
<code>sort_mode</code>	any string except for HTML and PHP tags	Specifies how the items should be sorted. Possible values include created and created_asc (equivalent), created_desc, status, lastModif, createdBy and lastModifBy. Unless "_desc" is specified, the sort is ascending. "created" sorts on item creation date. "lastModif" sorts on the last modification date of items. "lastModif_desc" sorts in descending order of last modification date. Default value: created_desc		

<code>status</code>	<code>word</code>	If set, limits the listed items to those with the given statuses. Values are combinations of "o" (open), "p" (pending) and "c" (closed). Possible values: opc, oc, op, pc, o, p or c. Default value: opc
<code>fieldId</code>	<code>int</code>	Identifier of the field from which values are listed. If Field name is set, this parameter is ignored. Example value: 13.

The other traditional modules params apply:

nonums

Notes

- In `tw>=3.0`, You can either give the field name, or the fieldId, or indicate no field. In the last case, the system will automatically take the first main field.
- Be careful than if you change the name of the field in the tracker administration, the module parameter name will not be changed

See also

[Module last_modif_tracker_items](#)