

Plugin Code

This [wiki plugin](#) is used to display any source code (including wiki syntax) on a page without it being processed. The code is displayed in a gray box in a fixed-width monospaced font. A title can be added to the box and line numbers added. Syntax highlighting is also available, since Tiki7 using [CodeMirror](#) and using GeSHi before that.

Parameters

Display code with syntax highlighting and line numbering.

Introduced in Tiki 1.

[Go to the source code](#)

Preferences required: wikiplugin_code

| Parameters | Accepted Values | Description | Default | Since |
|------------------|-------------------|--|---------|-------|
| (body of plugin) | | Code to be displayed | | |
| caption | text | Code snippet label. | | 1 |
| colors | text | Any supported language listed at http://codemirror.net/mode/ . Pref <code>feature_syntax_highlighter</code> must be true for this to have any effect | | 17 |
| wrap | (blank) 1 0 | Wrap lines of code which do not fit in the display box's width. Enabling avoids overflow or hidden line ends. | 1 | |

| | | | |
|-----------|---|--|-------|
| theme | default 3024-day 3024-night abbott abcdef ambiance-mobile ambiance ayu-dark ayu-mirage base16-dark base16-light bespin blackboard cobalt colorforth darcula dracula duotone-dark duotone-light eclipse elegant erlang-dark gruvbox-dark hopscotch icecoder idea isotope juejin lesser-dark liquibyte lucario material-darker material-ocean material-palenight material mbo mdn-like midnight monokai moxer neat neo night nord oceanic-next panda- syntax paraiso-dark paraiso- light pastel-on-dark railscasts rubyblue seti shadowfox solarized ssms the-matrix tomorrow-night-bright tomorrow-night-eighties ttcn twilight vibrant-ink xq-dark xq- light yeti yonce zenburn | Any supported theme listed at https://codemirror.net/demo/theme.html | 17 |
| ln | (blank) 1 0 | Show line numbers for each line of code. | 1 |
| rtl | (blank) 1 0 | Switch the text display from left to right, to right to left (left to right by default) | 1 |
| mediawiki | (blank) 1 0 | Encloses the code in an HTML code tag, for example: <code><code>user input</code></code> | 0 8.3 |

Syntax highlighting

To activate syntax highlighting and enjoy most of the options (lines number, colors, etc), the Code editor (CodeMirror) feature must be enabled at Control Panels > Editing and Plugins > General Settings (tab) > Features (pane).

See the list of [CodeMirror](#) supported languages that can be used for the colors parameter.

Example

PHP with line numbers

This code:

```
{CODE(colors="php")}
```