

Plugin Include

Use this [wiki plugin](#) to include the contents of a Wiki page inside another page (it must be a Wiki page located in the Wiki section of your Tiki, as other types of pages won't work yet!). This is a form of [Wiki transclusion](#)

Parameters

Include a portion of another wiki page

*Introduced in Tiki 1. Required parameters are in **bold**.*

[Go to the source code](#)

Preferences required: wikiplugin_include

| Parameters | Accepted Values | Description | Default | Since |
|----------------------|-----------------|--|---------|-------|
| page | pagename | Name of the source wiki page (which contains the included portion) | | 1 |
| start | | When only a portion of the page should be included, full text of the line after which inclusion should start | | 1 |
| stop | | When only a portion of the page should be included, full text of the line before which inclusion should end | | 1 |
| max_chars_included | int | Limit the length of the included text | | 20.0 |
| max_inclusions | text | Maximum amount of times the same page can be included. Defaults to 5 | 5 | 18.2 |
| pagenotapproved_text | text | Text to show when the page exists but no version is approved. | | 18.0 |

| | | | | |
|--|-------------------|--|---|------|
| <code>nopage_text</code> | text | Text to show when the page selected to be included is not found anymore. | | 6.0 |
| <code>pagedenied_text</code> | text | Text to show when the page exists but the user has insufficient permissions to see it. | | 6.0 |
| <code>linkoriginal</code> | (blank) y n | Add a "Read more" link at the end of included content, linking to the original page. (shows "Read More" by default) | n | 18.0 |
| <code>linkoriginal_text</code> | text | Label of the button linking to the source page (if it is displayed) | | 18.0 |
| <code>recursive_include_warning</code> | y n | Option to warn when we include a page within itself. | y | |
| <code>page_replace_icon</code> | (blank) y n | Option to show the replace page icon, for the included page to be replaced by original wiki text. Depends on the "edit icons" settings. | | |
| <code>page_version</code> | int | Get the version of page included | | 26.0 |
| <code>page_edit_icon</code> | (blank) y n | Option to show the edit icon for the included page (shown by default). Depends on the "edit icons" settings. | | 12.1 |
| <code>parse_included_page</code> | (blank) y n | Parse the page to be included before adding it to the parent page. This will help if html pages are included in wiki pages or vice versa, but will cause issues with the wiki table of contents. | n | 18.2 |

Example

This example transcludes (or includes) portions of the page [Tiki2](#) between the strings Authentication and OpenID.

This code:

```
{include page="Tiki2" start="!!!# Authentication" stop="!!!# OpenID"}
```

Would produce on this site:

Authentication has received a major enhancement.

Some new options

- Use login as email
- Crypt passwords method
- User trackers at registration

Limitations

You can not include a same page or a same page extract more than 5 times on one page. If you need to exceed 5 times you will have to modify the plugin and change the value of `max_inclusions`. Starting in Tiki 18.2, there is a parameter to do so.

Related pages

- [PluginIframe](#)
- [PluginIncludeTPL](#)
- [PluginSnarf](#)
- [PluginTransclude](#)