

Plugin Indentation

Introduced in [Tiki24](#)

Use this [wiki plugin](#) to indent a block of wiki content at the paragraph level (such as paragraphs, tables, code blocks...) by one level. Use properly nested `{INDENT()}`...`{INDENT}` calls for further indentation.

Table of contents

- [Plugin Indentation](#)
 - [Parameters](#)
 - [Examples](#)
 - [Example 1](#)
 - [Example 2](#)
 - [Example 3](#)
 - [Related pages](#)
 - [Aliases](#)

Parameters

There are no parameters required - only the text between the `INDENT` tags is needed. Indent a block of wiki content by one level

Introduced in Tiki 24.

[Go to the source code](#)

Preferences required: `wikiplugin_indent`

Parameters

(body of plugin) - Wiki content (text) that is to be indented.

no parameters

Examples

Example 1

This code:

```
Before {INDENT()}Between{INDENT} Afters
```

Would produce on this site:

Before

 Between

Afters

Example 2

Use this code to indent two levels:

```
Before {INDENT()} Level 1 {INDENT()}Level 2{INDENT} {INDENT} Afters
```

This produces:

 Level 1

 Level 2

Example 3

Do *not* use this code to indent two levels:

```
Before {INDENT()}Level 1{INDENT} {INDENT()} {INDENT()}Level 2{INDENT}{INDENT} Afters
```

This is because the browser generates a vertical gap when repeating the indentation several times, like above. The gap gets bigger with each level of indentation. This is what the browser produces when doing it like in example 3:

Before

```
    Level 1  
        Level 2
```

Afters

Related pages

No related pages.

Aliases

No aliases.