

## Plugin Module

Use this [wiki plugin](#) to display [Modules](#) in a page, column or other module zone.

## Parameters

Display a module

Introduced in Tiki 1. Required parameters are in **bold**.

[Go to the source code](#)

Preferences required: `wikiplugin_module`

Parameters	Accepted Values	Description	Default	Since
<b>module</b>	. (cont.) (cont'd) (cont'd)	Module name as known in Tiki		1
<b>title</b>	text	Title to display at the top of the box, assuming No Title is not set to Yes ( <b>y</b> ).		1
<b>contributor</b>	alpha	Module only available based on the relationship of the user with the wiki page. Either only contributors ( <b>%0y%1</b> ) or only non-contributors ( <b>%0n%1</b> ) will see the module.		9.0
<b>creator</b>	alpha	Module only available based on the relationship of the user with the wiki page. Either only creators ( <b>y</b> ) or only non-creators ( <b>n</b> ) will see the module.		9.0
<b>device</b>	<i>separator: ;</i>	On which device the module must be displayed, by default it is displayed on all devices.		24

<code>max</code>	digits	Number of rows (default: <code>10</code> )	10	1
<code>notitle</code>	(blank) y n	Select Yes ( <code>y</code> ) to hide the title (default is to show the title)		3.0
<code>bgcolor</code>	text	Override the background color for the title (if the title is shown). The value can be a color name (ex: <code>bgcolor="blue"</code> ) or a hexadecimal value (ex: <code>bgcolor="#FFEB CD"</code> )		9.0
<code>decoration</code>	(blank) 1 0	Show module title (heading) background, etc. (default is to show them)		1
<code>category</code>	alnum <i>separator:</i> ;	Module displayed depending on category. Multiple category ids or names can be separated by semi-colons.		9.0
<code>class</code>		Custom CSS class.		9.0
<code>topclass</code>		Custom CSS class of div around the module.		9.0
<code>flip</code>	(blank) 1 0	Add ability to show/hide the content of the module (default is the site admin setting for modules)		1
<code>float</code>	(blank) nofloat left right	Align the module to the left or right on the page allowing other elements to align against it		1
<code>lang</code>	lang <i>separator:</i> ;	Module only applicable for the specified languages. Languages are defined as two character language codes. Multiple values can be separated by semi-colons.		9.0
<code>module_style</code>		Inline CSS for the containing div element, for example, <code>max-width:80%</code>		9.0
<code>nobox</code>	(blank) y n	y n Show only the content with no title or borders, etc. around the content.		9.0
<code>nocategory</code>	alnum <i>separator:</i> ;	Module hidden depending on category. Multiple category ids or names can be separated by semi-colons. This takes precedence over the category parameter above.		9.0

<code>nopage</code>	pagename <i>separator: ;</i>	Module not applicable on the specified page names. Multiple values can be separated by semi-colons.		9.0
<code>page</code>	pagename <i>separator: ;</i>	Module only applicable on the specified page names. Multiple values can be separated by semi-colons.		9.0
<code>np</code>	(blank) 0 1	Parse wiki syntax. Default: No	1	1
<code>perspective</code>	digits <i>separator: ;</i>	Only display the module if in one of the listed perspective IDs. Semi-colon separated.		9.0
<code>section</code>	text <i>separator: ;</i>	Module only applicable for the specified sections. Multiple values can be separated by semi-colons.		9.0
<code>style</code>		CSS styling for the module data itself.		9.0
<code>theme</code>	themename <i>separator: ;</i>	Module enabled or disabled depending on the theme file name (e.g. <code>thenews.css</code> ). Specified themes can be either included or excluded. Theme names prefixed by <code>!</code> are in the exclusion list. Multiple values can be separated by semi-colons.		9.0

## Examples

## Basic syntax

*This code:*

```
{module module="wiki_last_comments"}
```

*Would produce on this site:*

## Last wiki comments

1. **Sublist:** Specify multiple (from Kroky on the matrix room)
2. **Sublist:** Specify multiple (from Kroky on the matrix room)
3. **Sublist:** Specify multiple (from Kroky on the matrix room)
4. **Sublist:** Specify multiple (from Kroky on the matrix room)
5. **Inline comments:** Here is a comment about targeted comments
6. **User Preferences:** feature\_userPreferences must be enabled
7. **Mail notifications:** Setting' → Mail Notifications?
8. **Move Tiki to a new server:** Slightly different
9. **Roles:** How to activate Roles?
10. **Pretty Tracker:** This is exactly what I needed

## Displaying a module in a Template (.tpl)

You can place a module anywhere (header, footer) using the following syntax in a `.tpl` file:

```
{module module="wiki_last_comments"}
```

Older version of Tiki can revert to embedding wiki syntax:

```
{wiki}{literal}{module module="wiki_last_comments"}{/literal}{/wiki}
```