

# Plugin Preference

Using this wiki plugin, introduced in [Tiki21](#), allows you to build your own administration panels.

It is a way to delegate permission to set only certain preferences to non-administrators.

So we could create limited admin panels with just what people need, without giving `tiki_p_admin` permission by only specifying which [preferences](#) will be included in the wiki page.

# Parameters

Required parameters are in **bold**.

[Go to the source code](#)

Preferences required: `wikiplugin_preference`

## Parameters

**currentpage**

**name**

---

## **Accepted Values**

---

any string except for HTML and PHP tags

---

---

## **Description**

---

Page's name where this plugin will be shown.

---

Preferences to be edited(separated by ,).

---

<b>Default</b>	<b>Since</b>


# Examples

# Basic syntax



```
{preference name="feature_webdav" currentpage="My-Wiki-Page"}
```

Once the page is saved, the preference appears there as it would appear in the control panel, so it can be modified.



xpand

# Some preferences

Similarly for a single preference, you can add several preferences, this time separated by commas, as shown in the settings table.



```
{preference name="feature_webdav,fgal_elfinder_feature,feature_docs,fgal_pdfjs_feature,h5p_save_content_frequency" currentpage="My-Wiki-Page"}
```

The above code in a Wiki page will give:

The screenshot shows a Wiki page titled "My Wiki Page" with a settings table. The table has two columns: the left column lists preference names, and the right column shows their current values and status. The preferences are: "WebDAV access to Tiki" (experimental, value: use tiki-webdav.php as the URI of the WebDAV repository), "Use eIFinder UI" (advanced), "Docs (WebODF)" (experimental), "Use PDF.js" (advanced), and "Save Frequency" (advanced, value: 60 seconds). A "Save" button is located at the bottom of the table.

Preference Name	Value / Status
WebDAV access to Tiki	experimental use tiki-webdav.php as the URI of the WebDAV repository
Use eIFinder UI	advanced
Docs (WebODF)	experimental
Use PDF.js	advanced
Save Frequency	60 seconds advanced

xpand




Security

# Users

This plugin is not displayed to anonymous users. For other users, those in the **Registered** group for example, if they have permission to edit the wiki page on which the plugin is embedded, they can change the plugin's parameter values and must wait for admin approval.

After changing the values of the `name` parameter and registering the wiki page (here named *My admin panel*) by a non-administrator, he will see this:



o expand

# Wiki page

When the plugin loads, it makes sure that the current page matches the current wiki page's parameter value, which prevents someone from using an approved plugin on another page with different permissions.

# Aliases

- Plugin Preference