

Plugin Subscribe Groups

Introduced in [Tiki2](#)

If you have allowed users to subscribe themselves to groups, you can use this [wiki plugin](#) to allow them to subscribe/unsubscribe to a list of groups. Please see [PluginSubscribeGroup](#) for a related plugin that allows a user to subscribe/unsubscribe to a single group.

Security and permissions

- A user must have the perm `tiki_p_subscribe_group` to be able to see the box
To set this permission go to *Settings > Groups*
- The group must be set as being a **user choice**
To set this configuration go to *Settings > Groups*

Parameters

Allow users to subscribe to a list of groups

Introduced in Tiki 2.

[Go to the source code](#)

Preferences required: `wikiplugin_subscribegroups`

| Parameters | Accepted Values | Description | Default | Since |
|---------------------------------|-----------------|---|---------|-------|
| <code>defaulturl</code> | | Page user will be directed to after clicking on icon to change default group | | 4.0 |
| <code>managementpagename</code> | | Name of wiki page for group management by leaders, where <code>groupName</code> will be substituted by the group name | | 8.0 |
| <code>groups</code> | | Colon-separated list of groups. By default the list of groups available to the user. | | 2.0 |

| | | | | |
|----------------------|-------------------|---|----------|-----|
| hidelink_including | | Hide link to group home page for groups that include the group being specified here | | 8.0 |
| including | | Only list groups that include the group being specified here | | 4.0 |
| leadergroupname | | Name of group for leaders of the group, where groupName will be substituted by the group name | | 8.0 |
| pendinggroupname | | Name of group for users that are waiting for approval to enter the group, where groupName will be substituted by the group name | | 8.0 |
| subscribe | | Text shown in the dropdown box. Default: Subscribe to a group | | 2.0 |
| alwaysallowleave | (blank) y n | Always allow leaving group even if the group settings do not allow user choice. | n | 8.0 |
| showgroupdescription | (blank) y n | Show the description of the group (not shown by default) | n | 4.0 |
| showdefault | (blank) y n | Shows which group is the user's default group (if any) and allows the user to change his or her default group. | n | 4.0 |
| showsubscribe | (blank) y n | Show the subscribe box (shown by default). Will not show if there are no other groups the user may register for. | y | 4.0 |
| subscribestyle | dropdown table | Style to show the subscribe box. | dropdown | 8.0 |

In the list of groups, you can see included groups in italics. You can not unsubscribe to an included group, if you are in the including group.

Example

This code:

```
{subscribegroups groups="Cinergie:Editors" subscribe="Subscribe to a group"}
```

Would produce:



Aliases

- [Plugin SubscribeGroups](#)
- [Plugin Subscribe Groups](#)