

Plugin Tracker If

Introduced in [Tiki7](#)

Use this [wiki plugin](#) to display contents based on the results of a tracker field test.

Parameters

Display content based on results of a tracker field test

Introduced in Tiki 7. Required parameters are in **bold**.

[Go to the source code](#)

Preferences required: wikiplugin_trackerif, feature_trackers, wikiplugin_tracker

Parameters	Accepted Values	Description	Default	Since
test		Test		7.0
ignore	(blank) y n	Ignore test in edit mode	y	7.0

Example

Usage:

```
{TRACKERIF(test="(f_xx=1)")} Show this{ELSE}Show that {TRACKERIF}
```

Example tests comparing against f_xx , where xx is the field id of the tracker field being tested:

- (f_xx=value) - must equal value
- (f_xx=*value) - must end with value
- (f_xx=value*) - must start with value
- (f_xx=*value*) - must contain value
- (f_xx!=value) - must be different from value
- (f_xx=' ') - must BE empty
- (f_xx - must be lower than value
- (f_xx<=value) - must be lower or equal than value
- (f_xx>value) - must be higher than value
- (f_xx>=value) - must be higher or equal than value
- (&(f_xx=value)(f_yy=other_value)) - xx and yy fields must meet their tests

- `((f_xx=value)(f_yy=other_value))` - xx or yy field must meet their test

When conditions in the test parameter are met, content before the ELSE part is shown ("Show this", in this example). Otherwise, content after the ELSE part is shown instead ("Show that", in this example). If no ELSE part is defined, nothing is shown.

Related pages

- [PluginTrackerToggle](#)
- [PluginTrackerItemField](#)