

Articles - General settings

| Option | Description | Default |
|---|--|-------------|
| Articles | Articles can be used for date-specific news and announcements. You can configure articles to automatically publish and expire at specific times or to require that submissions be approved before becoming "live." | Disabled |
| Plugin Article List | Display multiple articles | Enabled |
| Plugin Article | Display a field of an article | Enabled |
| Title of articles homepage | Select the default title for the page that displays all articles. ☰ Topic Type Articles | None |
| Maximum number of articles on the articles homepage | The number of articles to show on each page of the Articles homepage. | 10 articles |
| Submissions | Articles can be submitted but need to be approved before they are published. | Disabled |
| Use new articles | Use the new CustomSearch-based article lists rather than database information 📄 | Disabled |
| Article creator remains article owner | Last article editor does not automatically become author (owner). | Disabled |
| Rankings | Users can see several charts or rankings about the item. | Disabled |
| User ratings on articles | Allow users to rate articles. 👍 <i>Permissions involved: rate_article, ratings_view_results. Also, when configuring articles, "Admin Types > Comment can rate article" needs to be set.</i> | Disabled |
| Article rating options | List of options available for the rating of articles. | 0,1,2,3,4,5 |
| Comments on articles | Users with permission can post or reply to comments. The comments will appear at the bottom of the page. | Disabled |
| Number per page | Set the number of comments per page. | 10 comments |
| Display order | Set the display order of comments. ☰ Newest first Oldest first Points | Points |
| Article content templates | Predefined content for an article | Disabled |
| Lock Content Templates | Enable users to lock content templates and so prevent others from editing them | Disabled |
| Specify notification emails when creating articles | Send a notification email when creating an article. Remember that notification emails for article topics can be redefined when the topic is edited after its creation. | Disabled |
| Paginate articles | Divide articles into multiple pages with pagebreak markers. | Disabled |

| Option | Description | Default |
|--|---|------------------|
| Custom attributes for article types | Enable additional custom fields for article types | Enabled |
| Geolocate articles | Provide controls to indicate a geographic location in the article edit form. | Disabled |
| Article title in SEFURL | The article title rather than article number can be displayed in the search engine friendly URL. | Enabled |
| Related articles | Display a list of related articles at the bottom of an article page | Disabled |
| Tracker for articles | Have a tracker to supplement article information | Disabled |
| Tracker ID of tracker for articles | A tracker for articles must contain an "Articles" field | None |
| Article copyright | Apply copyright management preferences to this feature. | Disabled |
| Article image maximum file size | Maximum file size for an article image. Article images are stored in the database so it should remain low. | 500000 kilobytes |
| Default maximum width for custom article images | Set the default maximum width of the article image 👉 "0" for no maximum | 0 pixels |
| Default maximum height for custom article images | Set the default maximum height of article images 👉 "0" for no maximum | 0 pixels |
| Default maximum width for custom article images in list mode (on View Articles) | Sets the default maximum width of custom article images in list mode (on View Articles page) 👉 "0" to default to the view mode maximum | 0 pixels |
| Default maximum height of custom article images in list mode (on View Articles page) | Set the default maximum height of custom article images in list mode (on the View Articles page) 👉 "0" to default to the view mode maximum | 0 pixels |
| ShareThis buttons | Enable sharing site content via ShareThis 👉 Insert a ShareThis button from http://www.sharethis.com . | Disabled |
| Your ShareThis publisher identifier (optional) | Set to define your ShareThis publisher identifier 👉 record your ShareThis publisher ID | None |

Articles - Listing and view

| Option | Description | Default |
|--|---|---------------|
| Article order | Default sort mode for the articles on the list-articles page ☰ Newest first | Newest first |
| Title | | Enabled |
| Title length | | 50 characters |
| Id | | Enabled |
| Type | | Enabled |
| Topic | | Enabled |
| Publication date | | Enabled |
| Expiration date | | Disabled |
| Visible | | Disabled |
| Language | | Disabled |
| Author (owner) | | Enabled |
| Author name (as displayed) | | Disabled |
| Author rating | | Disabled |
| Users rating | | Disabled |
| Reads | | Enabled |
| Size | | Enabled |
| Images | | Disabled |
| Is published | | Enabled |
| Show map mode buttons in articles list | | Disabled |
| Trailer position | ☰ Top Between heading and body | Top |
| Header text position | Header text positionRequires a smaller image for list view ☰ Next to image Below image | Next to image |

Banner ads

| Option | Description | Default |
|---------------|---|----------|
| Banners | Insert, track, and manage advertising banners. | Disabled |
| Plugin Banner | Add a banner | Disabled |
| Publish | Make the banner visible to all site visitors. 👉 <i>Activate must be turned on for Publish to take effect.</i> | Disabled |
| Site ads | Enable advertising 👉 <i>Activate will display content for Admin only. Select Publish to display for all users.</i> | Enabled |

Blogs - Listing







| Option | Description | Default |
|---------------|--|----------------------|
| Default order | ☰ Creation Date (desc) Last modification date (desc) Blog title (asc) Number of posts (desc) Visits (desc) Activity (desc) | Creation Date (desc) |
| Title | | Enabled |
| Title length | | 35 characters |
| Description | | Enabled |
| Creation date | | Enabled |
| Last modified | | Enabled |
| User | ☰ Disabled Plain text Link to user information User profile picture | Plain text |
| Posts | | Enabled |
| Visits | | Enabled |
| Activity | | Disabled |





Blogs - General settings

| Option | Description | Default |
|--|---|--------------|
| Blog | Online diaries or journals. | Disabled |
| Plugin Blog List | Display posts from a site blog | Disabled |
| Home blog (main blog) | ☰ None Doc.tiki.org Configuration Cha | 0 |
| Rankings | Users can see several charts or rankings about the page. | Disabled |
| Custom blog headings | ⚠ <i>Using custom blog headings will use significantly more server resources. Unless you need per-blog templates, you should customize the template file instead.</i> | Disabled |
| Publish dates can be modified | | Enabled |
| Limit blog categories to those under this category | <p>If you get an error message indicating a mandatory category is required when editing a blog post, this is the option to blame. Set it to None.</p> <p>☰ None All Archived Editorial Board Meeting Files example Keywords Retired Status Status</p> <p>3.In Progress Templates Versions Versions</p> <p>1.x Versions</p> <p>10.x Versions</p> <p>11.x Versions</p> <p>12.x Versions</p> <p>13.x Versions</p> <p>14.x Versions</p> <p>15.x Versions</p> <p>16.x Versions</p> <p>17.x Versions</p> <p>18.x Versions</p> <p>2.x Versions</p> <p>3.x Versions</p> <p>4.x Versions</p> <p>5.x Versions</p> <p>6.x Versi...</p> | None |
| Geolocate blog posts | Provide controls to indicate a geographic location in the blog post edit form. | Disabled |
| Blog title in SEFURL | The blog title rather than blog number can be displayed in the search engine friendly URL. | Enabled |
| Blog post copyright | Apply copyright management preferences to this feature. | Disabled |
| Blog post Comments | Users with permission may post threaded comments. The comments will appear at the bottom of the page. | Enabled |
| Number per page | | 0 comments |
| Default ordering | ☰ Newest first Oldest first Points | Oldest first |
| ShareThis buttons | <p>Enable sharing site content via ShareThis</p> <p>👉 <i>Insert a ShareThis button from http://www.sharethis.com.</i></p> | Disabled |

| Option | Description | Default |
|--|---|---------|
| Your ShareThis publisher identifier (optional) | Set to define your ShareThis publisher identifier | None |

Calendar

| Option | Description | Default |
|---|--|-----------------------|
| Calendar | Events calendar with public, private and group channels. | Disabled |
| Plugin Calendar | Display a calendar and its events | Enabled |
| Plugin Events | Display events from calendars | Enabled |
| Plugin Mayan Calendars | Convert a Gregorian date to a Mayan calendar date | Disabled |
| Plugin Add to Google Calendar | Add a calendar item to a Google calendar. | Disabled |
| Display only selected calendars by default | | Disabled |
| Select default calendars to display |  Example | None |
| Default view mode |  Day Week Month Quarter Semester Year | Month |
| Event click action | View or edit item on click  Edit View | View |
| View list begins |  Focus date Period beginning | Period beginning |
| First day of the week |  Sunday Monday Depends user language | Depends user language |
| Split hours in periods of | Times shown in week and day view.  1 5 10 15 30 | 30 minutes |
| Minute Interval | Interval to show between minutes on time selectors  1 5 10 15 30 | 5 minutes |
| Manual selection of time/date | | Disabled |
| Show "Export Calendars" button | | Disabled |
| Show "Export Calendar Item" Button | Allow exporting a single calendar event as an iCal file | Disabled |
| Show "Add to Google Calendar" icon | | Disabled |
| Calendar start of day | | 25200 seconds |

| Option | Description | Default |
|--|--|---------------------|
| Calendar end of day | | 72000 seconds |
| Date picker for date selection | JavaScript popup date selector (uses jQuery UI DatePicker). | Enabled |
| First year in the dropdown |  Enter a year or use +/- N to specify a year relative to the current year. Year selection is valid when the JS Calendar is not enabled | -3 years |
| Last year in the dropdown |  Enter a year or use +/- N to specify a year relative to the current year | +5 years |
| Sticky popup | | Disabled |
| Action calendar | Displays a calendar of system events, such as wiki page modifications, forum posts and article publications. Days with events show links to the action calendar page. | Disabled |
| Item view tab | | Disabled |
| Days to display in the calendar |  Sunday Monday Tuesday Wednesday Thursday Friday Saturday | 0, 1, 2, 3, 4, 5, 6 |
| Treat calendar item descriptions as HTML | Use this if you use the WYSIWYG editor for calendars. This is to handle legacy data from Tiki pre 7.0. | Enabled |
| Enable watch events when you are the editor | Check this to receive email notifications of events you changed yourself. | Enabled |
| License for FullCalendar premium plugins | FullCalendar premium license.  For details on the premium license please check https://fullcalendar.io/license | None |
| Holidays calendar | Choose a calendar to store non-working days which are used in date calculations involving working days. | None |

Category

| Option | Description | Default |
|---|---|----------|
| Category | Site-wide content category system. Items of different types (wiki pages, articles, tracker items, etc.) can be categorized. Categories can have permissions to control content access | Enabled |
| Plugin Category | List categories and objects assigned to them | Enabled |
| Plugin Category Path | Show the full category path for a wiki page | Enabled |
| Plugin Category Orphans | List objects that are not categorized | Enabled |
| Inline plugin Category | | Disabled |

| Option | Description | Default |
|---|--|--------------------------------|
| Inline plugin PluginCategoryTransition | | Disabled |
| Inline plugin Category Orphans | | Disabled |
| Inline plugin Category Path | | Disabled |
| Category path | Show the category tree above the wiki page | Disabled |
| Exclude these category IDs | Category path won't appear for these category IDs. | None |
| Category path format | Alter how the category path will be rendered. ☰ Links to the category when the category is visible Text label when the category is visible Link when visible, text label otherwise Always display the category path labels | Links to the category when ... |
| Sort categories case insensitively | Ignore case and accents when listing categories. Disable to use the "locale" sort settings. | Disabled |
| Show category objects | Show, at the bottom of the wiki page, objects in the same category | Disabled |
| Revision approval categories | List of category IDs for which revision approval is required. | None |
| "More Like This" algorithm for categories | ☰ Basic Weighted | None |
| Minimum number of categories in common | ☰ 1 2 3 4 5 6 7 8 9 10 | 2 categories |
| List objects with most categories in common | No minimum is applied. | Enabled |
| Maximum number of "more like this" objects | The default maximum records setting for the site is used of this is set to 0. | 0 objects |
| Category transition | Enables transitions for objects between different categories. Transitions will create a document workflow. | Disabled |
| Plugin PluginCategoryTransition | Display controls to trigger category transitions for any object. | Disabled |
| Provides the current categories to Smarty templates | When enabled, the \$objectCategoryIds variable is set to the identifiers of the categories of the object being viewed. This allows showing alternate content depending on the categories of the current object, but reduces performance. | Disabled |
| Categories to add as CSS classes to <body> | Pages in selected categories will have a class with syntax like "cat_catname" added to the body tag. | None |
| Excluded categories | List of category IDs to exclude from the search index | None |







| Option | Description | Default |
|--|---|----------|
| Clear cache upon category change | A cache is used to avoid having to fetch all categories from the database every time; this clears the cache when an object is categorized to keep the count up to date. ⚠ <i>Can slow saving objects on sites with a lot of categories. You may need to manually clear caches to update category object counts.</i> | Enabled |
| Generate custom facets from categories | Comma-separated list of category IDs. | None |
| Areas | Binding categories and perspectives to each other 🔒 | Disabled |
| Areas root category ID | ID of category whose child categories are bound to a perspective by areas | 0 |
| Category filter | | Disabled |
| Category jail | Limits the visibility of objects to those in these category IDs. Used mainly for creating workspaces from perspectives. * <i>This should only be set for perspectives, and not globally.</i> | None |
| Category defaults | Require certain categories to be present. If none of the categories in a given set is provided, assign a category by default. Use *7 to specify all the categories in the subtree of 7 + category 7. Can do only this for objectname matching the regex (Example: / RND_ / = name beginning by RND_)(Optional) Can do for wiki only (optional). Rename will only reassign the categories for wiki pages. 👉 <i>One per line, for example: 1,4,6,*7/4:/</i> RND_/:wiki page 🔒 | None |
| Automatically geocode items with this category | Automatically geocode items based on category name when categorized in the sub-categories of this category ID | None |
| Replace any existing geocode | When automatically geocoding items based on category name, replace existing geocode, if any | Disabled |
| Use approximate geocode location | When automatically geocoding items based on category name, use randomly approximated location instead of precise location | Disabled |
| Synchronize multilingual categories | Make sure that the categories of the translations are synchronized when modified on any version. ☰ None Only those specified All but those specified | None |
| Synchronized categories | List of categories affected by the multilingual synchronization. Depending on the parent feature, this list will be used as a white list (the only categories allowed) or as a black list (all categories allowed except those specified). | None |
| Workspace root category | ID of the root category containing all workspaces. ⚠ <i>This value is automatically managed and should not need to be modified manually.</i> | 0 |

| Option | Description | Default |
|--|--|----------|
| Default domain for non categorized content | The domain (hostname only) to be used when redirecting the user if he tries to read content that is not bound to the category/perspective configured for the current domain. | None |
| Limit wiki page categories to those under this category | <p>If an error message indicates a mandatory category is required when editing a wiki page, set this option to "None".</p> <p>☰ None All Archived Editorial Board Meeting Files example Keywords Retired Status Status 3.In Progress Templates Versions Versions</p> <p>1.x Versions</p> <p>10.x Versions</p> <p>11.x Versions</p> <p>12.x Versions</p> <p>13.x Versions</p> <p>14.x Versions</p> <p>15.x Versions</p> <p>16.x Versions</p> <p>17.x Versions</p> <p>18.x Versions</p> <p>2.x Versions</p> <p>3.x Versions</p> <p>4.x Versions</p> <p>5.x Versions</p> <p>6.x Versi...</p> | None |
| Limit blog categories to those under this category | <p>If you get an error message indicating a mandatory category is required when editing a blog post, this is the option to blame. Set it to None.</p> <p>☰ None All Archived Editorial Board Meeting Files example Keywords Retired Status Status 3.In Progress Templates Versions Versions</p> <p>1.x Versions</p> <p>10.x Versions</p> <p>11.x Versions</p> <p>12.x Versions</p> <p>13.x Versions</p> <p>14.x Versions</p> <p>15.x Versions</p> <p>16.x Versions</p> <p>17.x Versions</p> <p>18.x Versions</p> <p>2.x Versions</p> <p>3.x Versions</p> <p>4.x Versions</p> <p>5.x Versions</p> <p>6.x Versi...</p> | None |
| Use unified search in category admin | Use unified search to find objects to add to categories. This limits the types of objects available to those included in the unified index. | Disabled |
| Automatically select the theme-control category of the current theme when categorizing | When creating or editing an object, automatically select the category that matches the theme-control category of the current theme | Disabled |

| Option | Description | Default |
|---|---|----------|
| Parent category of theme control categories | Choose the parent category of categories used for theme control ☰ None Archived (35) Editorial Board Meeting (10) Files example (13) Keywords (12) Retired (34) Status (1) 3.In Progress (4) Templates (33) Versions (14) 1.x (15) 10.x (24) 11.x (25) 12.x (26) 13.x (27) 14.x (28) 15.x (29) 16.x (30) 17.x (31) 18.x (32) 2.x (16) 3.x (17) 4.x (18) 5.x (19) 6.x (20) 7.x (21) 8.x (22) 9.x (23) | Disabled |
| Store session variable for current theme | Store a session variable for current theme so that it can be used for auto-selecting a category when categorizing | Disabled |
| Categorize tracker item | Enable the tracker item to be categorized in one or more categories under the specified main category. | Enabled |
| Index Tracker Category names | Index the names and paths of category field values 👉 <i>Requires reindexing</i> | Enabled |
| Include category selector in forum list | Include a dropdown selector in the forum list to choose a category for the post. | Disabled |
| Forum post categories | Categories available in the category picker for forum posts. | None |
| Categories | | Disabled |
| Categories path | | Disabled |
| Show category object count | Show object count when browsing categories, complying with search and type filters ⚠️ <i>Can slow the loading of the categories page on large sites.</i> | Enabled |
| Show category id's | Show object id's when browsing categories | Disabled |
| Show categories | For polls that are categorized, the category is displayed. | Disabled |
| Categorize structure pages together | Place new pages of a structure in the same category as the structure's root page | Disabled |

Comments

| Option | Description | Default |
|--|--|--------------------------|
| Comments moderation | Enables the admin or other authorized group member to validate comments before they are visible | Disabled |
| Comments locking | Comments can be closed (no comments, or no new comments) | Disabled |
| Add author name in From email header | Add the name of the comment author in the email header "From", making the email look like sent from "John Doe <noreply@example.com>"; | Disabled |
| Allow logged-in users to post comments anonymously | This can be used to encourage honest feedback without self-censorship, such as in a forum for brainstorming or feedback for improvement. | Disabled |
| Use vote system for comments | Allow users with permission to vote on comments. 👉 <i>Permissions involved: vote_comments, wiki_view_comments, ratings_view_results</i> | Disabled |
| Archive comments | If a comment is archived, only admins can see it | Disabled |
| Allow comments to be edited by their author | Allow a comment to be modified by its author after posting it, for clarifications, correction of errors, etc. | Enabled |
| Comment correction timeout | The time in minutes during which a comment can be modified by its author after posting it, for clarifications, correction of errors, etc. | 90 minutes |
| Use Akismet to filter comments | Prevent comment spam by using the Akismet service to determine if the comment is spam. If comment moderation is enabled, Akismet will indicate if the comment is to be moderated or not. If there is no comment moderation, the comment will be rejected if considered to be spam. | Disabled |
| Show comments below items | Show comments for a tracker item below the item itself as in other trackers, instead of enclosed in a tab | Disabled |
| Akismet API Key | Key required for the Akismet comment spam prevention. 👉 <i>Obtain this key by registering your site at http://akismet.com</i> | None |
| Filter spam for registered users | Activate spam filtering for registered users as well. Useful if your site allows anyone to register without screening. | Disabled |
| Number of comments per page | | 25 |
| Sort mode for comments | ☰ Oldest first Newest first | Oldest first |
| Limit indentation on thread reply | ☰ Limit Indentation (to 5) All indented | Limit Indentation (to 5) |
| Disable comment titles | Don't display the title input field on comments and their replies. | Enabled |
| Anchor links on headings | Cause a link icon to appear on hover over each heading, useful for sharing the URL to an exact location on a page. | Enabled |

| Option | Description | Default |
|---|---|-------------|
| Parse wiki syntax in comments | Parse wiki syntax in comments in all sections apart from Forums Use "Accept wiki syntax" for forums in admin forums page | Enabled |
| Email field | Email field for comments (only for anonymous users). | Disabled |
| Website field | Website field for comments (only for anonymous users). | Disabled |
| Comment box | Size (height) of the comment text area. | 6 rows |
| Inline comments | Contextual comments  | Disabled |
| Inline comments using Apache Annotator | Use the Open/Apache Annotator JavaScript based library for managing inline comments as annotations.  | Disabled |
| Show extra info | Show author and date on Open Annotator inline comments.  | Enabled |
| Comments on articles | Users with permission can post or reply to comments. The comments will appear at the bottom of the page. | Disabled |
| Comments below wiki pages | Users with permission may post threaded comments. The comments will appear at the bottom of the page. | Disabled |
| Display comment list by default | | Disabled |
| Display Post new comment form by default | | Disabled |
| Number per page | | 10 comments |
| Display order |  Newest first Oldest first Points | Points |
| Allow comments per wiki page | Enable control of comments on wiki pages on a per-page basis.  Disable Enable (default On) Enable (default Off) | Disable |
| Enable watches on comments | | Enabled |
| Also print comments | | Disabled |
| Blog post Comments | Users with permission may post threaded comments. The comments will appear at the bottom of the page. | Enabled |
| File gallery comments | Users with permission may post threaded comments. The comments will appear at the bottom of the page. | Disabled |
| Number per page | Number of comments per page | 10 comments |
| Default order | Default order of comments.  Newest first Oldest first Points | Points |
| Comments for polls | Users with permission may post threaded comments. The comments will appear at the bottom of the page. | Disabled |

| Option | Description | Default |
|---|---|---------|
| Comments for FAQs | Users with permission may post threaded comments. The comments will appear at the bottom of the page. | Enabled |
| Plugin Tracker Comments | Display the number of comments for a tracker | Enabled |

Community - Features

| Option | Description | Default |
|---|--|----------|
| Users can choose to show their gender | Display a user's gender if permitted by the user. | Disabled |
| Allow showing user's information on mouseover | Show users' information on mouseover. 👉 <i>Requires user's information to be public</i> | Disabled |
| Real name | Show the user's real name | Enabled |
| Gender | | Enabled |
| Profile picture (avatar) | | Enabled |
| Score | | Enabled |
| Country | | Enabled |
| Email | | Enabled |
| Last login | | Enabled |
| Distance | | Enabled |
| Invite users | Allow users to invite new users to register at this site, by sending an email. | Disabled |
| Share access rights with friends when using Share | Allow users to share their access rights for the current page with a friend when sending the link by email, Twitter, or Facebook. The lifespan of the link is defined by the site. | Disabled |
| Group transition | Enables transitions for users between different groups. Transitions will create a user approval workflow. | Disabled |
| Group transition sets default | Sets the group transitioned to as the user's default group. | Disabled |
| User likes | Enable users to "like" content. | Disabled |
| Must Read | Allow assignment of mandatory readings and track progress. | Disabled |
| Must read tracker | Tracker containing the individual read requests. 👉 <i>Tracker ID</i> | None |

| Option | Description | Default |
|---|--|---------|
| Configuration for multilike | Separate configurations by a blank line; for example, relation_prefix=tiki.multilike ids=1,2,3 values=1,3,5 labels=Good,Great,Excellent) | None |

Community - Plugins

| Option | Description | Default |
|--|---|----------|
| Plugin Author | Add popups and color coding that identifies authors | Enabled |
| Plugin Profile picture | Display a user's profile picture | Disabled |
| Plugin Favorite | Display a button for a user to click to make an object a favorite | Disabled |
| Plugin Group | Display content based on the user's groups or friends | Enabled |
| Plugin Group Expiration | Show the expiration date of a group the user belongs to | Disabled |
| Plugin Invite | Invite a user to join your groups | Enabled |
| Plugin Mail | Mail other users or groups | Disabled |
| Plugin Map | Display a map | Enabled |
| Plugin Member List | List and allow editing of group members | Disabled |
| Plugin Member Payment | Receive payment from a member to extend membership to a group | Enabled |
| Plugin Permissions | Display content based on permission settings | Disabled |
| Plugin Proposal | Allow users to vote on a proposal and view the results | Disabled |
| Plugin User List with Real Names | Show user real names for members of a group | Disabled |
| Plugin Subscribe Group | Allow users to subscribe to a group | Disabled |
| Plugin Subscribe Groups | Allow users to subscribe to a list of groups | Disabled |
| Plugin User Count | Display number of users for a site or one or more groups | Disabled |
| Plugin User Link | Display a link to a user's information page | Enabled |
| Plugin User List | Display a list of registered users | Disabled |
| Plugin User Preference | Display contents based on user preference settings | Disabled |

Community - Social interaction

| Option | Description | Default |
|---|---|------------------------|
| Friendship Network | Users can identify other users as their friends | Disabled |
| Social network type | Select how the friendship relations within the social network should be treated. ☰ Follow (as in Twitter) Friend (as in Facebook) Followers need approval | Follow (as in Twitter) |
| Sort order | ☰ Score ascending Score descending Name ascending Name descending Login ascending Login descending | Score descending |
| Name | | Enabled |
| Score | | Enabled |
| Country | | Enabled |
| Distance | | Enabled |
| Record basic events | Enable recording of basic internal Tiki events. This is primarily for entry level options. Using custom events is strongly encouraged. | Disabled |
| Record tracker item creation | Enable recording of basic internal Tiki events. | Disabled |
| Record tracker item update | Enable recording of basic internal Tiki events. | Disabled |
| Record user following users | Enable recording of basic internal Tiki events. | Disabled |
| Record user being followed by users | Enable recording of basic internal Tiki events. | Disabled |
| Record user adding new friend | Enable recording of basic internal Tiki events. | Disabled |
| Custom activities | Allow the defining of custom behaviors in addition to internal events. | Disabled |
| Enable notifications through activities | Allow users to create notifications using activities. | Disabled |
| Disable indexing of activity stream log | Activity stream log in the search index is controlled by the presence of custom or basic activity events and also by enabling monitoring of events by users. Larger activity streams can cause problems with certain search engines. If you have such problems, you can disable indexing of activity stream here. | Disabled |
| Goal, recognition and rewards | A tool to set motivational goals to increase engagement on the site. | Disabled |
| Reward badge tracker | Tracker ID containing the list of badges to be awarded on goal completion. Each badge can be awarded only once per user. 👉 0 to disable | 0 |

| Option | Description | Default |
|-------------------------------|--|-------------------|
| Groups not eligible for goals | Groups that will not be on the eligible group list. | Admins, Anonymous |
| Score | Score is a game to motivate participants to increase their contribution by comparing to other users. | Disabled |