

## Connect - Jitsi

Option	Description	Default
<a href="#">Expose Jitsi provision URL</a>	Provide connection configuration information for Jitsi users to connect to a community/organization instant messaging server.	Disabled
Jitsi configuration	Content of a Jitsi-format Java properties file	None

## Connect - Settings

Option	Description	Default
<a href="#">Tiki connect</a>	Connect your Tiki with the community by sending anonymised statistical data to tiki.org <b>⚠</b> <i>This feature is still under development.</i> <b>🔧</b>	Disabled
Send site information	Additionally send keywords, location, etc. to tiki.org so you can connect with other Tiki sites near you.	Enabled
Site title	Name of site to be listed on Tiki Connect <b>⚠</b> <i>Site title is required to send site information.</i>	None
Email contact	Email to register	None
URL	URL to register	None
Key words	Key words or tags describing your site	None
Site location	Site location expressed as longitude, latitude, and zoom	None
Send anonymous information	Send anonymous usage information.	Enabled
Connection frequency	How often to send information <b>👉</b> <i>Click "Send Info" to connect.</i> <b>⚠</b> <i>Currently not in use.</i> <b>🔧</b>	168 hours
Tiki connect server URL	Where to send the information. <b>🔧</b>	https://mother.tiki.org
Last connection	<b>🔧</b>	None
Connect server mode	For use by mother.tiki.org. <b>🔧</b>	Disabled
Connect GUID	For use by mother.tiki.org. Do not modify <b>🔧</b>	None

## Copyright

Option	Description	Default
<a href="#">Copyright</a>	Use the Copyright Management System (or ©MS) to display the license of your content	Disabled
License page	The wiki page where the license information is written.	None
Submit notice	Text to appear when content is being submitted	None
Wiki copyright	Apply copyright management preferences to this feature.	Disabled
Article copyright	Apply copyright management preferences to this feature.	Disabled
Blog post copyright	Apply copyright management preferences to this feature.	Disabled
FAQ copyright	Apply copyright management preferences to this feature.	Disabled

## Directory

Option	Description	Default
<a href="#">Directory</a>	User-submitted Web links	Disabled
Columns per page	Number of columns per page when listing directory categories ☰ 1   2   3   4   5   6	3 columns
Links per page	How many links should be displayed per page.	20 links
Validate URLs	Should Tiki check the URL?	Disabled
Enable "popular sites"		Enabled
Show country flag	Show the country flag	Enabled
Method to open Directory links	The linked-to website can be opened in various ways ☰ Replace the current window   Open a new window   Open an iframe	Open a new window

# FAQs

Option	Description	Default
FAQs	Frequently asked questions and answers ⚠️ <i>There has been discussion about this feature being retired, so keep in mind that normal wiki pages can be used to create and display FAQs.</i> 🛡️	Disabled
Prefix for answers	The prefix for that Tiki should display for each FAQ answer. ☰ None   Q and A   Question ID	Q and A
Comments for FAQs	Users with permission may post threaded comments. The comments will appear at the bottom of the page.	Enabled
Default number of comments per page	Maximum number of comments to display on each page. Users may override this number.	10 comments
Default order of comments	In which order to list the comments on the page. ☰ Newest first   Oldest first   Points	Points
FAQ copyright	Apply copyright management preferences to this feature.	Disabled

# Features - Addons

Error: **Cant find features-addons** you may choose from one of the following:

- ads-activatethefeature
- ads-plugins
- ads-siteadsandbanners
- ads
- articles-articleslistingandview-articleview
- articles-articleslistingandview-listarticles
- articles-articleslistingandview
- articles-generalsettings-activatethefeature
- articles-generalsettings-features
- articles-generalsettings-plugins
- articles-generalsettings-sharingonsocialnetworks
- articles-generalsettings
- blogs-blogslistings-itemstodisplay
- blogs-blogslistings
- blogs-generalsettings-activatethefeature
- blogs-generalsettings-comments
- blogs-generalsettings-features
- blogs-generalsettings-plugins
- blogs-generalsettings-sharingonsocialnetworks
- blogs-generalsettings
- calendar-activatethefeature
- calendar-generalsettings
- calendar-plugins
- calendar
- category-activatethefeature
- category-categoryobjects
- category-features
- category-forum
- category-inlineplugins
- category-performance

category-plugins  
category-poll  
category-structure  
category-theme  
category-tracker  
category-wiki  
category  
comments-annotations  
comments-displayoptions  
comments-sitewidefeatures  
comments-usingcommentsinvariousfeatures  
comments  
community-communityfeatures-additionalsoptions  
community-communityfeatures-community  
community-communityfeatures  
community-plugins  
community-socialinteraction-activitystream  
community-socialinteraction-friendshipandfollowers  
community-socialinteraction-goalrecognitionandrewards  
community-socialinteraction-score  
community-socialinteraction-selectwhichitemstodisplaywhenlistingusers  
community-socialinteraction  
connect-jitsi-jitsi  
connect-jitsi  
connect-settings-tikiconnect  
connect-settings  
copyright-activatethefeature  
copyright-features  
copyright  
directory-activatethefeature  
directory-directory  
directory  
faqs-activatethefeature  
faqs-settings  
faqs  
features-globalfeatures-3  
features-globalfeatures-4  
features-globalfeatures-additionalfeatures  
features-globalfeatures-administrativefeatures  
features-globalfeatures-interactionwithonlineservicesorothersoftware  
features-globalfeatures-mailandsharing  
features-globalfeatures-mainfeatures  
features-globalfeatures-paymentandaccounting  
features-globalfeatures-progressivewebapp  
features-globalfeatures-secondaryfeatures  
features-globalfeatures  
features-interface-elementplus  
features-interface-experimental  
features-interface-jquerypluginsandaddons  
features-interface  
features-programmer-customcode  
features-programmer-loggingandreporting  
features-programmer  
fgal-adminlistings-0  
fgal-adminlistings  
fgal-enhancements-access  
fgal-enhancements-draw  
fgal-enhancements-h5p  
fgal-enhancements-scorm  
fgal-enhancements-vimeo  
fgal-enhancements  
fgal-generalsettings-activatethefeature  
fgal-generalsettings-features  
fgal-generalsettings-quota  
fgal-generalsettings-settingsfordiagrams

fgal-generalsettings-settingsformediaalchemyst  
fgal-generalsettings-settingsforrecordrtc  
fgal-generalsettings-uploadregex  
fgal-generalsettings  
fgal-listings  
fgal-plugins-plugins  
fgal-plugins  
fgal-searchindexing  
forums-forumlisting  
forums-generalsettings-activatethefeature  
forums-generalsettings-features  
forums-generalsettings-searches  
forums-generalsettings-threads  
forums-generalsettings  
freetags-activatethefeature  
freetags-plugins  
freetags-tags  
freetags-tagsearchpage  
freetags  
general-dateandtime-datetimeselectors  
general-dateandtime-timezoneandformat  
general-dateandtime  
general-generalpreferences-errortracking  
general-generalpreferences-headlessbrowserintegration  
general-generalpreferences-loggingandreporting  
general-generalpreferences-mail  
general-generalpreferences-newsletter  
general-generalpreferences-schedulersettings  
general-generalpreferences-siteidentity  
general-generalpreferences-webcron  
general-generalpreferences  
general-generalsettings-contact  
general-generalsettings-help  
general-generalsettings-multidomain  
general-generalsettings-server  
general-generalsettings-sessions  
general-generalsettings-siteterminal  
general-generalsettings-stats  
general-generalsettings-termsandconditions  
general-generalsettings  
general-navigation-breadcrumbs  
general-navigation-homepage  
general-navigation-menus  
general-navigation-namespace  
general-navigation-redirects  
general-navigation-siteaccess  
general-navigation-sitemapprotocol  
general-navigation-user  
general-navigation  
i18n  
intertiki-intertikiclient-activatethefeature  
intertiki-intertikiclient-clientserversettings  
intertiki-intertikiclient-currentlylinkedmasterserver  
intertiki-intertikiclient  
intertiki-intertikimasterserver-activatethefeature  
intertiki-intertikimasterserver-masterserversettings  
intertiki-intertikimasterserver  
login-cas-cascentralauthenticationservice  
login-cas-casserver  
login-cas  
login-generalpreferences-captcha  
login-generalpreferences-cookies  
login-generalpreferences-password  
login-generalpreferences-registration  
login-generalpreferences-username

login-generalpreferences  
login-ldap-ldapadmin  
login-ldap-ldapbindsettings  
login-ldap-ldapuser  
login-ldap-warning  
login-ldap  
login-ldapexternalgroups-ldapadmin  
login-ldapexternalgroups-ldapbindsettings  
login-ldapexternalgroups-ldapexternalgroups  
login-ldapexternalgroups-ldapgroup  
login-ldapexternalgroups-ldapgroupmemberifgroupmembershipcanbefoundingroupattributes  
login-ldapexternalgroups-ldapuser  
login-ldapexternalgroups-ldapusergroupifgroupmembershipcanbefoundinuserattributes  
login-ldapexternalgroups  
login-oauthserversettings-0  
login-oauthserversettings  
login-openidconnect-0  
login-openidconnect  
login-pam-pam  
login-pam  
login-passwordblacklist-password  
login-passwordblacklist  
login-phpbb-phpbb  
login-phpbb  
login-remotetikiautologin-warning  
login-remotetikiautologin  
login-saml2-advancedsettings  
login-saml2-attributemapping  
login-saml2-groupmapping  
login-saml2-identityprovidersettings  
login-saml2-options  
login-saml2-saml2  
login-saml2  
login-shibboleth-shibboleth  
login-shibboleth  
login-webserver-webserver  
login-webserver  
look-customization-customcode  
look-customization-editing  
look-customization  
look-layout-logo  
look-layout-modulezonevisibility  
look-layout-sitereportbar  
look-layout-title  
look-layout  
look-miscellaneous-contextmenus  
look-miscellaneous-favicons  
look-miscellaneous-responsiveimages  
look-miscellaneous-separators  
look-miscellaneous-tabs  
look-miscellaneous  
look-pagination  
look-shadowlayer  
look-theme  
look-uieffects-other  
look-uieffects-standarduieffects  
look-uieffects-tabuieffects  
look-uieffects  
maps-defaults  
maps-settings  
maps  
mautic-credentials  
mautic-mainsettings  
mautic  
messages-activatethefeature

messages-settings  
messages  
metatags-geometatags  
metatags-metatags-facebook  
metatags-metatags-general  
metatags-metatags-twitter  
metatags-metatags  
metatags-robots  
module-crumbscrumbdescription  
module-modulezonevisibility  
module  
payment-advancedshoppingcart-advancedcarttrackernamessetup  
payment-advancedshoppingcart-cartsettings  
payment-advancedshoppingcart-features  
payment-advancedshoppingcart-productstrackerssetup  
payment-advancedshoppingcart  
payment-payment-0  
payment-payment  
payment-plugins-plugins  
payment-plugins  
payment-shipping  
performance-database  
performance-majorslowdown  
performance-memcache  
performance-monitor  
performance-newsletter  
performance-performance  
performance-plugins  
performance-redis  
performance-sessions  
performance-timeandmemorylimits  
performance-wiki  
polls-polls-activatethefeature  
polls-polls-plugins  
polls-polls-settings  
polls-polls  
polls-surveys-1  
polls-surveys-activatethefeature  
polls-surveys  
print-articles  
print-otherfeatures  
print-pdfsettings  
print-wikiprintversion  
print  
profiles-advanced-repositorystatus  
profiles-advanced  
rating-advanced  
rating-articles  
rating-comments  
rating-defaultoptions  
rating-globalconfiguration  
rating-trackers  
rating-userinterface  
rating-wiki  
rating  
rss-feeds  
rss-generalpreferences  
rss-incomingfeeds  
rtc-bigbluebutton  
rtc-xmpp  
score-activatethefeature  
score-causescoresolderthanacertainnumberofdaystoexpire  
score  
search-federatedsearch  
search-generalsettings-features

search-generalsettings-filegalleriessearches  
search-generalsettings-forumsearches  
search-generalsettings-search  
search-generalsettings  
search-searchresults-informationtodisplayforeachresult  
search-searchresults-itemstodisplayinsearchresults  
search-searchresults  
search-storedsearch  
security-api  
security-generalsecurity-csrfsecurity  
security-generalsecurity-httpheaders  
security-generalsecurity-smartyandfeaturessecurity  
security-generalsecurity-trackerssecurity  
security-generalsecurity-userencryption  
security-generalsecurity  
security-openpgp-openpgpfunctionalityforpgpmimeencryptedemailmessaging  
security-openpgp  
security-siteaccess  
security-spamprotection-captcha  
security-spamprotection  
security-tokens  
security-webhooks  
sefurl-activatethefeature  
sefurl-settings  
sefurl  
semantic-activatethefeature  
semantic  
share-activatethefeature  
share-sitewidefeatures  
share  
socialnetworks-bit  
socialnetworks-general  
socialnetworks-legacyintegrations-facebook  
socialnetworks-legacyintegrations-linkedin  
socialnetworks-legacyintegrations-warning  
socialnetworks-legacyintegrations  
socialnetworks-sharethis  
stats-googleanalytics-0  
stats-googleanalytics  
stats-piwikanalytics-0  
stats-piwikanalytics  
stats-tikistatistics-0  
stats-tikistatistics  
textarea-generalsettings-defaultsize  
textarea-generalsettings-externallinksandimages  
textarea-generalsettings-features  
textarea-generalsettings-markdown  
textarea-generalsettings-miscellaneous  
textarea-generalsettings-plugins  
textarea-generalsettings-typography  
textarea-generalsettings-wikisyntax  
textarea-generalsettings  
textarea-plugins-editpluginicons  
textarea-plugins-filter  
textarea-plugins-pluginpreferences  
textarea-plugins-plugins  
textarea-plugins  
trackers-plugins-0  
trackers-plugins  
trackers-settings-activatethefeature  
trackers-settings-fieldsettings  
trackers-settings-linkedwikipages  
trackers-settings-trackerattachmentpreferences  
trackers-settings-trackerforcefillfeature  
trackers-settings-trackersettings



trackers-settings  
trackers-systemtrackers-systemtrackers  
trackers-systemtrackers  
user-messagingandnotifications-messages  
user-messagingandnotifications-usernotifications  
user-messagingandnotifications  
user-userfeatures-useraccountfeatures  
user-userfeatures  
user-userfiles-activatethefeature  
user-userfiles-settings  
user-userfiles  
user-userinfoandpicture-profilepicture  
user-userinfoandpicture-userinformationdisplay  
user-userinfoandpicture  
user-usersettings-adminuserpreferences  
user-usersettings-defaultuserpreferences  
user-usersettings  
video-kaltura-activatethefeature  
video-kaltura-enablerelatedtrackerfieldtypes  
video-kaltura-kalturadynamicplayer  
video-kaltura-kalturapartnersettings  
video-kaltura-kaluratikiconfig  
video-kaltura-legacysupport  
video-kaltura-plugintoembedinpages  
video-kaltura  
webservices-activatethefeature  
webservices-options  
webservices  
wiki-features-attachments  
wiki-features-comments  
wiki-features-generalfeatures  
wiki-features-namespaces  
wiki-features-redirectandsimilar  
wiki-features-structures  
wiki-features-wikiwatch  
wiki-features-wikiwordsfeatures  
wiki-features  
wiki-flaggedrevision-0  
wiki-flaggedrevision  
wiki-generalpreferences-activatethefeature  
wiki-generalpreferences-automatictableofcontents  
wiki-generalpreferences-editing  
wiki-generalpreferences-pagedisplay  
wiki-generalpreferences-pagename  
wiki-generalpreferences-plugins  
wiki-generalpreferences  
wiki-pagelistings-configuration  
wiki-pagelistings-options  
wiki-pagelistings  
workspace-areas-activatethefeature  
workspace-areas  
workspace-workspaces-activatethefeature  
workspace-workspaces-advanced  
workspace-workspaces-dependencies  
workspace-workspaces  
wysiwyg-activatethefeature  
wysiwyg-legacyckeditorwysiwyg  
wysiwyg-markdowntoastuiwysiwyg  
wysiwyg-relatedfeatures  
wysiwyg-wysiwygeditorfeatures  
wysiwyg

## Features - Global features

Option	Description	Default
<a href="#">Wiki</a>	Pages and collaboratively authored documents with edit history.	Enabled
<a href="#">File gallery</a>	Storage of files of various formats to display or download, etc. With check-in and check-out (lock) capability	Enabled
<a href="#">Blog</a>	Online diaries or journals.	Disabled
<a href="#">Articles</a>	Articles can be used for date-specific news and announcements. You can configure articles to automatically publish and expire at specific times or to require that submissions be approved before becoming "live."	Disabled
<a href="#">Forums</a>	Threaded or flat discussions.	Disabled
<a href="#">Trackers</a>	Database and form generator	Enabled
<a href="#">Calendar</a>	Events calendar with public, private and group channels.	Disabled
<a href="#">Unified search index</a>	Enables searching for content at the site using a Tiki-managed index. It's recommended to set a cron job to periodically rebuild the search index.	Enabled
<a href="#">Category</a>	Site-wide content category system. Items of different types (wiki pages, articles, tracker items, etc.) can be categorized. Categories can have permissions to control content access	Enabled
<a href="#">Tags</a>	Enables tags to be set on pages and other items for freeform categorization.	Disabled
<a href="#">Polls</a>	Presentation of a set of votable options, typically displayed in a module	Disabled
<a href="#">Quizzes</a>	Sets of questions that can be presented, with the sessions timed and the scores recorded. 🛡️	Disabled
<a href="#">Surveys</a>	Create questionnaires with multiple-choice or open-ended questions	Disabled
<a href="#">Newsletters</a>	Content mailed to registered users or other subscribers.	Disabled
<a href="#">Shoutbox</a>	Quick comment (graffiti) box. Like a group chat, but not in real time.	Disabled
<a href="#">Minichat</a>	Real-time group text chatting enabled through a module.	Disabled
<a href="#">Live support system</a>	One-on-one chatting with customer 🛡️	Disabled
<a href="#">Machine learning</a>	Define machine learning models, train them and run queries against them.	Disabled
<a href="#">Tiki manager</a>	Use local Tiki Manager to install, upgrade, clone and manage local or remote Tikies.	Disabled
<a href="#">Storage path</a>	The path where Tiki Manager will store internal data, backups, logs. It is recommended to be outside document root. 👉 <i>Default: storage/tiki-manager</i>	None

Option	Description	Default
Stats	Record basic statistics about major Tiki features (number of wiki pages, size of file galleries, etc.)	Disabled
Action log	Provides the ability to track the actions of users and produce reports on a per-user or per-category basis.	Enabled
Scheduler	Provides the ability to run tasks at a scheduled time.	Enabled
Banners	Insert, track, and manage advertising banners.	Disabled
Contribution	Enables users to specify the type of contribution they are making while editing items at the site. The contributions are then displayed color-coded in history and other reports.	Disabled
Copyright	Use the Copyright Management System (or ©MS) to display the license of your content	Disabled
Communications (send/receive objects)	Send/receive wiki pages and articles between Tiki-powered sites 🗑️	Disabled
Dynamic content system	Block of content which can be reused and programmed (timed)	Disabled
Perspectives	Permits overriding of preferences.	Disabled
Search engine friendly URL	If the site is using Apache, you can rename _htaccess as .htaccess to use short URLs. On IIS, rename web_config as web.config	Disabled
HTML pages	Static and dynamic HTML content ⚠️ <i>HTML can be used in wiki pages. This is a separate feature.</i> 📌	Disabled
Areas	Binding categories and perspectives to each other 📌	Disabled
Tiki suggestions	Tiki suggestions displayed once per login session based on a list of rules	Disabled
Templated Groups	Templated Groups enables Organic Groups, although strictly speaking not all Templated Groups are Organic in the sense of being created by users since they can be completely admin managed.	Disabled
Mautic Integration	Enable the feature here but configure it elsewhere	Disabled
User watches	Receive email notification of changes. Each user can choose to be notified of changes to specific items	Disabled
Group watches	All users in a group selected by a users admin (tiki_p_admin_users) will receive email notification of changes to specific items. Users cannot choose to stop receiving those notifications while they are members of that group	Disabled
Daily reports for user watches	Allows you to schedule daily reports of watches to be sent (batched) at specific times.	Disabled
Enable daily reports for new users	Determines if daily reports will be automatically enabled for new users.	Disabled
User watches translations		Disabled

Option	Description	Default
User watches languages	Watch language-specific changes within a category.	Disabled
Group alert	With this feature you can choose the user in the group to be alerted about some changes in the Tiki site: Calendar items, Tracker changes, Tracker item changes, File gallery changes 🛠️	Disabled
Object maintainers and freshness	Enable tiki objects to have maintainers, update frequency and freshness. Then, console.php objects:notify-maintainers can be used.	Disabled
Default update frequency	Default number of days for object update frequency.	90 days
Spreadsheet	Spreadsheets with calculations and charts	Disabled
Directory	User-submitted Web links	Disabled
Draw (SVG edit)	Draw enables creating and editing SVG images in all wiki text areas	Disabled
Draw (SVG edit) hide buttons	Hide buttons in Draw, HTML id, comma-separated. 👉 Example: "tool_select, tool_fhpath, tools_line_show, tools_rect_show, tools_ellipse_show, tool_path, tools_shapelib_show, tool_text, tool_image, tool_zoom, tool_eyedropper" 🛠️	None
Separate base image	Leaves the initially edited image as a separate file and stores the drawing separately 🛠️	Disabled
Draw in user file gallery	Users' drawings are stored in their user files gallery 🛠️	Disabled
Tiki user credits		Disabled
Accounting	Double-entry accounting system 🛠️	Disabled
Payment	Feature for tracking and managing payment requests	Disabled
Social networks	Integration with social applications and networks like Twitter and Facebook	Disabled
Share	Add a "Share" link in all pages to send it via email, Twitter, Facebook, message or forums ⚠️ Be careful when allowing anonymous users to activate the antibot feature.	Disabled
Webmail	Provides a webmail interface for site users' own IMAP or POP accounts. 🛠️	Disabled
Mail-in	Create and publish wiki pages and articles via email	Disabled
Docs (WebODF)	Docs enables viewing and editing Open Document Format files 🛠️	Disabled
Slideshow (reveal.js)	Create simple presentations via Wiki Syntax.	Disabled
Slideshow (reveal.js) PDF export	Wiki page based slideshow to pdf export 🛠️	Disabled
FAQs	Frequently asked questions and answers ⚠️ There has been discussion about this feature being retired, so keep in mind that normal wiki pages can be used to create and display FAQs. 🛠️	Disabled

Option	Description	Default
<a href="#">Progressive Web Application Mode</a>	Allow Tiki to be used offline and be installed in a mobile device. ⚠ <i>Experimental feature.</i> Only Wiki pages and Trackers are available offline for now. 🛡	Disabled
<a href="#">Links to cache in PWA Mode</a>	List of links to be cached when PWA is enabled ⚠ <i>Experimental feature.</i>	None
<a href="#">Tiki connect</a>	Connect your Tiki with the community by sending anonymised statistical data to tiki.org ⚠ <i>This feature is still under development.</i> 🛡	Disabled
<a href="#">Kaltura video management</a>	Integration with the Kaltura video management platform	Disabled
<a href="#">Zotero bibliography</a>	Connect Tiki to the <a href="#">Zotero</a> online bibliography management system. 👉 <i>You must supply the following items: Zotero Client Key, Zotero Client Secret, Zotero Group, and Zotero Reference Style.</i>	Disabled
Zotero client key	Required identification key. Registration required.	None
Zotero client secret	Required identification key. Registration required.	None
Zotero group ID	Numeric ID of the group, can be found in the URL.	None
Zotero reference style	Use an alternate Zotero reference style when formatting the references. The reference formats must be installed on the Zotero server.	None
<a href="#">Enable Web Monetization</a>	Enable Web Monetization showing a message in page header. 🛡	Disabled
Default payment pointer	Payment pointer to stream the payments. 🛡	None
Enable for all pages	Enable Web Monetization in all website pages. 🛡	Disabled
Always use default site pointer	Always use default Web Monetization site pointer, even when users add their username. 🛡	Disabled
Default paywall text	Default text to be used in web monetized content paywall. 🛡	None

## Features - Interface

Option	Description	Default
Element Plus	Use Element Plus Vue based UI elements 🛡️	Enabled
Element Plus Autocomplete	Provides various dropdown menus on many text input boxes for page names, user names, groups, tags, etc.	Enabled
Element Plus Select	Provides a more advanced select input with features like clearable, collapsible tags, filterable, allow create, and sortable.	Enabled
Clearable Select	whether select can be cleared	Disabled
Collapsible Tags	whether to collapse tags to a text when multiple selecting	Disabled
Max Collapse Tags	max tags to show when collapsed	3
Filterable Select	whether select can be filtered	Enabled
Allow Create	whether creating new items is allowed	Disabled
Sortable	whether selected items can be re-ordered via drag and drop	Disabled
jQuery Autocomplete	Provides various dropdown menus on many text input boxes for page names, user names, groups, tags, etc. 🛡️	Disabled
Reflection	Creates a reflection under an image. Used in Plugin Img with the parameter "class=reflect"	Disabled
SmartMenus	Add "SmartMenus" to Bootstrap menus. See smartmenus.org for more.	Enabled
SmartMenus collapsible behavior	Parent items behavior in collapsible (mobile) view. ☰ Default   Toggle   Link   Accordion   Accordion toggle   Accordion link	Default
SmartMenus open/close on click	Use mouse clicks to open/close item/sub menus	Disabled
TagCanvas	TagCanvas is a Javascript class which will draw and animate an HTML5 canvas-based tag cloud.	Enabled
jQuery UI theme	jQuery UI theme. Used in some modal popups and in the TikiSheet feature, etc. 🛡️ ☰ None   black-tie   blitzer   cupertino   dark-hive   dot-luv   eggplant   excite-bike   flick   hot-sneaks   humanity   le-frog   mint-choc   overcast   pepper-grinder   redmond   smoothness   south-street   start   sunny   swanky-purse   trontastic   ui-darkness   ui-lightness   vader	Flick
jQuery UI	Include jQuery UI library. Enables a number of interface features. ⚠️ <i>This feature is required for the interface for many features to work properly.</i>	Enabled
Validation	Provides various validation possibilities such as for trackers.	Enabled

Option	Description	Default
<a href="#">jQuery zoom</a>	Enables zoom in images on mouseover or click. Used in Plugin Img with the parameter "thumb=zoombox"	Disabled
jQuery Select2 Select Boxes	Styled replacement for dropdown select lists and multiple-select inputs.	Disabled
Sortable Select2 Multi-selects	Enable drag and drop re-ordering of Select2 multi-select options.	Disabled
FitVids.js	jQuery plugin for fluid-width (responsive) embedded videos.	Disabled
FitVids.js additional domains	Youtube and Vimeo are supported by default. Also apply FitVids.js to videos from these domains.	None
jQuery Timeago	jQuery plugin for fuzzy timestamps.	Disabled
jQuery Double Scroll	jQuery plugin which adds an extra horizontal scroll bar at the top.	Disabled
Allow image lazy loading	Allow that images are loaded in a lazy way	Disabled
Prefix CSS	Use -prefix-free JavaScript library to add vendor specific css prefixes. ⚠ May be replaced by a server-side option soon. ⚠	Disabled
<a href="#">jQuery infinite carousel</a>	Create a slideshow (like an image carousel) for file galleries. Used in Plugin Carousel.	Disabled
<a href="#">jQuery sortable tables</a>	Provides an interactive way to sort and filter data in tables produced with Plugin FancyTable and Plugin TrackerList, as well as administrative tables.	Disabled
Enable Vue.js	Loads the vue.js library. ⚠	Enabled
Always Load Vue.js	Loads the vue.js library for every page.	Enabled
Vue.js Deployment Mode	Selects which vue.js library is used. ⚙ Production full (minified)   Production runtime (minified)   Development full   Development runtime only	Production full (minified)
Tracker Field Rules	Conditional rules for tracker fields. ⚠ Experimental new feature, expect some issues. ⚠	Enabled

## Features - Programmer









Option	Description	Default
Internet of things	Enable usage of Tiki Internet of Things apps 👉 You can use this feature to connect your physical objects with your Tiki instance and collect/monitor your data in real time	Disabled
Integrator	🔧	Disabled
Edit Blogs with XMLRPC API	Tiki implements the XML-RPC API of wBlogger. This API is used by several Windows applications that can be used to manage weblogs. Any application implementing the wBlogger XML-RPC API can be used to edit Tiki blogs. 🗒️	Disabled
Debugger console	A popup console with a list of all PHP and Smarty variables used to render the current webpage. It can be viewed by clicking 'Quick Administration->Smarty debug window' or by appending ?show_smarty_debug=1 or &show_smarty_debug=1 to the page URL. You may also execute SQL, watch vars and perform a number of other functions. 👉 Only viewable by admins ⚠️ Not suitable for production use.	Disabled
TikiTests	Permits recording and playback of functional tests	Disabled
Smarty compilation	Indicates when the template cache should be refreshed. ⚙️ Modified   Never check (performance)   Always (development, slow)	Modified
Web services	Can receive web services via JSON or YAML.	Disabled
Dummy preference	This is useful for developers to learn how to create a new preference. HTML may be used. ✳️ This is the detail. 👉 This is the hint. Wiki syntax may be used. 👉 This is the shorthint. Wiki syntax may be used. ⚠️ This is the warning. 🔧	This is the default value o...
PHP Error reporting level	Level of errors to be reported. Errors can be seen in a collapsible box at the bottom of the page, if any exist. ⚙️ No error reporting   Report all PHP errors except strict   Report all PHP errors   Report all PHP errors except notices   According to the PHP configuration	Report all PHP errors excep...
PHP errors visible to admin only	PHP Errors will be shown to only the Admin user. 👉 During site development, it's better to display errors to all users. However, in production settings, errors should only be displayed to administrators.	Enabled
Include Smarty notices in the PHP error report	Tiki will display <a href="#">Smarty</a> notices with the PHP error messages. 👉 In most cases, Smarty notices can be safely ignored. However, they may be useful in the development process when unexpected issues occur.	Disabled
Log mail in Tiki logs	A line of type mail will be included in the System Log with the destination address and subject of each email sent. ⚠️ May impact performance	Disabled






Option	Description	Default
Log SQL	All SQL queries will be registered in the database in the tiki_sql_query_logs table. ⚠ <i>Do not enable this feature all the time. It can be very resource intensive and will impact performance.</i>	Disabled
Log queries using more than	Use to log only queries that exceed a specific amount of time. ⚠ <i>May impact performance</i>	0.05 seconds
Smarty template usage indicator	Add HTML comment at start and end of each Smarty template (.tpl file) ✳ <i>Clear the Tiki system cache for this change to take effect.</i> 👉 <i>Use only for development, not in production at a live site, because these warnings are added to emails as well, and are visible to users in the page source.</i> ⚠ <i>May impact performance</i>	Disabled
Custom JavaScript	Includes a block of inline JavaScript after the inclusion of jQuery and other JavaScript libs in all pages. 👉 <i>Use <a href="#">PluginJS</a> to include Javascript on a single wiki page.</i> 👉 <i>Do not include the &lt; script &gt; tags.</i>	None
Smarty security	Enable/Disable Smarty security. If checked, you can then define allowed and disabled modifiers and tags(functions, blocks and filters) that should be or not accesible to the template. ⚠ <i>You should leave this on unless you know what you are doing.</i>	Enabled

## File galleries - Admin listings

Option	Description	Default
ID	☰ Hide   Show as a column   Show in popup box   Both	Show as a column
Type	☰ Hide   Show as a column   Show in popup box   Both	Show as a column
Description	☰ Hide   Show as a column   Show in popup box   Both	Show in popup box
Name	☰ Name-filename   Name only   Filename only	Name only
Size	☰ Hide   Show as a column   Show in popup box   Both	Show as a column
Created / Uploaded	☰ Hide   Show as a column   Show in popup box   Both	Show in popup box
Last modified	☰ Hide   Show as a column   Show in popup box   Both	Show as a column
Uploaded by	☰ Hide   Show as a column   Show in popup box   Both	Show in popup box
Creator	☰ Hide   Show as a column   Show in popup box   Both	Show in popup box
Last modified by	☰ Hide   Show as a column   Show in popup box   Both	Show in popup box
Comment	☰ Hide   Show as a column   Show in popup box   Both	Show in popup box

Option	Description	Default
Files	 Hide   Show as a column   Show in popup box   Both	Show in popup box
Hits	 Hide   Show as a column   Show in popup box   Both	Show in popup box
Last download	 Hide   Show as a column   Show in popup box   Both	Hide
Locked by	 Hide   Show as a column   Show in popup box   Both   Show icon in column	Hide
<a href="#">Backlinks</a>	Present a list of pages that link to the current page.  Hide   Show as a column   Show in popup box   Both	Show as a column
Delete after	 Hide   Show as a column   Show in popup box   Both	None
Share	 Hide   Show as a column   Show in popup box   Both	None
Source	 Hide   Show as a column   Show in popup box   Both	None

## File galleries - Enhancements

Option	Description	Default
<a href="#">WebDAV access to Tiki</a>	Allow file gallery access with WebDAV  use <i>tiki-webdav.php</i> as the URI of the WebDAV repository 	Disabled
<a href="#">Use elFinder UI</a>	Alternative file manager with drag and drop capability	Enabled
<a href="#">Use elFinder on Toolbars</a>	Use elFinder in the popup on toolbar FileGallery buttons	Enabled
<a href="#">Enable elFinder debug mode</a>	Shows errors and warnings in the elFinder window and adds debugging information to service calls.	Disabled
<a href="#">Docs (WebODF)</a>	Docs enables viewing and editing Open Document Format files 	Disabled
<a href="#">Use PDF.js</a>	Uses PDF.js to display PDF files in web pages	Disabled
<a href="#">H5P support</a>	Handle H5P package files on upload. H5P enables the creation, sharing and reusing of interactive HTML5 content.	Disabled
Default Gallery	File gallery to create new H5P content in by default.	1
Whitelist	Allowed filetypes	json png jpg jpeg gif bmp t...
H5P Developer Mode	Use "patched" libraries?	Disabled
H5P Tracker User	Store H5P results	Disabled
Store user state	Allows users to resume at the point they last got to	Disabled





Option	Description	Default
Save Frequency	How often to update user data.	60 seconds
Export	Allows users to export H5P content	Disabled
Hub Is Enabled	Updates libraries from h5p.org	Enabled
Site Key	H5P Site Key. ⚠ <i>Experimental</i>	None
H5P UUID	H5P Unique ID. ⚠ <i>Experimental</i>	None
Content Type Updated	Last update. ⚠ <i>Experimental</i>	0 seconds
Check Requirements	Unused so far	Enabled
Send Usage Statistics	Unused so far ⚠ <i>Experimental</i>	Disabled
Request User Consent	Unused so far ⚠ <i>Experimental</i>	Disabled
LRS Content Types	Reporting (?) ⚠ <i>Experimental</i>	Disabled
Custom H5P Javascript Files	Comma-separated: library or "*" for all, path to the file and optional version number, one per line. 👉 For example: <i>H5P.Timeline,themes/js/h5p-custom-example.js,1.00</i>	None
Custom H5P CSS Files	Comma-separated library or "*" for all, path to the file and optional version number, one per line. 👉 For example: <i>H5P.Timeline,themes/css/h5p-custom-example.css,1.00</i>	None
<a href="#">Draw (SVG edit)</a>	Draw enables creating and editing SVG images in all wiki text areas	Disabled
<a href="#">Draw (SVG edit) hide buttons</a>	Hide buttons in Draw, HTML id, comma-separated. 👉 Example: <i>"tool_select, tool_fhpath, tools_line_show, tools_rect_show, tools_ellipse_show, tool_path, tools_shapelib_show, tool_text, tool_image, tool_zoom, tool_eyedropper"</i> ⚠	None
<a href="#">Separate base image</a>	Leaves the initially edited image as a separate file and stores the drawing separately ⚠	Disabled
<a href="#">Draw in user file gallery</a>	Users' drawings are stored in their user files gallery ⚠	Disabled
SCORM support	Handle SCORM package files on upload. SCORM is a standard used in learning management systems.	Disabled
SCORM Tracker	The ID number of the tracker used to store SCORM metadata	0
<a href="#">Vimeo upload</a>	Enables video upload to the Vimeo service. API keys are required and approval must be granted by Vimeo for the upload API.	Disabled

Option	Description	Default
<a href="#">Vimeo delete</a>	Causes videos uploaded to the Vimeo service via Tiki file galleries to be deleted when the Tiki file is deleted. ⚠ <i>Permanently removes videos from the registered vimeo.com account.</i>	Disabled
<a href="#">Vimeo Default Gallery</a>	The The ID of the default file gallery in which to store the Vimeo reference	1
Vimeo consumer key	API consumer key	None
Vimeo consumer secret	API consumer secret	None
<a href="#">Vimeo access token</a>	The access token that is automatically generated by Vimeo when API keys are requested.	None
<a href="#">Vimeo access token secret</a>	The access token secret automatically generated by Vimeo when API keys are requested	None

## File galleries - General settings

Option	Description	Default
<a href="#">File gallery</a>	Storage of files of various formats to display or download, etc. With check-in and check-out (lock) capability	Enabled
Home file gallery (main file gallery)	Select the default file gallery ☰ File Galleries   Branding Graphics   colorbox   Documentation temporarily in P   Drawings   Example EPSG:4326 geoJSON boun   Example EPSG:4326 geoJSON path   Example map object images   Example POI icons   exportet-structures-francais,c   Fonctionnalité Articles   Gérer les Utilisateurs   H5P Content   Images for plugin Diagram   Images for slideshows   Images for the Documentation p   Images...	Images for slideshows
Description	☰ Hide   Show as a column   Show in popup box   Both	Show in popup box
Storage	Specify if uploaded files should be stored in the database or file directory. ☰ Store in database   Store in directory	Store in database
Preserve filenames	Preserve original filename instead assigning a hash as name	Disabled
Path to the directory to store file gallery files	Specify a directory on this server, for example: /var/www/ It's recommended that this directory not be web-accessible. PHP must be able to read/write to the directory.	storage/fgal/
<a href="#">Podcast directory</a>	File system directory for storing podcast files 👉 <i>The server must be able to read/write the directory. Required for podcasts.</i>	files/
<a href="#">Rankings</a>	Users can view the “top” or “most” downloaded files.	Disabled
<a href="#">File gallery comments</a>	Users with permission may post threaded comments. The comments will appear at the bottom of the page.	Disabled

Option	Description	Default
<a href="#">Display ZIP option in gallery</a>	Users can upload a .zip (archive file). Tiki will automatically un-zip the archive and add each file to the gallery..	Disabled
<a href="#">Allow download limit per file</a>		Disabled
<a href="#">Prevent download if score becomes negative</a>	If using Tiki Score system, users with a negative score cannot download files.	Disabled
<a href="#">Allow file duplicates</a>	Allow the same file to be uploaded more than once. ☰ Never   Yes, even in the same gallery   Only in different galleries	Yes, even in the same gallery
<a href="#">Use jQuery upload</a>	Use the improved Tiki 15+ upload page	Enabled
<a href="#">Batch uploading</a>	Direct import of local files into a file gallery. This method can handle large files. The user can upload files via FTP to the target folder. It is highly recommended to use a file directory as the file gallery storage when using this feature.	Disabled
<a href="#">Path</a>	👉 <i>To enable and use directory batch loading, set up a web-readable directory (preferably outside the web space). Then upload files to that directory, such as with SCP, FTP, etc The server must be able to read the directory. The directory can be outside the web space.</i>	None
<a href="#">Require file creator's name for anonymous uploads</a>		Disabled
<a href="#">Automatic deletion of old files</a>	The user will have an option when uploading a file to specify the time after which the file is deleted ⚠️ <i>A cron job must be set up in order to delete the files.</i>	Disabled
<a href="#">Deletion emails notification</a>	Email addresses (comma-separated) to receive a copy of each deleted file	None
<a href="#">Keep the same fileId for the latest version of a file</a>	If the checkbox is checked, the file ID of the latest version of a file stays the same. A link to the file will always link to the latest version. If not checked, each version of the file is assigned its own file ID, so a link to the file will be to a specific version of the file	Enabled
<a href="#">Store user files in a file gallery</a>	👉 <i>Use the file gallery admin and the individual file gallery settings to manage file storage preferences.</i> ⚠️	Disabled
<a href="#">Use file galleries for wiki attachments</a>	Wiki attachments will be stored in the file gallery. This is the preferred way to store attachments starting Tiki 26+.	Enabled
<a href="#">Save files as drafts</a>	Allow saving of files as drafts	Disabled

Option	Description	Default
File gallery configuration templates		Disabled
Allow searching for existing files in the tracker files field	Search files using the search index.	Enabled
<a href="#">Set MIME type based on file suffix</a>	Sets the MIME type of an image file according to the file suffix when it is incorrectly detected as application/octet-stream 	Disabled
<a href="#">Clean XML Always</a>	Sanitize XML based files such as SVG for all users.	Enabled
<a href="#">Allow SVG file upload</a>	Because SVG files may contain malicious code and compromise system security, specifically grant permission to upload SVG files..	Disabled
Upload files from remote source	Enable copying files to file galleries from a URL that will be polled for new revisions.	Disabled
Domains	Allowed domains  <i>One domain per line</i>	None
Remote source refresh frequency limit	Minimum number of seconds to elapse between remote source checks to prevent flooding the server with requests.  <i>Set to zero to disable refresh</i>	3600 seconds
Display controls to attempt a file refresh	Let users trigger a refresh attempt from the remote host.	Disabled
Validate uploaded file content	Do not trust user input and open the files to verify their content.	Enabled
Redirect to file gallery	If enabled, redirect all requests to images that were migrated from the image gallery to the corresponding file in the file gallery	Disabled
View or export office documents as PDF	If enabled allows to view documents without download or to export documents as PDF files	Disabled
Maximum width of file preview in pixels	The maximum value of width in pixels for the files preview in the popover.	250 pixels

Option	Description	Default
Quota for all files and archives	The total size of files uploaded to all the file galleries or to a specific file gallery can be limited. The quota for a file gallery applies to that file gallery and all the file galleries under it. When the limit is reached, no more files can be uploaded. The user will see an explanatory error message. An email can be sent via the Mail notifications feature.) 👉 0 for unlimited	0 megabytes
Quota for each file gallery	A different quota can be defined for each file gallery.	Disabled
Default quota for each new gallery	👉 0 for unlimited	0 megabytes
Must match	A regular expression that must be matched to accept the file example A-Za-z* (filename can only have a-z letters) For example, if you want to require that uploads must have a wordprocessing file extension, you could enter *.(odt sxw doc dot rtf wpt frm wpd txt ODT SXW DOC DOT RTF WPT FRM WPD TXT)	None
Cannot match	A regular expression that, if matched, causes the file to be rejected. For example, .gif rejects gif images. Note that the period must be escaped since a regular expression is being used. If you don't know anything about regular expressions just leave the fields blank and all the files will be accepted.	None
ffmpeg path	Path to the location of the ffmpeg binary	/usr/bin/ffmpeg
ffprobe path	Path to the location of the ffprobe binary	/usr/bin/ffprobe
unoconv path	Path to the location of the unoconv binary.	/usr/bin/unoconv
unoconv timeout	The maximum amount of time for unoconv to execute.	60 seconds
unoconv port	unoconv running port.	2002
ghostscript path	Path to the location of the ghostscript binary.	/usr/bin/gs
Alchemy Image library	Select either Image Magick or GD Graphics Library. ☰ Imagemagick   GD	Imagemagick
Export diagram image on save	If enabled, diagrams will be cached in PNG format when saved or edited.	Enabled
Use locally CasperJS to export images	If enabled, diagrams can be exported using CasperJS.	Disabled
Use draw.io public services to export images	When exporting PDFs, if this setting is enabled, diagram images will be fetched using Drawio's services if not in cache. This basically works like a fallback.	Disabled

Option	Description	Default
Draw.io service endpoint	Configure the draw.io service endpoint to export the diagram images.	https://convert.diagrams.ne...
Use diagram compression by default	if this setting is enabled, diagram will use compression by default.	Enabled
Use RecordRTC to screen record	if this setting is enabled, will use RecordRTC to record the screen activity. 🛠	Disabled
Gallery default for RecordRTC recordings	Select gallery to be used as the default target for RecordRTC recordings 📁 File Galleries   Branding Graphics   colorbox   Documentation temporarily in P   Drawings   Example EPSG:4326 geoJSON boun   Example EPSG:4326 geoJSON path   Example map object images   Example POI icons   exportet-structures-francais,c   Fonctionnalité Articles   Gérer les Utilisateurs   H5P Content   Images for plugin Diagram   Images for slideshows   Images for the Documentation p   Images... 🛠	None

## File galleries - Listings

Option	Description	Default
Default view	📁 List   Browse   Page   Finder view	Finder view
Default sort field	📁 Creation Date   Name   Last modification date   Hits   Owner   Description   ID	Name
Default sort direction	📁 Descending   Ascending	Ascending
Show quota bar in the list page	📁 Never   Yes, display bar and detail text   Yes, display only bar   Yes, display only text	Yes, display only bar
Include a search form in file galleries		Enabled
Searchable file gallery content	Include the search form on the current gallery page just after "Find"	Disabled
Show thumbnail actions	Show the checkbox and wrench icon for file actions menu when not displaying details	Enabled
Maximum thumbnail size	Maximum width or height for image thumbnails	120 pixels
Maximum name length	Length to which to truncate file names in browse view.	40 characters
Maximum width of images	Default maximum width of images in galleries. 👉 0 for unlimited	0 pixels
Maximum height of images	Default maximum height of images in galleries. 👉 0 for unlimited	0 pixels



Option	Description	Default
Maximum rows per page		10 rows
Display hits ratio to maximum	Display hits with a ratio of hits to maximum hits	Disabled
Display properties in the context menu		Enabled
Display "Replace" in the context menu		Enabled
<a href="#">Allow action on multiple files or galleries</a>	Include "Remove" as an option for the checkbox action in file galleries	Enabled
Gallery icon	Enter the ID of any file in any gallery to be used as the icon for this gallery in browse view	None
Show explorer		Enabled
Show path		Enabled
Show slideshow		Disabled
Show OCR Status	☰ Hide   Show as a column   Show in popup box   Both	Hide
ID	☰ Hide   Show as a column   Show in popup box   Both	Show in popup box
Type	☰ Hide   Show as a column   Show in popup box   Both	Show as a column
Name	☰ Name-filename   Name only   Filename only	Name only
Size	☰ Hide   Show as a column   Show in popup box   Both	Show as a column
Created / Uploaded	☰ Hide   Show as a column   Show in popup box   Both	Show in popup box
Last modified	☰ Hide   Show as a column   Show in popup box   Both	Show as a column
Uploaded by	☰ Hide   Show as a column   Show in popup box   Both	Show in popup box
Creator	☰ Hide   Show as a column   Show in popup box   Both	Show in popup box
Last modified by	☰ Hide   Show as a column   Show in popup box   Both	Show in popup box
Comment	☰ Hide   Show as a column   Show in popup box   Both	Show in popup box
Files	☰ Hide   Show as a column   Show in popup box   Both	Show in popup box
Hits	☰ Hide   Show as a column   Show in popup box   Both	Show in popup box
Last download	☰ Hide   Show as a column   Show in popup box   Both	Hide
Locked by	☰ Hide   Show as a column   Show in popup box   Both   Show icon in column	Both

Option	Description	Default
<a href="#">Backlinks</a>	Present a list of pages that link to the current page. ☰ Hide   Show as a column   Show in popup box   Both	Hide
Delete after	☰ Hide   Show as a column	Hide
Share	☰ Hide   Show as a column   Show in popup box   Both	Hide
Source	☰ Hide   Show as a column   Show in popup box   Both	Hide

## File galleries - Plugins

Option	Description	Default
<a href="#">Plugin Files</a>	List files by ID, gallery or category, or show a slideshow of image files	Enabled
<a href="#">Plugin File</a>	Link to a file that's attached or in a gallery or archive	Enabled
<a href="#">Plugin Image</a>	Display one or more custom-formatted images	Enabled
<a href="#">Plugin Colorbox</a>	Display a gallery of images in a popup slideshow	Disabled
<a href="#">Plugin Draw</a>	Embed a drawing in a page	Enabled
<a href="#">Plugin Image Annotation</a>	Annotate an image	Disabled

## File galleries - Search indexing

Option	Description	Default
Automatic indexing of file content	Uses command line tools to extract the information from the files based on their MIME types.	Disabled
Automatic indexing of emails stored as files	Parses message/rfc822 types of files (aka eml files) and stores individual email headers and content in search index.	Disabled
Asynchronous indexing		Enabled
OCR Files	Extract and index text from supported file types.	Disabled
OCR Every File	Attempt to OCR every supported file.	Disabled
Allow file level OCR languages	Allow users to change the default languages that will be used to OCR a file.	Enabled

Option	Description	Default
OCR limit languages	Limit the number of languages one can select from this list. ☰ Auto detect languages   Afrikaans (Afrikaans)   Albanian (Shqip)   Amharic (አማርኛ)   Arabic   Arabic (العربية)   Armenian   Armenian (Հայերեն)   Assamese (অসমীয়া)   Azerbaijani (azərbaycan dili)   Azerbaijani (azərbaycan dili) (cyrl)   Basque (euskara, euskera)   Belarusian (беларуская мова)   Bengali   Bengali (বাংলা)   Bosnian (bos...	None
tesseract path	Path to the location of the binary. Defaults to the \$PATH location. 👉 <i>If blank, the \$PATH will be used, but will likely fail with scheduler.</i>	/usr/bin/tesseract
pdfimages path	Path to the location of the binary. Defaults to the \$PATH location. 👉 <i>If blank, the \$PATH will be used, but will likely fail with scheduler.</i>	/usr/bin/pdfimages