Polls

| Option | Description | Default |
|---|---|------------------|
| Polls | Presentation of a set of votable options, typically displayed in a module | Disabled |
| Plugin Poll | Embed a poll | Enabled |
| Anonymous voting | Allow anonymous users to participate in voting https://den.by.com/specific permissions. | Disabled |
| Allow re-voting | Visitors can vote mulitiple times in a poll. | Enabled |
| Comments for polls | Users with permission may post threaded comments. The comments will appear at the bottom of the page. | Disabled |
| Number per page | Number of comments to show on poll pages | 10 comments |
| Display order | The order in which order polls are displayed ∷ Newest first Oldest first Points | Points |
| Show categories | For polls that are categorized, the category is displayed. | Disabled |
| Show objects | List wiki pages or other site objects that the poll is attached to. | Disabled |
| Multiple polls per object | When used with the rating features, allow multiple polls to be attached to a single object. | Disabled |
| Precision of survey results calculation | Number of decimal places in the percentage figures | 2 decimal places |

| Option | Description | Default |
|--------------------|--|-------------|
| Polls | Presentation of a set of votable options, typically displayed in a module | Disabled |
| Plugin Poll | Embed a poll | Enabled |
| Anonymous voting | Allow anonymous users to participate in voting https://example.com/html/> This can be overridden by specific permissions. | Disabled |
| Allow re-voting | Visitors can vote mulitiple times in a poll. | Enabled |
| Comments for polls | Users with permission may post threaded comments. The comments will appear at the bottom of the page. | Disabled |
| Number per page | Number of comments to show on poll pages | 10 comments |

| Option | Description | Default |
|---|---|------------------|
| Display order | The order in which order polls are displayed ■ Newest first Oldest first Points | Points |
| Show categories | For polls that are categorized, the category is displayed. | Disabled |
| Show objects | List wiki pages or other site objects that the poll is attached to. | Disabled |
| Multiple polls per object | When used with the rating features, allow multiple polls to be attached to a single object. | Disabled |
| Precision of survey results calculation | Number of decimal places in the percentage figures | 2 decimal places |

| Option | Description | Default |
|---|---|------------------|
| Polls | Presentation of a set of votable options, typically displayed in a module | Disabled |
| Plugin Poll | Embed a poll | Enabled |
| Anonymous voting | Allow anonymous users to participate in voting This can be overridden by specific permissions. | Disabled |
| Allow re-voting | Visitors can vote mulitiple times in a poll. | Enabled |
| Comments for polls | Users with permission may post threaded comments. The comments will appear at the bottom of the page. | Disabled |
| Number per page | Number of comments to show on poll pages | 10 comments |
| Display order | The order in which order polls are displayed □ Newest first Oldest first Points | Points |
| Show categories | For polls that are categorized, the category is displayed. | Disabled |
| Show objects | List wiki pages or other site objects that the poll is attached to. | Disabled |
| Multiple polls per object | When used with the rating features, allow multiple polls to be attached to a single object. | Disabled |
| Precision of survey results calculation | Number of decimal places in the percentage figures | 2 decimal places |

| Option | Description | Default |
|---|---|------------------|
| Polls | Presentation of a set of votable options, typically displayed in a module | Disabled |
| Plugin Poll | Embed a poll | Enabled |
| Anonymous voting | Allow anonymous users to participate in voting https://den.by.com/specific permissions. | Disabled |
| Allow re-voting | Visitors can vote mulitiple times in a poll. | Enabled |
| Comments for polls | Users with permission may post threaded comments. The comments will appear at the bottom of the page. | Disabled |
| Number per page | Number of comments to show on poll pages | 10 comments |
| Display order | The order in which order polls are displayed | Points |
| Show categories | For polls that are categorized, the category is displayed. | Disabled |
| Show objects | List wiki pages or other site objects that the poll is attached to. | Disabled |
| Multiple polls per object | When used with the rating features, allow multiple polls to be attached to a single object. | Disabled |
| Precision of survey results calculation | Number of decimal places in the percentage figures | 2 decimal places |

| Option | Description | Default |
|--------------------|---|-------------|
| Polls | Presentation of a set of votable options, typically displayed in a module | Disabled |
| Plugin Poll | Embed a poll | Enabled |
| Anonymous voting | Allow anonymous users to participate in voting https://den.by.com/specific permissions. | Disabled |
| Allow re-voting | Visitors can vote mulitiple times in a poll. | Enabled |
| Comments for polls | Users with permission may post threaded comments. The comments will appear at the bottom of the page. | Disabled |
| Number per page | Number of comments to show on poll pages | 10 comments |

| Option | Description | Default |
|---|---|------------------|
| Display order | The order in which order polls are displayed ∷ Newest first Oldest first Points | Points |
| Show categories | For polls that are categorized, the category is displayed. | Disabled |
| Show objects | List wiki pages or other site objects that the poll is attached to. | Disabled |
| Multiple polls per object | When used with the rating features, allow multiple polls to be attached to a single object. | Disabled |
| Precision of survey results calculation | Number of decimal places in the percentage figures | 2 decimal places |

Polls - Surveys

| Option | Description | Default |
|--------------------------|--|----------|
| Surveys | Create questionnaires with multiple-choice or open-ended questions | Disabled |
| Disable textarea toolbar | Don't display the toolbar on text inputs in surveys. | Disabled |

| Option | Description | Default |
|--------------------------|--|----------|
| Surveys | Create questionnaires with multiple-choice or open-ended questions | Disabled |
| Disable textarea toolbar | Don't display the toolbar on text inputs in surveys. | Disabled |

| Option | Description | Default |
|--------------------------|--|----------|
| Surveys | Create questionnaires with multiple-choice or open-ended questions | Disabled |
| Disable textarea toolbar | Don't display the toolbar on text inputs in surveys. | Disabled |

| Option | Description | Default |
|--------------------------|--|----------|
| Surveys | Create questionnaires with multiple-choice or open-ended questions | Disabled |
| Disable textarea toolbar | Don't display the toolbar on text inputs in surveys. | Disabled |

| Option | Description | Default |
|--------------------------|--|----------|
| Surveys | Create questionnaires with multiple-choice or open-ended questions | Disabled |
| Disable textarea toolbar | Don't display the toolbar on text inputs in surveys. | Disabled |

Print

| Option | Description | Default |
|-----------------------|---|----------|
| PDF from URL | Using external tools, generate PDF documents from URLs. | Disabled |
| WebKit path | Full path to the wkhtmltopdf executable to generate the PDF document with | None |
| WeasyPrint path | Full path to the weasyprint executable to generate the PDF document with | None |
| Webservice URL | URL to a service that takes a URL as the query string and returns a PDF document | None |
| PDF Orientation | Landscape or portrait i≡ Portrait Landscape | Portrait |
| PDF page size | ISO Standard sizes: A0, A1, A2, A3, A4, A5 or North American paper sizes: Letter, Legal, Tabloid/Ledger (for ledger, select landscape orientation) | A4 |
| Print Friendly PDF | Useful for dark themes, enabling this option will change the theme background color to white and the color of text to black. If not activated, theme colors will be retained in the pdf file. | Enabled |
| Table of contents | Generate auto table of contents with PDF | Disabled |

| Option | Description | Default |
|---|--|----------------------|
| Link TOC with content | Link table of contents headings with content in the PDF | Disabled |
| TOC heading | Heading to be displayed above the table of contents | Table of Contents |
| PDF TOC levels | These will be automatically created from the content; the default will be heading 1, heading 2 and heading 3 - for example, H1 H2 H3. | H1 H2 H3 |
| Show Page title | Print wiki page title with pdf □ Default Yes No | None |
| PDF header text | Possible values, Plain text, HTML, Wiki syntax, 6,{PAGETITLE},{DATE j-m-Y}, Page 6 of {NB}, https://doi.org/10.1003/phi/project/page/10.1003/phi/ | None |
| DDC footox tout | | Nene |
| PDF footer text | HTML, Wiki Syntax, plain text, 6, {DATE j-m-Y}, Page 6 of {NB}. https://doi.org/10.1003/html/html/html/html/html/html/html/html | None |
| Left margin | Numeric value.For example 10 | 10 pixels |
| Right margin | Numeric value, no need to add px. For example 10 | 10 pixels |
| Top margin | Numeric value, no need to add px. For example 10 | 10 pixels |
| Bottom margin | Numeric value, no need to add px. For example 10 | 10 pixels |
| Header margin from top of document | Only applicable if the header is set. Specify a numeric value, and there is no need to add "px". For example, 10. Warning: Header can overlap text if top margin is not set properly | 5 pixels |
| Footer margin from bottom of document | Only applicable if the footer is set. Specify a numeric value, and there is no need to add "px". For example, 10. Warning: Footer can overlap text if bottom margin is not set properly | 5 pixels |
| Hyperlink behaviour in PDF | □ Default Off (Links will be removed) Add as footnote (Links will be listed at end of document | None |
| PDF Bookmarks | Automatically generate bookmarks H1-H6, separated by .For example: H1 H2 H3 | H1 H2 H3 |
| Number of columns | □ Default - 1 Column 2 Columns 3 Columns 4 Columns | None |

| Option | Description | Default |
|---------------------------------|---|---------|
| PDF password for viewing | Password-protect the generated PDF. | None |
| Watermark text | PDF watermark text, if any | None |
| Watermark Image URL | The watermark image will appear under the text. Enter the complete image URL. | None |
| PDF page background color | Enter a valid CSS color code. | None |
| PDF page background image | Enter the full URL. | None |
| CoverPage text settings | Heading Subheading Alignment Background color Text color Page border Border color. Enter settings separated by . Leave blank to use default settings. | None |
| CoverPage wiki | Name of the wiki page that will be used for the text of the coverpage. \blacksquare | None |
| CoverPage settings | Background color Page border Border color. Enter settings separated by . Leave blank for default settings. Sequence is important, for example $\#fff 1 \#000$ \blacksquare | None |
| Coverpage image URL | Enter the full URL. | None |
| Allow Unsafe SSL Requests | Allow curl unsafe ssl request | Enabled |
| Printing to PDF memory limit | Temporarily adjust the memory limit to use during Printing to PDF. Depending on the volume of data, some large operations require more memory. Increasing it locally, per operation, allows to keep a lower memory limit globally. Keep in mind that memory usage is still limited to what is available on the server. • for example: 256M | None |
| Printing to PDF time limit | Temporarily adjust the time limit to use during Printing to PDF. Depending on the volume of data, some requests may take longer. Increase the time limit locally to resolve the issue. Use reasonable values. • for example: 30 | None |

| Option | Description | Default |
|--|--|----------|
| Slideshow (reveal.js) PDF export | Wiki page based slideshow to pdf export $oldsymbol{L}$ | Disabled |
| Print modules | Modules to show on when print a page ☐ Top modules Topbar modules Pagetop modules Left modules Right modules Pagebottom modules Bottom modules Admin modules | None |
| Print wiki authors | Include wiki page authors and date in print versions of wiki pages. | Disabled |
| Print Wiki | Provide a print icon and layout of the wiki page formatted for printing | Disabled |
| MultiPrint | Enable printing of multiple wiki pages as well as an entire structure of wiki pages as a book in a single HTML document | Disabled |
| Print indexed | Generate a printable version of the whole wiki or a subset of pages, filtered by category. | Disabled |
| Print original wiki URL | Include original wiki page URL in print versions of wiki pages. | Enabled |
| Print articles | | Enabled |
| Print original tracker item URL | Include original wiki page URL in print versions of wiki pages. | Enabled |
| Print original forum post URL | Include original forum post URL in print version of forum posts. | Enabled |

| Option | Description | Default |
|-----------------|---|----------|
| PDF from URL | Using external tools, generate PDF documents from URLs. □ Disabled WebKit (wkhtmltopdf) WeasyPrint Webservice mPDF | Disabled |
| WebKit path | Full path to the wkhtmltopdf executable to generate the PDF document with | None |
| WeasyPrint path | Full path to the weasyprint executable to generate the PDF document with | None |
| Webservice URL | URL to a service that takes a URL as the query string and returns a PDF document | None |
| PDF Orientation | Landscape or portrait E Portrait Landscape | Portrait |

| Option | Description | Default |
|--|--|----------------------|
| PDF page size | ISO Standard sizes: A0, A1, A2, A3, A4, A5 or North American paper sizes: Letter, Legal, Tabloid/Ledger (for ledger, select landscape orientation) | A4 |
| Print Friendly PDF | Useful for dark themes, enabling this option will change the theme background color to white and the color of text to black. If not activated, theme colors will be retained in the pdf file. | Enabled |
| Table of contents | Generate auto table of contents with PDF | Disabled |
| Link TOC with content | Link table of contents headings with content in the PDF | Disabled |
| TOC heading | Heading to be displayed above the table of contents | Table of Contents |
| PDF TOC levels | These will be automatically created from the content; the default will be heading 1, heading 2 and heading 3 - for example, H1 H2 H3. | H1 H2 H3 |
| Show Page title | Print wiki page title with pdf □ Default Yes No | None |
| PDF header text | Possible values, Plain text, HTML, Wiki syntax, 9, {PAGETITLE}, {DATE j-m-Y}, Page 9 of {NB}, https://doi.org/10.1003/phi/property/html/discontinuous/html/discontin | None |
| PDF footer text | HTML, Wiki Syntax, plain text, 9, {DATE j-m-Y}, Page 9 of {NB}. https://doi.org/10.1001/j.mc.nc.edu/html/bill.html/Wiki Syntax/Left text Center Text Right Text | None |
| Left margin | Numeric value.For example 10 | 10 pixels |
| Right margin | Numeric value, no need to add px. For example 10 | 10 pixels |
| Top margin | Numeric value, no need to add px. For example 10 | 10 pixels |
| Bottom margin | Numeric value, no need to add px. For example 10 | 10 pixels |
| Header margin from top of document | Only applicable if the header is set. Specify a numeric value, and there is no need to add "px". For example, 10. • Warning: Header can overlap text if top margin is not set properly | 5 pixels |

| Option | Description | Default |
|---|---|----------|
| Footer margin from bottom of document | Only applicable if the footer is set. Specify a numeric value, and there is no need to add "px". For example, 10. Warning: Footer can overlap text if bottom margin is not set properly | 5 pixels |
| Hyperlink behaviour in PDF | □ Default Off (Links will be removed) Add as footnote (Links will be listed at end of document | None |
| PDF Bookmarks | Automatically generate bookmarks https://doi.org/10.1007/html/html/html/html/html/html/html/html | H1 H2 H3 |
| Number of columns | □ Default - 1 Column 2 Columns 3 Columns 4 Columns | None |
| PDF password for viewing | Password-protect the generated PDF. | None |
| Watermark text | PDF watermark text, if any | None |
| Watermark Image URL | The watermark image will appear under the text. Enter the complete image URL. | None |
| PDF page background color | Enter a valid CSS color code. | None |
| PDF page background image | Enter the full URL. | None |
| CoverPage text settings | Heading Subheading Alignment Background color Text color Page border Border color. Enter settings separated by . Leave blank to use default settings. | None |
| Coverpage image URL | Enter the full URL. | None |
| Allow Unsafe SSL Requests | Allow curl unsafe ssl request | Enabled |
| Printing to PDF memory limit | Temporarily adjust the memory limit to use during Printing to PDF. Depending on the volume of data, some large operations require more memory. Increasing it locally, per operation, allows to keep a lower memory limit globally. Keep in mind that memory usage is still limited to what is available on the server. • for example: 256M | None |

| Option | Description | Default |
|--|--|----------|
| Printing to PDF time limit | Temporarily adjust the time limit to use during Printing to PDF. Depending on the volume of data, some requests may take longer. Increase the time limit locally to resolve the issue. Use reasonable values. • for example: 30 | None |
| Slideshow (reveal.js) PDF export | Wiki page based slideshow to pdf export $oldsymbol{L}$ | Disabled |
| Print modules | Modules to show on when print a page ☐ Top modules Topbar modules Pagetop modules Left modules Right modules Pagebottom modules Bottom modules Admin modules | None |
| Print wiki authors | Include wiki page authors and date in print versions of wiki pages. | Disabled |
| Print Wiki | Provide a print icon and layout of the wiki page formatted for printing | Disabled |
| MultiPrint | Enable printing of multiple wiki pages as well as an entire structure of wiki pages as a book in a single HTML document | Disabled |
| Print indexed | Generate a printable version of the whole wiki or a subset of pages, filtered by category. | Disabled |
| Print original wiki URL | Include original wiki page URL in print versions of wiki pages. | Enabled |
| Print articles | | Enabled |
| Print original tracker item URL | Include original wiki page URL in print versions of wiki pages. | Enabled |
| Print original forum post URL | Include original forum post URL in print version of forum posts. | Enabled |

| Option | Description | Default |
|-----------------|---|----------|
| PDF from URL | Using external tools, generate PDF documents from URLs. | Disabled |
| WebKit path | Full path to the wkhtmltopdf executable to generate the PDF document with | None |
| WeasyPrint path | Full path to the weasyprint executable to generate the PDF document with | None |

| Option | Description | Default |
|-----------------------|---|----------------------|
| Webservice URL | URL to a service that takes a URL as the query string and returns a PDF document | None |
| PDF Orientation | Landscape or portrait E Portrait Landscape | Portrait |
| PDF page size | ISO Standard sizes: A0, A1, A2, A3, A4, A5 or North American paper sizes: Letter, Legal, Tabloid/Ledger (for ledger, select landscape orientation) | A4 |
| Print Friendly PDF | Useful for dark themes, enabling this option will change the theme background color to white and the color of text to black. If not activated, theme colors will be retained in the pdf file. | Enabled |
| Table of contents | Generate auto table of contents with PDF | Disabled |
| Link TOC with content | Link table of contents headings with content in the PDF | Disabled |
| TOC heading | Heading to be displayed above the table of contents | Table of Contents |
| PDF TOC levels | These will be automatically created from the content; the default will be heading 1, heading 2 and heading 3 - for example, H1 H2 H3. | H1 H2 H3 |
| Show Page title | Print wiki page title with pdf □ Default Yes No | None |
| PDF header text | Possible values, Plain text, HTML, Wiki syntax, 12,{PAGETITLE},{DATE j-m-Y}, Page 12 of {NB}, HTML / Wiki Syntax / Left text Center Text Right Text | None |
| PDF footer text | HTML, Wiki Syntax, plain text, 12, {DATE j-m-Y}, Page 12 of {NB}. https://doi.org/10.1001/j.me.next/left text Center Text Right Text | None |
| Left margin | Numeric value.For example 10 | 10 pixels |
| Right margin | Numeric value, no need to add px. For example 10 | 10 pixels |
| Top margin | Numeric value, no need to add px. For example 10 | 10 pixels |
| Bottom margin | Numeric value, no need to add px. For example 10 | 10 pixels |

| Option | Description | Default |
|---|--|----------|
| Header margin from top of document | Only applicable if the header is set. Specify a numeric value, and there is no need to add "px". For example, 10. Warning: Header can overlap text if top margin is not set properly | 5 pixels |
| Footer margin from bottom of document | Only applicable if the footer is set. Specify a numeric value, and there is no need to add "px". For example, 10. Warning: Footer can overlap text if bottom margin is not set properly | 5 pixels |
| Hyperlink behaviour in PDF | □ Default Off (Links will be removed) Add as footnote (Links will be listed at end of document | None |
| PDF Bookmarks | Automatically generate bookmarks | H1 H2 H3 |
| Number of columns | □ Default - 1 Column 2 Columns 3 Columns 4 Columns | None |
| PDF password for viewing | Password-protect the generated PDF. | None |
| Watermark text | PDF watermark text, if any | None |
| Watermark Image URL | The watermark image will appear under the text. Enter the complete image URL. | None |
| PDF page background color | Enter a valid CSS color code. | None |
| PDF page background image | Enter the full URL. | None |
| CoverPage text settings | Heading Subheading Alignment Background color Text color Page border Border color. Enter settings separated by . Leave blank to use default settings. | None |
| Coverpage image URL | Enter the full URL. | None |
| Allow Unsafe SSL Requests | Allow curl unsafe ssl request | Enabled |

| Option | Description | Default |
|--|---|----------|
| Printing to PDF memory limit | Temporarily adjust the memory limit to use during Printing to PDF. Depending on the volume of data, some large operations require more memory. Increasing it locally, per operation, allows to keep a lower memory limit globally. Keep in mind that memory usage is still limited to what is available on the server. • for example: 256M | None |
| Printing to PDF time limit | Temporarily adjust the time limit to use during Printing to PDF. Depending on the volume of data, some requests may take longer. Increase the time limit locally to resolve the issue. Use reasonable values. • for example: 30 | None |
| Slideshow (reveal.js) PDF export | Wiki page based slideshow to pdf export $oldsymbol{L}$ | Disabled |
| Print modules | Modules to show on when print a page ☐ Top modules Topbar modules Pagetop modules Left modules Right modules Pagebottom modules Bottom modules Admin modules | None |
| Print wiki authors | Include wiki page authors and date in print versions of wiki pages. | Disabled |
| Print Wiki | Provide a print icon and layout of the wiki page formatted for printing | Disabled |
| MultiPrint | Enable printing of multiple wiki pages as well as an entire structure of wiki pages as a book in a single HTML document | Disabled |
| Print indexed | Generate a printable version of the whole wiki or a subset of pages, filtered by category. | Disabled |
| Print original wiki URL | Include original wiki page URL in print versions of wiki pages. | Enabled |
| Print articles | | Enabled |
| Print original tracker item URL | Include original wiki page URL in print versions of wiki pages. | Enabled |
| Print original forum post URL | Include original forum post URL in print version of forum posts. | Enabled |

| Option | Description | Default |
|-----------------------|---|----------------------|
| PDF from URL | Using external tools, generate PDF documents from URLs. □ Disabled WebKit (wkhtmltopdf) WeasyPrint Webservice mPDF | Disabled |
| WebKit path | Full path to the wkhtmltopdf executable to generate the PDF document with | None |
| WeasyPrint path | Full path to the weasyprint executable to generate the PDF document with | None |
| Webservice URL | URL to a service that takes a URL as the query string and returns a PDF document | None |
| PDF Orientation | Landscape or portrait E Portrait Landscape | Portrait |
| PDF page size | ISO Standard sizes: A0, A1, A2, A3, A4, A5 or North American paper sizes: Letter, Legal, Tabloid/Ledger (for ledger, select landscape orientation) | A4 |
| Print Friendly PDF | Useful for dark themes, enabling this option will change the theme background color to white and the color of text to black. If not activated, theme colors will be retained in the pdf file. | Enabled |
| Table of contents | Generate auto table of contents with PDF | Disabled |
| Link TOC with content | Link table of contents headings with content in the PDF | Disabled |
| TOC heading | Heading to be displayed above the table of contents | Table of Contents |
| PDF TOC levels | These will be automatically created from the content; the default will be heading 1, heading 2 and heading 3 - for example, H1 H2 H3. | H1 H2 H3 |
| Show Page title | Print wiki page title with pdf □ Default Yes No | None |
| PDF header text | Possible values, Plain text, HTML, Wiki syntax, 15,{PAGETITLE},{DATE j-m-Y}, Page 15 of {NB}, https://doi.org/10.1003/html/html/wiki Syntax/Left text Center Text Right Text | None |
| PDF footer text | HTML, Wiki Syntax, plain text, 15, {DATE j-m-Y}, Page 15 of {NB}. HTML / Wiki Syntax / Left text Center Text Right Text | None |

| Option | Description | Default |
|---|--|-----------|
| Left margin | Numeric value.For example 10 | 10 pixels |
| Right margin | Numeric value, no need to add px. For example 10 | 10 pixels |
| Top margin | Numeric value, no need to add px. For example 10 | 10 pixels |
| Bottom margin | Numeric value, no need to add px. For example 10 | 10 pixels |
| Header margin from top of document | Only applicable if the header is set. Specify a numeric value, and there is no need to add "px". For example, 10. Warning: Header can overlap text if top margin is not set properly | 5 pixels |
| Footer margin from bottom of document | Only applicable if the footer is set. Specify a numeric value, and there is no need to add "px". For example, 10. Warning: Footer can overlap text if bottom margin is not set properly | 5 pixels |
| Hyperlink behaviour in PDF | □ Default Off (Links will be removed) Add as footnote (Links will be listed at end of document | None |
| PDF Bookmarks | Automatically generate bookmarks | H1 H2 H3 |
| Number of columns | □ Default - 1 Column 2 Columns 3 Columns 4 Columns | None |
| PDF password for viewing | Password-protect the generated PDF. | None |
| Watermark text | PDF watermark text, if any | None |
| Watermark Image URL | The watermark image will appear under the text. Enter the complete image URL. | None |
| PDF page background color | Enter a valid CSS color code. | None |
| PDF page background image | Enter the full URL. | None |
| CoverPage text settings | Heading Subheading Alignment Background color Text color Page border Border color. Enter settings separated by . Leave blank to use default settings. | None |
| Coverpage image URL | Enter the full URL. | None |

| Option | Description | Default |
|--|---|----------|
| Printing to PDF memory limit | Temporarily adjust the memory limit to use during Printing to PDF. Depending on the volume of data, some large operations require more memory. Increasing it locally, per operation, allows to keep a lower memory limit globally. Keep in mind that memory usage is still limited to what is available on the server. • for example: 256M | |
| Printing to PDF time limit | Temporarily adjust the time limit to use during Printing to PDF. Depending on the volume of data, some requests may take longer. Increase the time limit locally to resolve the issue. Use reasonable values. • for example: 30 | None |
| Slideshow (reveal.js) PDF export | Wiki page based slideshow to pdf export $oldsymbol{L}$ | Disabled |
| Print modules | Modules to show on when print a page ☐ Top modules Topbar modules Pagetop modules Left modules Right modules Pagebottom modules Bottom modules Admin modules | None |
| Print wiki authors | Include wiki page authors and date in print versions of wiki pages. | Disabled |
| Print Wiki | Provide a print icon and layout of the wiki page formatted for printing | Disabled |
| MultiPrint | Enable printing of multiple wiki pages as well as an entire structure of wiki pages as a book in a single HTML document | Disabled |
| Print indexed | Generate a printable version of the whole wiki or a subset of pages, filtered by category. | Disabled |
| Print original wiki URL | Include original wiki page URL in print versions of wiki pages. | Enabled |
| Print articles | | Enabled |
| Print original tracker item URL | Include original wiki page URL in print versions of wiki pages. | Enabled |
| Print original forum post URL | Include original forum post URL in print version of forum posts. | Enabled |

| Option | Description | Default |
|-----------------------|---|----------------------|
| PDF from URL | Using external tools, generate PDF documents from URLs. □ Disabled WebKit (wkhtmltopdf) WeasyPrint Webservice mPDF | Disabled |
| WebKit path | Full path to the wkhtmltopdf executable to generate the PDF document with | None |
| WeasyPrint path | Full path to the weasyprint executable to generate the PDF document with | None |
| Webservice URL | URL to a service that takes a URL as the query string and returns a PDF document | None |
| PDF Orientation | Landscape or portrait E Portrait Landscape | Portrait |
| PDF page size | ISO Standard sizes: A0, A1, A2, A3, A4, A5 or North American paper sizes: Letter, Legal, Tabloid/Ledger (for ledger, select landscape orientation) | A4 |
| Print Friendly PDF | Useful for dark themes, enabling this option will change the theme background color to white and the color of text to black. If not activated, theme colors will be retained in the pdf file. | Enabled |
| Table of contents | Generate auto table of contents with PDF | Disabled |
| Link TOC with content | Link table of contents headings with content in the PDF | Disabled |
| TOC heading | Heading to be displayed above the table of contents | Table of Contents |
| PDF TOC levels | These will be automatically created from the content; the default will be heading 1, heading 2 and heading 3 - for example, H1 H2 H3. | H1 H2 H3 |
| Show Page title | Print wiki page title with pdf □ Default Yes No | None |
| PDF header text | Possible values, Plain text, HTML, Wiki syntax, 18,{PAGETITLE},{DATE j-m-Y}, Page 18 of {NB}, https://doi.org/10.1001/html./Wiki Syntax / Left text Center Text Right Text | None |
| PDF footer text | HTML, Wiki Syntax, plain text, 18, {DATE j-m-Y}, Page 18 of {NB}. HTML / Wiki Syntax / Left text Center Text Right Text | None |

| Option | Description | Default |
|---|---|-----------|
| Left margin | Numeric value.For example 10 | 10 pixels |
| Right margin | Numeric value, no need to add px. For example 10 | 10 pixels |
| Top margin | Numeric value, no need to add px. For example 10 | 10 pixels |
| Bottom margin | Numeric value, no need to add px. For example 10 | 10 pixels |
| Header margin from top of document | Only applicable if the header is set. Specify a numeric value, and there is no need to add "px". For example, 10. Warning: Header can overlap text if top margin is not set properly | 5 pixels |
| Footer margin from bottom of document | Only applicable if the footer is set. Specify a numeric value, and there is no need to add "px". For example, 10. Warning: Footer can overlap text if bottom margin is not set properly | 5 pixels |
| Hyperlink behaviour in PDF | ☐ Default Off (Links will be removed) Add as footnote (Links will be listed at end of document Default Off (Links will be removed) Add as footnote (Links will be listed at end of document) | None |
| PDF Bookmarks | Automatically generate bookmarks | H1 H2 H3 |
| Number of columns | □ Default - 1 Column 2 Columns 3 Columns 4 Columns | None |
| PDF password for viewing | Password-protect the generated PDF. | None |
| Watermark text | PDF watermark text, if any | None |
| Watermark Image URL | The watermark image will appear under the text. Enter the complete image URL. | None |
| PDF page background color | Enter a valid CSS color code. | None |
| PDF page background image | Enter the full URL. | None |
| CoverPage text settings | Heading Subheading Alignment Background color Text color Page border Border color. Enter settings separated by . Leave blank to use default settings. | None |
| Coverpage image URL | Enter the full URL. | None |

| Option | Description | Default |
|--|---|----------|
| Printing to PDF memory limit | Temporarily adjust the memory limit to use during Printing to PDF. Depending on the volume of data, some large operations require more memory. Increasing it locally, per operation, allows to keep a lower memory limit globally. Keep in mind that memory usage is still limited to what is available on the server. • for example: 256M | None |
| Printing to PDF time limit | Temporarily adjust the time limit to use during Printing to PDF. Depending on the volume of data, some requests may take longer. Increase the time limit locally to resolve the issue. Use reasonable values. • for example: 30 | None |
| Slideshow (reveal.js) PDF export | Wiki-page-based slideshow to pdf export ▲ | Disabled |
| Print wiki authors | Include wiki page authors and date in print versions of wiki pages. | Disabled |
| Print Wiki | Provide a print icon and layout of the wiki page formatted for printing | Disabled |
| MultiPrint | Enable printing of multiple wiki pages as well as an entire structure of wiki pages as a book in a single HTML document | Disabled |
| Print indexed | Generate a printable version of the whole wiki or a subset of pages, filtered by category. | Disabled |
| Print original wiki URL | Include original wiki page URL in print versions of wiki pages. | Enabled |
| Print articles | | Enabled |
| Print original tracker item URL | Include original wiki page URL in print versions of wiki pages. | Enabled |
| Print original forum post URL | Include original forum post URL in print version of forum posts. | Enabled |

Profiles - Advanced

| Option | Description | Default |
|--|---|-----------------------------|
| Automatically approve wiki- plugins on pages installed by profiles | Some wiki-plugins require admin approval before they are executable. If turned on, then all wiki-plugins that are on wiki pages created via profiles are automatically approved. A Make sure your profiles are not executable or editable by untrusted users. | Disabled |
| Developer mode | For profiles under an approval workflow, always use the latest version, even if not approved. • Make sure you review the profiles you install. | Disabled |
| Repository URLs | List of URLs for the profile repositories that will be used be Enter multiple repository URLs, one per line. | http://profiles.tiki.org/pr |
| Data channels | Data channels are templates that can be applied from a post request. They can be used to automate work on more complex installations. Data channels create a named pipe to run profiles from user space. One channel per line. Each line is comma delimited and contains channel name, domain, profile, allowed groups, (optional) \$profilerequest:input\$ matches to groups. There are security considerations related to using data channels. Make sure the profile page is controlled by administrators only. | None |

| Option | Description | Default |
|--|--|----------|
| Automatically approve wiki- plugins on pages installed by profiles | Some wiki-plugins require admin approval before they are executable. If turned on, then all wiki-plugins that are on wiki pages created via profiles are automatically approved. • Make sure your profiles are not executable or editable by untrusted users. | Disabled |
| Developer mode | For profiles under an approval workflow, always use the latest version, even if not approved. Make sure you review the profiles you install. | Disabled |

| Option | Description | Default |
|-----------------|---|-----------------------------|
| Repository URLs | List of URLs for the profile repositories that will be used be Enter multiple repository URLs, one per line. | http://profiles.tiki.org/pr |
| Data channels | Data channels are templates that can be applied from a post request. They can be used to automate work on more complex installations. Data channels create a named pipe to run profiles from user space. One channel per line. Each line is comma delimited and contains channel name, domain, profile, allowed groups, (optional) \$profilerequest:input\$ matches to groups. There are security considerations related to using data channels. Make sure the profile page is controlled by administrators only. | None |

| Option | Description | Default |
|--|--|-----------------------------|
| Automatically approve wiki- plugins on pages installed by profiles | Some wiki-plugins require admin approval before they are executable. If turned on, then all wiki-plugins that are on wiki pages created via profiles are automatically approved. • Make sure your profiles are not executable or editable by untrusted users. | Disabled |
| Developer mode | For profiles under an approval workflow, always use the latest version, even if not approved. • Make sure you review the profiles you install. | Disabled |
| Repository URLs | List of URLs for the profile repositories that will be used be Enter multiple repository URLs, one per line. | http://profiles.tiki.org/pr |

| Option | Description | Default |
|---------------|---|---------|
| Data channels | Data channels are templates that can be applied from a post request. They can be used to automate work on more complex installations. Data channels create a named pipe to run profiles from user space. One channel per line. Each line is comma delimited and contains channel name, domain, profile, allowed groups, (optional) \$profilerequest:input\$ matches to groups. There are security considerations related to using data channels. Make sure the profile page is controlled by administrators only. | None |

| Option | Description | Default |
|--|---|-----------------------------|
| Automatically approve wiki- plugins on pages installed by profiles | Some wiki-plugins require admin approval before they are executable. If turned on, then all wiki-plugins that are on wiki pages created via profiles are automatically approved. • Make sure your profiles are not executable or editable by untrusted users. | Disabled |
| Developer mode | For profiles under an approval workflow, always use the latest version, even if not approved. • Make sure you review the profiles you install. | Disabled |
| Repository URLs | List of URLs for the profile repositories that will be used be Enter multiple repository URLs, one per line. | http://profiles.tiki.org/pr |
| Data channels | Data channels are templates that can be applied from a post request. They can be used to automate work on more complex installations. Data channels create a named pipe to run profiles from user space. One channel per line. Each line is comma delimited and contains channel name, domain, profile, allowed groups, (optional) \$profilerequest:input\$ matches to groups. There are security considerations related to using data channels. Make sure the profile page is controlled by administrators only. | None |

| Option | Description | Default |
|--|---|-----------------------------|
| Automatically approve wiki- plugins on pages installed by profiles | Some wiki-plugins require admin approval before they are executable. If turned on, then all wiki-plugins that are on wiki pages created via profiles are automatically approved. • Make sure your profiles are not executable or editable by untrusted users. | Disabled |
| Developer mode | For profiles under an approval workflow, always use the latest version, even if not approved. • Make sure you review the profiles you install. | Disabled |
| Repository URLs | List of URLs for the profile repositories that will be used be Enter multiple repository URLs, one per line. | http://profiles.tiki.org/pr |
| Data channels | Data channels are templates that can be applied from a post request. They can be used to automate work on more complex installations. Data channels create a named pipe to run profiles from user space. One channel per line. Each line is comma delimited and contains channel name, domain, profile, allowed groups, (optional) \$profilerequest:input\$ matches to groups. There are security considerations related to using data channels. Make sure the profile page is controlled by administrators only. | None |

Rating

| Option | Description | Default |
|---------------------------|--|---------------------|
| Rating recalculation mode | Determines when and how rating aggregates are recalculated. Depending on the site load, some options may be preferred to others. On large-volume sites, it should be done as a cron job. On vote recalculation, there may be inaccuracies if rating calculation is time-dependent. □ Recalculate on vote Randomly recalculate oldest ratings (on load) Randomly recalculate oldest ratings (on vote) Cron job (must be set manually) Before any attempt to reindex the object | Recalculate on vote |

| Option | Description | Default |
|--|--|-------------|
| Recalculation odds (1 in X) | Dice roll performed on every request. When successful, will recalculate a certain number of votes. | 100 votes |
| Recalculation count | How many ratings should be recalculated when odds strike. | 100 ratings |
| IP can be checked | Check anonymous votes by user's IP | Disabled |
| Multiple votes per user | Allow users to vote multiple times in the same poll. □ Disabled Enabled | None |
| Rating | Enables adding a poll from the polls feature to a wiki page. The poll is unique to the page, created from a "poll template" which is created in the Polls feature: set a poll's 'active' drop-down to "template". • Permissions involved: group permissions, wiki_vote_ratings, wiki_view_ratings, ratings_view_results | Disabled |
| Simple wiki ratings | Enable users to rate wiki pages based on a simple numeric scale. \blacksquare | Disabled |
| Wiki rating options | List of options available for the rating of wiki pages | 0,1,2,3,4,5 |
| User ratings on articles | Allow users to rate articles. Permissions involved: rate_article, ratings_view_results. Also, when configuring articles, "Admin Types > Comment can rate article" needs to be set. | Disabled |
| Article rating options | List of options available for the rating of articles. | 0,1,2,3,4,5 |
| Use vote system for comments | Allow users with permission to vote on comments. Bermissions involved: vote_comments, wiki_view_comments, ratings_view_results | Disabled |
| Simple wiki comment ratings | Enable users to rate comments based on a simple numeric scale. | Disabled |
| Wiki rating options | List of options available for the rating of wiki comments. | 0,1,2,3,4,5 |
| Display Post new comment form by default | | Disabled |
| Rating | A rating of the tracker item. Permissions involved: tracker_vote_ratings, tracker_revote_ratings, tracker_view_ratings | Disabled |

| Option | Description | Default |
|--|--|-----------|
| Default rating options | List of options available. | 0,1,2,3,4 |
| Detailed rating results | Displays a table with the result count and percentage per rating option. ∷ Disabled Enabled | None |
| Include percentages in the detailed rating results | Include percentages in the detailed rating results. Otherwise, only count numbers and bars are shown. i≡ Disabled Enabled | None |
| Smiley Ratings | Displays smiley faces or emojis in a simple ratings system with an easy-to-use interface. Works with 0-11 only, depending on the configuration. ☐ Disabled Enabled | None |
| Reversed Rating Options | Displays the ratings options in reverse. ∷ Disabled Enabled | None |
| Advanced Rating | In an advanced rating system, the options and calculation method can be configured. | Disabled |

| Option | Description | Default |
|-----------------------------|--|---------------------|
| Rating recalculation mode | Determines when and how rating aggregates are recalculated. Depending on the site load, some options may be preferred to others. On large-volume sites, it should be done as a cron job. On vote recalculation, there may be inaccuracies if rating calculation is time-dependent. □ Recalculate on vote Randomly recalculate oldest ratings (on load) Randomly recalculate oldest ratings (on vote) Cron job (must be set manually) Before any attempt to reindex the object | Recalculate on vote |
| Recalculation odds (1 in X) | Dice roll performed on every request. When successful, will recalculate a certain number of votes. | 100 votes |
| Recalculation count | How many ratings should be recalculated when odds strike. | 100 ratings |
| IP can be checked | Check anonymous votes by user's IP | Disabled |
| Multiple votes per user | Allow users to vote multiple times in the same poll. ∷ Disabled Enabled | None |

| Option | Description | Default |
|--|--|-------------|
| Rating | Enables adding a poll from the polls feature to a wiki page. The poll is unique to the page, created from a "poll template" which is created in the Polls feature: set a poll's 'active' drop-down to "template". • Permissions involved: group permissions, wiki_vote_ratings, wiki_view_ratings, ratings_view_results | Disabled |
| Simple wiki ratings | Enable users to rate wiki pages based on a simple numeric scale. \blacksquare | Disabled |
| Wiki rating options | List of options available for the rating of wiki pages | 0,1,2,3,4,5 |
| User ratings on articles | Allow users to rate articles. Permissions involved: rate_article, ratings_view_results. Also, when configuring articles, "Admin Types > Comment can rate article" needs to be set. | Disabled |
| Article rating options | List of options available for the rating of articles. | 0,1,2,3,4,5 |
| Use vote system for comments | Allow users with permission to vote on comments. Begin Permissions involved: vote_comments, wiki_view_comments, ratings_view_results | Disabled |
| Simple wiki comment ratings | Enable users to rate comments based on a simple numeric scale. | Disabled |
| Wiki rating options | List of options available for the rating of wiki comments. | 0,1,2,3,4,5 |
| Display Post new comment form by default | | Disabled |
| Rating | A rating of the tracker item. Permissions involved: tracker_vote_ratings, tracker_revote_ratings, tracker_view_ratings | Disabled |
| Default rating options | List of options available. | 0,1,2,3,4 |
| Detailed rating results | Displays a table with the result count and percentage per rating option. ∷ Disabled Enabled | None |
| Include percentages in the detailed rating results | Include percentages in the detailed rating results. Otherwise, only count numbers and bars are shown. ∷ Disabled Enabled | None |

| Option | Description | Default |
|----------------------------|--|----------|
| Smiley Ratings | Displays smiley faces or emojis in a simple ratings system with an easy-to-use interface. Works with 0-11 only, depending on the configuration. ☐ Disabled Enabled | None |
| Reversed Rating Options | Displays the ratings options in reverse. □ Disabled Enabled | None |
| Advanced Rating | In an advanced rating system, the options and calculation method can be configured. | Disabled |

| Option | Description | Default |
|-----------------------------|--|---------------------|
| Rating recalculation mode | Determines when and how rating aggregates are recalculated. Depending on the site load, some options may be preferred to others. On large-volume sites, it should be done as a cron job. On vote recalculation, there may be inaccuracies if rating calculation is time-dependent. □ Recalculate on vote Randomly recalculate oldest ratings (on load) Randomly recalculate oldest ratings (on vote) Cron job (must be set manually) Before any attempt to reindex the object | Recalculate on vote |
| Recalculation odds (1 in X) | Dice roll performed on every request. When successful, will recalculate a certain number of votes. | 100 votes |
| Recalculation count | How many ratings should be recalculated when odds strike. | 100 ratings |
| IP can be checked | Check anonymous votes by user's IP | Disabled |
| Multiple votes per user | Allow users to vote multiple times in the same poll. i≡ Disabled Enabled | None |
| Rating | Enables adding a poll from the polls feature to a wiki page. The poll is unique to the page, created from a "poll template" which is created in the Polls feature: set a poll's 'active' drop-down to "template". • Permissions involved: group permissions, wiki_vote_ratings, wiki_view_ratings, ratings_view_results | Disabled |
| Simple wiki ratings | Enable users to rate wiki pages based on a simple numeric scale. \blacksquare | Disabled |
| Wiki rating options | List of options available for the rating of wiki pages | 0,1,2,3,4,5 |

| Option | Description | Default |
|--|---|-------------|
| User ratings on articles | Allow users to rate articles. Permissions involved: rate_article, ratings_view_results. Also, when configuring articles, "Admin Types > Comment can rate article" needs to be set. | Disabled |
| Article rating options | List of options available for the rating of articles. | 0,1,2,3,4,5 |
| Use vote system for comments | Allow users with permission to vote on comments. Permissions involved: vote_comments, wiki_view_comments, ratings_view_results | Disabled |
| Simple wiki comment ratings | Enable users to rate comments based on a simple numeric scale. | Disabled |
| Wiki rating options | List of options available for the rating of wiki comments. | 0,1,2,3,4,5 |
| Display Post new comment form by default | | Disabled |
| Rating | A rating of the tracker item. Permissions involved: tracker_vote_ratings, tracker_revote_ratings, tracker_view_ratings | Disabled |
| Default rating options | List of options available. | 0,1,2,3,4 |
| Detailed rating results | Displays a table with the result count and percentage per rating option. ∷ Disabled Enabled | None |
| Include percentages in the detailed rating results | Include percentages in the detailed rating results. Otherwise, only count numbers and bars are shown. i≡ Disabled Enabled | None |
| Smiley Ratings | Displays smiley faces or emojis in a simple ratings system with an easy-to-use interface. Works with 0-11 only, depending on the configuration. □ Disabled Enabled | None |
| Reversed Rating Options | Displays the ratings options in reverse. | None |
| Advanced Rating | In an advanced rating system, the options and calculation method can be configured. | Disabled |

| Option | Description | Default |
|------------------------------|--|------------------------|
| Rating recalculation mode | Determines when and how rating aggregates are recalculated. Depending on the site load, some options may be preferred to others. On large-volume sites, it should be done as a cron job. On vote recalculation, there may be inaccuracies if rating calculation is time-dependent. □ Recalculate on vote Randomly recalculate oldest ratings (on load) Randomly recalculate oldest ratings (on vote) Cron job (must be set manually) Before any attempt to reindex the object | Recalculate on vote |
| Recalculation odds (1 in X) | Dice roll performed on every request. When successful, will recalculate a certain number of votes. | 100 votes |
| Recalculation count | How many ratings should be recalculated when odds strike. | 100 ratings |
| IP can be checked | Check anonymous votes by user's IP | Disabled |
| Multiple votes per user | Allow users to vote multiple times in the same poll. ∷ Disabled Enabled | None |
| Rating | Enables adding a poll from the polls feature to a wiki page. The poll is unique to the page, created from a "poll template" which is created in the Polls feature: set a poll's 'active' drop-down to "template". • Permissions involved: group permissions, wiki_vote_ratings, wiki_view_ratings, ratings_view_results | Disabled |
| Simple wiki ratings | Enable users to rate wiki pages based on a simple numeric scale. \blacksquare | Disabled |
| Wiki rating options | List of options available for the rating of wiki pages | 0,1,2,3,4,5 |
| User ratings on articles | Allow users to rate articles. Permissions involved: rate_article, ratings_view_results. Also, when configuring articles, "Admin Types > Comment can rate article" needs to be set. | Disabled |
| Article rating options | List of options available for the rating of articles. | 0,1,2,3,4,5 |
| Use vote system for comments | Allow users with permission to vote on comments. Bermissions involved: vote_comments, wiki_view_comments, ratings_view_results | Disabled |
| Simple wiki comment ratings | Enable users to rate comments based on a simple numeric scale. | Disabled |

| Option | Description | Default |
|--|--|-------------|
| Wiki rating options | List of options available for the rating of wiki comments. | 0,1,2,3,4,5 |
| Display Post new comment form by default | | Disabled |
| Rating | A rating of the tracker item. Permissions involved: tracker_vote_ratings, tracker_revote_ratings, tracker_view_ratings | Disabled |
| Default rating options | List of options available. | 0,1,2,3,4 |
| Detailed rating results | Displays a table with the result count and percentage per rating option. ∷ Disabled Enabled | None |
| Include percentages in the detailed rating results | Include percentages in the detailed rating results. Otherwise, only count numbers and bars are shown. i≡ Disabled Enabled | None |
| Smiley Ratings | Displays smiley faces or emojis in a simple ratings system with an easy-to-use interface. Works with 0-11 only, depending on the configuration. □ Disabled Enabled | None |
| Reversed Rating Options | Displays the ratings options in reverse. | None |
| Advanced Rating | In an advanced rating system, the options and calculation method can be configured. | Disabled |

| Option | Description | Default |
|-----------------------------|--|---------------------|
| Rating recalculation mode | Determines when and how rating aggregates are recalculated. Depending on the site load, some options may be preferred to others. On large-volume sites, it should be done as a cron job. On vote recalculation, there may be inaccuracies if rating calculation is time-dependent. □ Recalculate on vote Randomly recalculate oldest ratings (on load) Randomly recalculate oldest ratings (on vote) Cron job (must be set manually) Before any attempt to reindex the object | Recalculate on vote |
| Recalculation odds (1 in X) | Dice roll performed on every request. When successful, will recalculate a certain number of votes. | 100 votes |

| Option | Description | Default |
|--|--|-------------|
| Recalculation count | How many ratings should be recalculated when odds strike. | 100 ratings |
| IP can be checked | Check anonymous votes by user's IP | Disabled |
| Multiple votes per user | Allow users to vote multiple times in the same poll. □ Disabled Enabled | None |
| Rating | Enables adding a poll from the polls feature to a wiki page. The poll is unique to the page, created from a "poll template" which is created in the Polls feature: set a poll's 'active' drop-down to "template". • Permissions involved: group permissions, wiki_vote_ratings, wiki_view_ratings, ratings_view_results | Disabled |
| Simple wiki ratings | Enable users to rate wiki pages based on a simple numeric scale. \blacksquare | Disabled |
| Wiki rating options | List of options available for the rating of wiki pages | 0,1,2,3,4,5 |
| User ratings on articles | Allow users to rate articles. Permissions involved: rate_article, ratings_view_results. Also, when configuring articles, "Admin Types > Comment can rate article" needs to be set. | Disabled |
| Article rating options | List of options available for the rating of articles. | 0,1,2,3,4,5 |
| Use vote system for comments | Allow users with permission to vote on comments. Permissions involved: vote_comments, wiki_view_comments, ratings_view_results | Disabled |
| Simple wiki comment ratings | Enable users to rate comments based on a simple numeric scale. | Disabled |
| Wiki rating options | List of options available for the rating of wiki comments. | 0,1,2,3,4,5 |
| Display Post new comment form by default | | Disabled |
| Rating | A rating of the tracker item. Permissions involved: tracker_vote_ratings, tracker_revote_ratings, tracker_view_ratings | Disabled |
| Default rating options | List of options available. | 0,1,2,3,4 |

| Option | Description | Default |
|--|--|----------|
| Detailed rating results | Displays a table with the result count and percentage per rating option. ∷ Disabled Enabled | None |
| Include percentages in the detailed rating results | Include percentages in the detailed rating results. Otherwise, only count numbers and bars are shown. ⊞ Disabled Enabled | None |
| Smiley Ratings | Displays smiley faces or emojis in a simple ratings system with an easy-to-use interface. Works with 0-11 only, depending on the configuration. □ Disabled Enabled | None |
| Reversed Rating Options | Displays the ratings options in reverse. ∷ Disabled Enabled | None |
| Advanced Rating | In an advanced rating system, the options and calculation method can be configured. | Disabled |

RSS Feeds

| Option | Description | Default |
|------------------------------------|---|----------------------------|
| RSS for articles | RSS feeds for articles | Disabled |
| Title | | Tiki RSS feed for articles |
| Article RSS description | Description to be published as part of the RSS feed for articles. | Last articles. |
| Maximum number of items to display | | 10 items |
| Show author | | Disabled |
| Homepage URL | | None |
| RSS for blogs | RSS feeds for blogs | Disabled |
| Title | | Tiki RSS feed for blogs |
| Blogs RSS description | Description to be published as part of the RSS feed for blogs. | Last posts to weblogs. |
| Maximum number of items to display | | 10 items |

| Option | Description | Default |
|---|---|-----------------------------|
| Show author | | Disabled |
| Homepage URL | | None |
| RSS for individual blogs | RSS feeds for individual blogs | Disabled |
| Title | Title to be prepended to the blog title for all blogs. If this field is empty only the blog title will be used. | None |
| Blog RSS Description | Description to be prepended to the blog description and published as part of the RSS feeds for individual blogs. If this field is empty, the blog description only will be used. | None |
| Maximum number of items to display | | 10 items |
| Show author | | Disabled |
| Homepage URL | | None |
| RSS for file galleries | RSS feed for file galleries | Disabled |
| Title | | Tiki RSS feed for file gall |
| File galleries RSS description | Description to be published as part of the RSS feed for file galleries. | Latest files uploaded to th |
| Maximum number of items to display | | 10 items |
| Homepage URL | | None |
| RSS for individual file galleries | RSS feeds for individual file galleries | Disabled |
| Title | | Tiki RSS feed for the file |
| Individual file galleries RSS description | Description to be published as part of the RSS feeds for individual file galleries. | Latest files uploaded to th |

| Option | Description | Default |
|------------------------------------|---|------------------------------|
| Maximum number of items to display | | 10 items |
| Homepage URL | | None |
| RSS for wiki pages | RSS feed for wiki pages | Disabled |
| Title | | Tiki RSS feed for the wiki |
| Wiki pages RSS description | Description to be published as part of the RSS feed for wiki pages pages. | Latest wiki page changes. |
| Maximum number of items to display | | 10 items |
| Show author | | Disabled |
| Homepage URL | | None |
| RSS for forums | RSS feed for forums | Disabled |
| Title | | Tiki RSS feed for forums |
| Forums RSS description | Description to be published as part of the RSS feed for forums. | Latest forum topics. |
| Maximum number of items to display | | 10 items |
| Show author | | Disabled |
| Homepage URL | | None |
| RSS for individual forums | RSS feeds for individual forums | Disabled |
| Title | | Tiki RSS feed for forum: |
| Individual forums RSS description | Description to be published as part of the RSS feeds for individual forums. | Latest posts to this form |
| Maximum number of items to display | | 10 items |
| Show author | | Disabled |
| Homepage URL | | None |
| RSS per tracker | RSS feed per tracker | Disabled |

| Option | Description | Default |
|-------------------------------------|--|-----------------------------|
| Title | | Tiki RSS feed for individua |
| Individual trackers RSS description | Description to be published as part of the RSS feed for individual trackers. | Latest additions to this tr |
| Maximum number of items to display | | 10 items |
| Show author | | Disabled |
| Homepage URL | | None |
| Tracker labels | Include tracker field labels in the RSS output | Enabled |
| RSS for calendar events | RSS feed for calendar events | Disabled |
| Title | | Tiki RSS feed for calendars |
| Calendar events RSS description | Description to be published as part of the RSS feed for calendar events. | Upcoming Events. |
| Maximum number of items to display | | 10 items |
| Show author | | Disabled |
| Homepage URL | | None |
| RSS for directories | RSS feed for directories | Disabled |
| Title | | Tiki RSS feed for directory |
| Directories RSS description | Description to be published as part of the RSS feed for directories. | Latest sites. |
| Maximum number of items to display | | 10 items |
| Show author | | Disabled |
| Homepage URL | | None |
| RSS for shoutbox | RSS feed for shoutbox | None |

| Option | Description | Default |
|------------------------------------|--|------------------------------|
| Title | | Tiki RSS feed for shoutbox |
| Shoutbox RSS description | Description to be published as part of the RSS feed for shoutbox messages. | Latest shoutbox messages. |
| Maximum number of items to display | | None |
| Show author | | Disabled |
| Homepage URL | | None |

| Option | Description | Default |
|------------------------------------|---|----------------------------|
| RSS for articles | RSS feeds for articles | Disabled |
| Title | | Tiki RSS feed for articles |
| Article RSS description | Description to be published as part of the RSS feed for articles. | Last articles. |
| Maximum number of items to display | | 10 items |
| Show author | | Disabled |
| Homepage URL | | None |
| RSS for blogs | RSS feeds for blogs | Disabled |
| Title | | Tiki RSS feed for blogs |
| Blogs RSS description | Description to be published as part of the RSS feed for blogs. | Last posts to weblogs. |
| Maximum number of items to display | | 10 items |
| Show author | | Disabled |
| Homepage URL | | None |
| RSS for individual blogs | RSS feeds for individual blogs | Disabled |
| Title | Title to be prepended to the blog title for all blogs. If this field is empty only the blog title will be used. | None |

| Option | Description | Default |
|---|---|-----------------------------|
| Blog RSS Description | Description to be prepended to the blog description and published as part of the RSS feeds for individual blogs. If this field is empty, the blog description only will be used. | None |
| Maximum number of items to display | | 10 items |
| Show author | | Disabled |
| Homepage URL | | None |
| RSS for file galleries | RSS feed for file galleries | Disabled |
| Title | | Tiki RSS feed for file gall |
| File galleries RSS description | Description to be published as part of the RSS feed for file galleries. | Latest files uploaded to th |
| Maximum number of items to display | | 10 items |
| Homepage URL | | None |
| RSS for individual file galleries | RSS feeds for individual file galleries | Disabled |
| Title | | Tiki RSS feed for the file |
| Individual file galleries RSS description | Description to be published as part of the RSS feeds for individual file galleries. | Latest files uploaded to th |
| Maximum number of items to display | | 10 items |
| Homepage URL | | None |
| RSS for wiki pages | RSS feed for wiki pages | Disabled |
| Title | | Tiki RSS feed for the wiki |

| Option | Description | Default |
|-------------------------------------|--|------------------------------|
| Wiki pages RSS description | Description to be published as part of the RSS feed for wiki pages pages. | Latest wiki page changes. |
| Maximum number of items to display | | 10 items |
| Show author | | Disabled |
| Homepage URL | | None |
| RSS for forums | RSS feed for forums | Disabled |
| Title | | Tiki RSS feed for forums |
| Forums RSS description | Description to be published as part of the RSS feed for forums. | Latest forum topics. |
| Maximum number of items to display | | 10 items |
| Show author | | Disabled |
| Homepage URL | | None |
| RSS for individual forums | RSS feeds for individual forums | Disabled |
| Title | | Tiki RSS feed for forum: |
| Individual forums RSS description | Description to be published as part of the RSS feeds for individual forums. | Latest posts to this form |
| Maximum number of items to display | | 10 items |
| Show author | | Disabled |
| Homepage URL | | None |
| RSS per tracker | RSS feed per tracker | Disabled |
| Title | | Tiki RSS feed for individua |
| Individual trackers RSS description | Description to be published as part of the RSS feed for individual trackers. | Latest additions to this tr |
| Maximum number of items to display | | 10 items |

| Option | Description | Default |
|------------------------------------|--|------------------------------|
| Show author | | Disabled |
| Homepage URL | | None |
| Tracker labels | Include tracker field labels in the RSS output | Enabled |
| RSS for calendar events | RSS feed for calendar events | Disabled |
| Title | | Tiki RSS feed for calendars |
| Calendar events RSS description | Description to be published as part of the RSS feed for calendar events. | Upcoming Events. |
| Maximum number of items to display | | 10 items |
| Show author | | Disabled |
| Homepage URL | | None |
| RSS for directories | RSS feed for directories | Disabled |
| Title | | Tiki RSS feed for directory |
| Directories RSS description | Description to be published as part of the RSS feed for directories. | Latest sites. |
| Maximum number of items to display | | 10 items |
| Show author | | Disabled |
| Homepage URL | | None |
| RSS for shoutbox | RSS feed for shoutbox | None |
| Title | | Tiki RSS feed for shoutbox |
| Shoutbox RSS description | Description to be published as part of the RSS feed for shoutbox messages. | Latest shoutbox messages. |
| Maximum number of items to display | | None |

| Option | Description | Default |
|--------------|-------------|----------|
| Show author | | Disabled |
| Homepage URL | | None |

| Option | Description | Default |
|------------------------------------|---|----------------------------|
| RSS for articles | RSS feeds for articles | Disabled |
| Title | | Tiki RSS feed for articles |
| Article RSS description | Description to be published as part of the RSS feed for articles. | Last articles. |
| Maximum number of items to display | | 10 items |
| Show author | | Disabled |
| Homepage URL | | None |
| RSS for blogs | RSS feeds for blogs | Disabled |
| Title | | Tiki RSS feed for blogs |
| Blogs RSS description | Description to be published as part of the RSS feed for blogs. | Last posts to weblogs. |
| Maximum number of items to display | | 10 items |
| Show author | | Disabled |
| Homepage URL | | None |
| RSS for individual blogs | RSS feeds for individual blogs | Disabled |
| Title | Title to be prepended to the blog title for all blogs. If this field is empty only the blog title will be used. | None |
| Blog RSS Description | Description to be prepended to the blog description and published as part of the RSS feeds for individual blogs. If this field is empty, the blog description only will be used. | None |
| Maximum number of items to display | | 10 items |

| Option | Description | Default |
|---|---|------------------------------|
| Show author | | Disabled |
| Homepage URL | | None |
| RSS for file galleries | RSS feed for file galleries | Disabled |
| Title | | Tiki RSS feed for file gall |
| File galleries RSS description | Description to be published as part of the RSS feed for file galleries. | Latest files uploaded to th |
| Maximum number of items to display | | 10 items |
| Homepage URL | | None |
| RSS for individual file galleries | RSS feeds for individual file galleries | Disabled |
| Title | | Tiki RSS feed for the file |
| Individual file galleries RSS description | Description to be published as part of the RSS feeds for individual file galleries. | Latest files uploaded to th |
| Maximum number of items to display | | 10 items |
| Homepage URL | | None |
| RSS for wiki pages | RSS feed for wiki pages | Disabled |
| Title | | Tiki RSS feed for the wiki |
| Wiki pages RSS description | Description to be published as part of the RSS feed for wiki pages pages. | Latest wiki page changes. |
| Maximum number of items to display | | 10 items |
| Show author | | Disabled |
| Homepage URL | | None |
| RSS for forums | RSS feed for forums | Disabled |

| Option | Description | Default |
|-------------------------------------|--|-----------------------------|
| Title | | Tiki RSS feed for forums |
| Forums RSS description | Description to be published as part of the RSS feed for forums. | Latest forum topics. |
| Maximum number of items to display | | 10 items |
| Show author | | Disabled |
| Homepage URL | | None |
| RSS for individual forums | RSS feeds for individual forums | Disabled |
| Title | | Tiki RSS feed for forum: |
| Individual forums RSS description | Description to be published as part of the RSS feeds for individual forums. | Latest posts to this form |
| Maximum number of items to display | | 10 items |
| Show author | | Disabled |
| Homepage URL | | None |
| RSS per tracker | RSS feed per tracker | Disabled |
| Title | | Tiki RSS feed for individua |
| Individual trackers RSS description | Description to be published as part of the RSS feed for individual trackers. | Latest additions to this tr |
| Maximum number of items to display | | 10 items |
| Show author | | Disabled |
| Homepage URL | | None |
| Tracker labels | Include tracker field labels in the RSS output | Enabled |
| RSS for calendar events | RSS feed for calendar events | Disabled |
| Title | | Tiki RSS feed for calendars |

| Option | Description | Default |
|------------------------------------|--|------------------------------|
| Calendar events RSS description | Description to be published as part of the RSS feed for calendar events. | Upcoming Events. |
| Maximum number of items to display | | 10 items |
| Show author | | Disabled |
| Homepage URL | | None |
| RSS for directories | RSS feed for directories | Disabled |
| Title | | Tiki RSS feed for directory |
| Directories RSS description | Description to be published as part of the RSS feed for directories. | Latest sites. |
| Maximum number of items to display | | 10 items |
| Show author | | Disabled |
| Homepage URL | | None |
| RSS for shoutbox | RSS feed for shoutbox | None |
| Title | | Tiki RSS feed for shoutbox |
| Shoutbox RSS description | Description to be published as part of the RSS feed for shoutbox messages. | Latest shoutbox messages. |
| Maximum number of items to display | | None |
| Show author | | Disabled |
| Homepage URL | | None |

| Option | Description | Default |
|------------------|------------------------|----------------------------|
| RSS for articles | RSS feeds for articles | Disabled |
| Title | | Tiki RSS feed for articles |

| Option | Description | Default |
|------------------------------------|---|-----------------------------|
| Article RSS description | Description to be published as part of the RSS feed for articles. | Last articles. |
| Maximum number of items to display | | 10 items |
| Show author | | Disabled |
| Homepage URL | | None |
| RSS for blogs | RSS feeds for blogs | Disabled |
| Title | | Tiki RSS feed for blogs |
| Blogs RSS description | Description to be published as part of the RSS feed for blogs. | Last posts to weblogs. |
| Maximum number of items to display | | 10 items |
| Show author | | Disabled |
| Homepage URL | | None |
| RSS for individual blogs | RSS feeds for individual blogs | Disabled |
| Title | Title to be prepended to the blog title for all blogs. If this field is empty only the blog title will be used. | None |
| Blog RSS Description | Description to be prepended to the blog description and published as part of the RSS feeds for individual blogs. If this field is empty, the blog description only will be used. | None |
| Maximum number of items to display | | 10 items |
| Show author | | Disabled |
| Homepage URL | | None |
| RSS for file galleries | RSS feed for file galleries | Disabled |
| Title | | Tiki RSS feed for file gall |

| Option | Description | Default |
|---|---|------------------------------|
| File galleries RSS description | Description to be published as part of the RSS feed for file galleries. | Latest files uploaded to th |
| Maximum number of items to display | | 10 items |
| Homepage URL | | None |
| RSS for individual file galleries | RSS feeds for individual file galleries | Disabled |
| Title | | Tiki RSS feed for the file |
| | | |
| Individual file galleries RSS description | Description to be published as part of the RSS feeds for individual file galleries. | Latest files uploaded to th |
| Maximum number of items to display | | 10 items |
| Homepage URL | | None |
| RSS for wiki pages | RSS feed for wiki pages | Disabled |
| Title | | Tiki RSS feed for the wiki |
| | | |
| Wiki pages RSS description | Description to be published as part of the RSS feed for wiki pages pages. | Latest wiki page changes. |
| Maximum number of items to display | | 10 items |
| Show author | | Disabled |
| Homepage URL | | None |
| RSS for forums | RSS feed for forums | Disabled |
| Title | | Tiki RSS feed for forums |
| Forums RSS description | Description to be published as part of the RSS feed for forums. | Latest forum topics. |
| Maximum number of items to display | | 10 items |
| Show author | | Disabled |

| Option | Description | Default |
|-------------------------------------|--|-----------------------------|
| Homepage URL | | None |
| RSS for individual forums | RSS feeds for individual forums | Disabled |
| Title | | Tiki RSS feed for forum: |
| Individual forums RSS description | Description to be published as part of the RSS feeds for individual forums. | Latest posts to this form |
| Maximum number of items to display | | 10 items |
| Show author | | Disabled |
| Homepage URL | | None |
| RSS per tracker | RSS feed per tracker | Disabled |
| Title | | Tiki RSS feed for individua |
| Individual trackers RSS description | Description to be published as part of the RSS feed for individual trackers. | Latest additions to this tr |
| Maximum number of items to display | | 10 items |
| Show author | | Disabled |
| Homepage URL | | None |
| Tracker labels | Include tracker field labels in the RSS output | Enabled |
| RSS for calendar events | RSS feed for calendar events | Disabled |
| Title | | Tiki RSS feed for calendars |
| Calendar events RSS description | Description to be published as part of the RSS feed for calendar events. | Upcoming Events. |
| Maximum number of items to display | | 10 items |
| Show author | | Disabled |
| Homepage URL | | None |

| Option | Description | Default |
|------------------------------------|--|------------------------------|
| RSS for directories | RSS feed for directories | Disabled |
| Title | | Tiki RSS feed for directory |
| Directories RSS description | Description to be published as part of the RSS feed for directories. | Latest sites. |
| Maximum number of items to display | | 10 items |
| Show author | | Disabled |
| Homepage URL | | None |
| RSS for shoutbox | RSS feed for shoutbox | None |
| Title | | Tiki RSS feed for shoutbox |
| Shoutbox RSS description | Description to be published as part of the RSS feed for shoutbox messages. | Latest shoutbox messages. |
| Maximum number of items to display | | None |
| Show author | | Disabled |
| Homepage URL | | None |

| Option | Description | Default |
|------------------------------------|---|----------------------------|
| RSS for articles | RSS feeds for articles | Disabled |
| Title | | Tiki RSS feed for articles |
| Article RSS description | Description to be published as part of the RSS feed for articles. | Last articles. |
| Maximum number of items to display | | 10 items |
| Show author | | Disabled |
| Homepage URL | | None |
| RSS for blogs | RSS feeds for blogs | Disabled |

| Option | Description | Default |
|------------------------------------|---|-----------------------------|
| Title | | Tiki RSS feed for blogs |
| Blogs RSS description | Description to be published as part of the RSS feed for blogs. | Last posts to weblogs. |
| Maximum number of items to display | | 10 items |
| Show author | | Disabled |
| Homepage URL | | None |
| RSS for individual blogs | RSS feeds for individual blogs | Disabled |
| Title | Title to be prepended to the blog title for all blogs. If this field is empty only the blog title will be used. | None |
| Blog RSS Description | Description to be prepended to the blog description and published as part of the RSS feeds for individual blogs. If this field is empty, the blog description only will be used. | None |
| Maximum number of items to display | | 10 items |
| Show author | | Disabled |
| Homepage URL | | None |
| RSS for image galleries | RSS feed for image galleries | Disabled |
| Title | | Tiki RSS feed for image gal |
| Image galleries RSS description | Description to be published as part of the RSS feed for image galleries. | Latest images uploaded to t |
| Maximum number of items to display | | 10 items |
| Show author | | Disabled |
| Homepage URL | | None |
| RSS for individual image galleries | RSS feeds for individual image galleries | Disabled |

| Option | Description | Default |
|---|--|-----------------------------|
| Title | | Tiki RSS feed for the image |
| Individual image galleries RSS Description | Description to be published as part of the RSS feeds for individual image galleries. | Latest images uploaded to t |
| Maximum number of items to display | | 10 items |
| Show author | | Disabled |
| Homepage URL | | None |
| RSS for file galleries | RSS feed for file galleries | Disabled |
| Title | | Tiki RSS feed for file gall |
| File galleries RSS description | Description to be published as part of the RSS feed for file galleries. | Latest files uploaded to th |
| Maximum number of items to display | | 10 items |
| Show author | | Disabled |
| Homepage URL | | None |
| RSS for individual file galleries | RSS feeds for individual file galleries | Disabled |
| Title | | Tiki RSS feed for the file |
| Individual file galleries RSS description | Description to be published as part of the RSS feeds for individual file galleries. | Latest files uploaded to th |
| Maximum number of items to display | | 10 items |
| Show author | | Disabled |
| Homepage URL | | None |
| RSS for wiki pages | RSS feed for wiki pages | Disabled |
| Title | | Tiki RSS feed for the wiki |

| Option | Description | Default |
|-------------------------------------|--|------------------------------|
| Wiki pages RSS description | Description to be published as part of the RSS feed for wiki pages pages. | Latest wiki page changes. |
| Maximum number of items to display | | 10 items |
| Show author | | Disabled |
| Homepage URL | | None |
| RSS for forums | RSS feed for forums | Disabled |
| Title | | Tiki RSS feed for forums |
| Forums RSS description | Description to be published as part of the RSS feed for forums. | Latest forum topics. |
| Maximum number of items to display | | 10 items |
| Show author | | Disabled |
| Homepage URL | | None |
| RSS for individual forums | RSS feeds for individual forums | Disabled |
| Title | | Tiki RSS feed for forum: |
| Individual forums RSS description | Description to be published as part of the RSS feeds for individual forums. | Latest posts to this form |
| Maximum number of items to display | | 10 items |
| Show author | | Disabled |
| Homepage URL | | None |
| RSS per tracker | RSS feed per tracker | Disabled |
| Title | | Tiki RSS feed for individua |
| Individual trackers RSS description | Description to be published as part of the RSS feed for individual trackers. | Latest additions to this tr |
| Maximum number of items to display | | 10 items |

| Option | Description | Default |
|------------------------------------|--|------------------------------|
| Show author | | Disabled |
| Homepage URL | | None |
| Tracker labels | Include tracker field labels in the RSS output | Enabled |
| RSS for calendar events | RSS feed for calendar events | Disabled |
| Title | | Tiki RSS feed for calendars |
| Calendar events RSS description | Description to be published as part of the RSS feed for calendar events. | Upcoming Events. |
| Maximum number of items to display | | 10 items |
| Show author | | Disabled |
| Homepage URL | | None |
| RSS for directories | RSS feed for directories | Disabled |
| Title | | Tiki RSS feed for directory |
| Directories RSS description | Description to be published as part of the RSS feed for directories. | Latest sites. |
| Maximum number of items to display | | 10 items |
| Show author | | Disabled |
| Homepage URL | | None |
| RSS for shoutbox | RSS feed for shoutbox | None |
| Title | | Tiki RSS feed for shoutbox |
| Shoutbox RSS description | Description to be published as part of the RSS feed for shoutbox messages. | Latest shoutbox messages. |
| Maximum number of items to display | | None |

| Option | Description | Default |
|--------------|-------------|----------|
| Show author | | Disabled |
| Homepage URL | | None |

RSS General preferences

| Option | Description | Default |
|--------------------------|--|-----------------------|
| Default feed format | h Atom 1.0 - RSS 2.0 ≡ ATOM 1.0 RSS 2.0 | ATOM 1.0 |
| Feed author name | Default author of each item in the feed. This field is mandatory unless both feed author email and homepage are empty. | None |
| Feed author email | Email of the author of each item in the feed. | None |
| Feed author homepage | Homepage URL of the author of each item in the feed. | None |
| Feed editor email | Email address for person responsible for editorial content. | None |
| Feed webmaster email | Email address for person responsible for technical issues relating to channel. | None |
| Feed image path | Specifies a GIF, JPEG or PNG image that can be displayed with the feed. | img/tiki/Tiki_WCG.png |
| Feed language | The default language for this feed | en-us |
| Feed caching time | Cache the feed for this number of seconds. * Feed caching is done for anonymous users only. Use 0 for no caching | 300 seconds |
| RSS basic authentication | Propose basic HTTP authentication if the user has no permission to see the feed | Disabled |

| Option | Description | Default |
|---------------------|--|----------|
| Default feed format | ♣ Atom 1.0 - RSS 2.0 ≅ ATOM 1.0 RSS 2.0 | ATOM 1.0 |

| Option | Description | Default |
|--------------------------|---|-----------------------|
| Feed author name | Default author of each item in the feed. This field is mandatory unless both feed author email and homepage are empty. | None |
| Feed author email | Email of the author of each item in the feed. | None |
| Feed author homepage | Homepage URL of the author of each item in the feed. | None |
| Feed editor email | Email address for person responsible for editorial content. | None |
| Feed webmaster email | Email address for person responsible for technical issues relating to channel. | None |
| Feed image path | Specifies a GIF, JPEG or PNG image that can be displayed with the feed. | img/tiki/Tiki_WCG.png |
| Feed language | The default language for this feed | en-us |
| Feed caching time | Cache the feed for this number of seconds. * Feed caching is done for anonymous users only. b Use 0 for no caching | 300 seconds |
| RSS basic authentication | Propose basic HTTP authentication if the user has no permission to see the feed | Disabled |

| Option | Description | Default |
|----------------------|---|----------|
| Default feed format | ♣ Atom 1.0 - RSS 2.0 ≡ ATOM 1.0 RSS 2.0 | ATOM 1.0 |
| Feed author name | Default author of each item in the feed. This field is mandatory unless both feed author email and homepage are empty. | None |
| Feed author email | Email of the author of each item in the feed. | None |
| Feed author homepage | Homepage URL of the author of each item in the feed. | None |
| Feed editor email | Email address for person responsible for editorial content. | None |
| Feed webmaster email | Email address for person responsible for technical issues relating to channel. | None |

| Option | Description | Default |
|--------------------------|--|-----------------------|
| Feed image path | Specifies a GIF, JPEG or PNG image that can be displayed with the feed. | img/tiki/Tiki_WCG.png |
| Feed language | The default language for this feed | en-us |
| Feed caching time | Cache the feed for this number of seconds. * Feed caching is done for anonymous users only. Use 0 for no caching | 300 seconds |
| RSS basic authentication | Propose basic HTTP authentication if the user has no permission to see the feed | Disabled |

| Option | Description | Default |
|--------------------------|--|-----------------------|
| Default feed format | ♣ Atom 1.0 - RSS 2.0 ■ ATOM 1.0 RSS 2.0 | ATOM 1.0 |
| Feed author name | Default author of each item in the feed. This field is mandatory unless both feed author email and homepage are empty. | None |
| Feed author email | Email of the author of each item in the feed. | None |
| Feed author homepage | Homepage URL of the author of each item in the feed. | None |
| Feed editor email | Email address for person responsible for editorial content. | None |
| Feed webmaster email | Email address for person responsible for technical issues relating to channel. | None |
| Feed image path | Specifies a GIF, JPEG or PNG image that can be displayed with the feed. | img/tiki/Tiki_WCG.png |
| Feed language | The default language for this feed | en-us |
| Feed caching time | Cache the feed for this number of seconds. * Feed caching is done for anonymous users only. Use 0 for no caching | 300 seconds |
| RSS basic authentication | Propose basic HTTP authentication if the user has no permission to see the feed | Disabled |

| Option | Description | Default |
|--------------------------|---|-----------------------|
| Default feed format | ♣ Atom 1.0 - RSS 2.0 ≡ ATOM 1.0 RSS 2.0 | ATOM 1.0 |
| Feed author name | Default author of each item in the feed. This field is mandatory unless both feed author email and homepage are empty. | None |
| Feed author email | Email of the author of each item in the feed. | None |
| Feed author homepage | Homepage URL of the author of each item in the feed. | None |
| Feed editor email | Email address for person responsible for editorial content. | None |
| Feed webmaster email | Email address for person responsible for technical issues relating to channel. | None |
| Feed image path | Specifies a GIF, JPEG or PNG image that can be displayed with the feed. | img/tiki/Tiki_WCG.png |
| Feed language | The default language for this feed | en-us |
| Feed caching time | Cache the feed for this number of seconds. * Feed caching is done for anonymous users only. b Use 0 for no caching | 300 seconds |
| RSS basic authentication | Propose basic HTTP authentication if the user has no permission to see the feed | Disabled |

RSS Incoming feeds

| Option | Description | Default |
|--|--|----------|
| Fetch page content from incoming feeds | Page content from the source will be fetched before sending the content to the generators. | Disabled |
| Tracker for articles | Have a tracker to supplement article information | Disabled |
| Tracker ID of tracker for articles | A tracker for articles must contain an "Articles" field | None |

| Option | Description | Default |
|------------------------------------|--|----------|
| Index article info in tracker item | Sets whether the article info should be indexed in the tracker item. This automatically sets the article field to read-only and sets up categorization synchronization between articles and tracker items. | Disabled |

| Option | Description | Default |
|--|--|----------|
| Fetch page content from incoming feeds | Page content from the source will be fetched before sending the content to the generators. | Disabled |
| Tracker for articles | Have a tracker to supplement article information | Disabled |
| Tracker ID of tracker for articles | A tracker for articles must contain an "Articles" field | None |
| Index article info in tracker item | Sets whether the article info should be indexed in the tracker item. This automatically sets the article field to read-only and sets up categorization synchronization between articles and tracker items. | Disabled |

| Option | Description | Default |
|--|--|----------|
| Fetch page content from incoming feeds | Page content from the source will be fetched before sending the content to the generators. | Disabled |
| Tracker for articles | Have a tracker to supplement article information | Disabled |
| Tracker ID of tracker for articles | A tracker for articles must contain an "Articles" field | None |
| Index article info in tracker item | Sets whether the article info should be indexed in the tracker item. This automatically sets the article field to read-only and sets up categorization synchronization between articles and tracker items. | Disabled |

| Option | Description | Default |
|--|--|----------|
| Fetch page content from incoming feeds | Page content from the source will be fetched before sending the content to the generators. | Disabled |
| Tracker for articles | Have a tracker to supplement article information | Disabled |
| Tracker ID of tracker for articles | A tracker for articles must contain an "Articles" field | None |

| Option | Description | Default |
|------------------------------------|--|----------|
| Index article info in tracker item | Sets whether the article info should be indexed in the tracker item. This automatically sets the article field to read-only and sets up categorization synchronization between articles and tracker items. | Disabled |

| Option | Description | Default |
|--|--|----------|
| Fetch page content from incoming feeds | Page content from the source will be fetched before sending the content to the generators. | Disabled |
| Tracker for articles | Have a tracker to supplement article information | Disabled |
| Tracker ID of tracker for articles | A tracker for articles must contain an "Articles" field | None |
| Index article info in tracker item | Sets whether the article info should be indexed in the tracker item. This automatically sets the article field to read-only and sets up categorization synchronization between articles and tracker items. | Disabled |

RTC - BigBlueButton

| Option | Description | Default |
|--|---|----------------|
| BigBlueButton web conferencing | Integration with the BigBlueButton collaboration server for web conference and screen sharing. | Disabled |
| BigBlueButton server location | Full URL to the BigBlueButton installation. http://host.example.com/ | None |
| BigBlueButton server salt | A salt key used to generate checksums for the BigBlueButton server to assure that requests are authentic. | None |
| BigBlueButton recording maximum duration | A maximum duration for the meetings must be submitted to BigBlueButton to prevent the recordings from being excessively long if a user leaves the conference window open. | 300 minutes |
| BigBlueButton dynamic configuration | Uses the advanced options of BigBlueButton to configure the XML per room. \blacksquare | Disabled |
| Plugin BigBlueButton | Hold a video/audio/chat/presentation session using the BigBlueButton web conferencing system. | Enabled |

| Option | Description | Default |
|--|---|----------------|
| BigBlueButton web conferencing | Integration with the BigBlueButton collaboration server for web conference and screen sharing. | Disabled |
| BigBlueButton server location | Full URL to the BigBlueButton installation. http://host.example.com/ | None |
| BigBlueButton server salt | A salt key used to generate checksums for the BigBlueButton server to assure that requests are authentic. | None |
| BigBlueButton recording maximum duration | A maximum duration for the meetings must be submitted to BigBlueButton to prevent the recordings from being excessively long if a user leaves the conference window open. | 300 minutes |
| Plugin BigBlueButton | Hold a video/audio/chat/presentation session using the BigBlueButton web conferencing system. | Enabled |

| Option | Description | Default |
|--|---|----------------|
| BigBlueButton web conferencing | Integration with the BigBlueButton collaboration server for web conference and screen sharing. | Disabled |
| BigBlueButton server location | Full URL to the BigBlueButton installation. http://host.example.com/ | None |
| BigBlueButton server salt | A salt key used to generate checksums for the BigBlueButton server to assure that requests are authentic. | None |
| BigBlueButton recording maximum duration | A maximum duration for the meetings must be submitted to BigBlueButton to prevent the recordings from being excessively long if a user leaves the conference window open. | 300 minutes |
| Plugin BigBlueButton | Hold a video/audio/chat/presentation session using the BigBlueButton web conferencing system. | Enabled |

| Option | Description | Default |
|--------------------------------|--|----------|
| BigBlueButton web conferencing | Integration with the BigBlueButton collaboration server for web conference and screen sharing. | Disabled |
| BigBlueButton server location | Full URL to the BigBlueButton installation. http://host.example.com/ | None |

| Option | Description | Default |
|--|---|----------------|
| BigBlueButton server salt | A salt key used to generate checksums for the BigBlueButton server to assure that requests are authentic. | None |
| BigBlueButton recording maximum duration | A maximum duration for the meetings must be submitted to BigBlueButton to prevent the recordings from being excessively long if a user leaves the conference window open. | 300 minutes |
| Plugin BigBlueButton | Hold a video/audio/chat/presentation session using the BigBlueButton web conferencing system. | Enabled |

| Option | Description | Default |
|--|---|----------------|
| BigBlueButton web conferencing | Integration with the BigBlueButton collaboration server for web conference and screen sharing. | Disabled |
| BigBlueButton server location | Full URL to the BigBlueButton installation. http://host.example.com/ | None |
| BigBlueButton server salt | A salt key used to generate checksums for the BigBlueButton server to assure that requests are authentic. | None |
| BigBlueButton recording maximum duration | A maximum duration for the meetings must be submitted to BigBlueButton to prevent the recordings from being excessively long if a user leaves the conference window open. | 300 minutes |
| Plugin BigBlueButton | Hold a video/audio/chat/presentation session using the BigBlueButton web conferencing system. | Enabled |

RTC - XMPP

| Option | Description | Default |
|------------------------------|---|----------|
| XMPP client (ConverseJS) | Integration with Converse.js XMPP client. | Disabled |
| XMPP server domain | XMPP server domain b example.org | None |
| XMPP http-bind URL | Full URL to the http-bind. https://xmpp.example.org/http-bind/ | None |
| XMPP MUC Domain | Required for auto-joining rooms hequired for auto-joining rooms hequired for auto-joining rooms | None |
| Authentication method | The authentication method to be used by XMPP client ∃ Plain OAuth (uses Tiki as provider) Openfire TikiToken | None |
| Openfire REST API endpoint | Full URL to API endpoint https://xmpp.example.org:9091/plugins/restapi/v1/ | None |
| Rest API username | Username to allow Openfire API usage | None |
| Rest API password | Password to allow Openfire API usage | None |
| Allow anonymous | Allow anonymous users on Chat | Disabled |
| Always Load ConverseJS | Adds the ConverseJS Javascript and CSS files to every page. | Disabled |
| ConverseJS Debug Mode | Enables more logging, e.g. XML stanzas and error tracebacks to the JavaScript Console | Disabled |
| ConverseJS Extra Settings | JSON format object defining extra optional settings to initialize ConverseJS | None |

| Option | Description | Default |
|-----------------------------|---|----------|
| XMPP client (ConverseJS) | Integration with Converse.js XMPP client. | Disabled |
| XMPP server domain | XMPP server domain key example.org | None |
| XMPP http-bind URL | Full URL to the http-bind. https://xmpp.example.org/http-bind/ | None |
| XMPP MUC Domain | Required for auto-joining rooms | |

| Option | Description | Default |
|------------------------------|---|----------|
| Authentication method | The authentication method to be used by XMPP client | None |
| Openfire REST API endpoint | Full URL to API endpoint https://xmpp.example.org:9091/plugins/restapi/v1/ | None |
| Rest API username | Username to allow Openfire API usage | None |
| Rest API password | Password to allow Openfire API usage | None |
| Allow anonymous | Allow anonymous users on Chat | Disabled |
| Always Load ConverseJS | Adds the ConverseJS Javascript and CSS files to every page. | Disabled |
| ConverseJS Debug Mode | Enables more logging, e.g. XML stanzas and error tracebacks to the JavaScript Console | Disabled |
| ConverseJS Extra Settings | JSON format object defining extra optional settings to initialize ConverseJS | None |

| Option | Description | Default |
|-----------------------------|---|----------|
| XMPP client (ConverseJS) | Integration with Converse.js XMPP client. | Disabled |
| XMPP server domain | XMPP server domain b example.org | None |
| XMPP http-bind URL | Full URL to the http-bind. https://xmpp.example.org/http-bind/ | None |
| XMPP MUC Domain | Required for auto-joining rooms | |

| Option | Description | Default |
|------------------------------|--|---------|
| ConverseJS Extra Settings | JSON format object defining extra optional settings to initialize ConverseJS | None |

| Option | Description | Default |
|------------------------------|---|----------|
| XMPP client (ConverseJS) | Integration with Converse.js XMPP client. | Disabled |
| XMPP server domain | XMPP server domain b example.org | None |
| XMPP http-bind URL | Full URL to the http-bind. https://xmpp.example.org/http-bind/ | None |
| XMPP MUC Domain | Required for auto-joining rooms h conference.example.org | None |
| Authentication method | The authentication method to be used by XMPP client ∃ Plain OAuth (uses Tiki as provider) Openfire TikiToken | None |
| Openfire REST API endpoint | Full URL to API endpoint https://xmpp.example.org:9091/plugins/restapi/v1/ | None |
| Rest API username | Username to allow Openfire API usage | None |
| Rest API password | Password to allow Openfire API usage | None |
| Always Load ConverseJS | Adds the ConverseJS Javascript and CSS files to every page. | Disabled |
| ConverseJS Debug Mode | Enables more logging, e.g. XML stanzas and error tracebacks to the JavaScript Console | Disabled |
| ConverseJS Extra Settings | JSON format object defining extra optional settings to initialize ConverseJS | None |

| Option | Description | Default |
|-----------------------------|---|----------|
| XMPP client (ConverseJS) | Integration with Converse.js XMPP client. | Disabled |
| XMPP server domain | XMPP server domain becample.org | None |
| XMPP http-bind URL | Full URL to the http-bind. https://xmpp.example.org/http-bind/ | None |
| XMPP MUC Domain | Required for auto-joining rooms | |

| Option | Description | Default |
|------------------------------|---|----------|
| Authentication method | The authentication method to be used by XMPP client ∃ Plain OAuth (uses Tiki as provider) Openfire TikiToken | None |
| Openfire REST API endpoint | Full URL to API endpoint https://xmpp.example.org:9091/plugins/restapi/v1/ | None |
| Rest API username | Username to allow Openfire API usage | None |
| Rest API password | Password to allow Openfire API usage | None |
| ConverseJS Debug Mode | Enables more logging, e.g. XML stanzas and error tracebacks to the JavaScript Console | Disabled |
| ConverseJS Extra Settings | JSON format object defining extra optional settings to initialize ConverseJS | None |