

# Polls

Option	Description	Default
Polls	Presentation of a set of votable options, typically displayed in a module	Disabled
Plugin Poll	Embed a poll	Enabled
Anonymous voting	Allow anonymous users to participate in voting 👉 <i>This can be overridden by specific permissions.</i>	Disabled
Allow re-voting	Visitors can vote mulitple times in a poll.	Enabled
Comments for polls	Users with permission may post threaded comments. The comments will appear at the bottom of the page.	Disabled
Number per page	Number of comments to show on poll pages	10 comments
Display order	The order in which order polls are displayed ☰ Newest first   Oldest first   Points	Points
Show categories	For polls that are categorized, the category is displayed.	Disabled
Show objects	List wiki pages or other site objects that the poll is attached to.	Disabled
Multiple polls per object	When used with the rating features, allow multiple polls to be attached to a single object.	Disabled
Precision of survey results calculation	Number of decimal places in the percentage figures	2 decimal places



## Polls - Surveys

Option	Description	Default
Surveys	Create questionnaires with multiple-choice or open-ended questions	Disabled
Disable textarea toolbar	Don't display the toolbar on text inputs in surveys.	Disabled




## Print

Option	Description	Default
<a href="#">PDF from URL</a>	Using external tools, generate PDF documents from URLs. ☰ Disabled   WebKit (wkhtmltopdf)   WeasyPrint   Webservice   mPDF	Disabled
<a href="#">WebKit path</a>	Full path to the wkhtmltopdf executable to generate the PDF document with	None
<a href="#">WeasyPrint path</a>	Full path to the weasyprint executable to generate the PDF document with	None
Webservice URL	URL to a service that takes a URL as the query string and returns a PDF document	None
PDF Orientation	Landscape or portrait ☰ Portrait   Landscape	Portrait
PDF page size	ISO Standard sizes: A0, A1, A2, A3, A4, A5 or North American paper sizes: Letter, Legal, Tabloid/Ledger (for ledger, select landscape orientation) ☰ Letter   Legal   Tabloid/Ledger   A0   A1   A2   A3   A4   A5   A6	A4
Print Friendly PDF	Useful for dark themes, enabling this option will change the theme background color to white and the color of text to black. If not activated, theme colors will be retained in the pdf file.	Enabled
Table of contents	Generate auto table of contents with PDF	Disabled
Link TOC with content	Link table of contents headings with content in the PDF	Disabled
TOC heading	Heading to be displayed above the table of contents	Table of Contents
PDF TOC levels	These will be automatically created from the content; the default will be heading 1, heading 2 and heading 3 - for example, H1 H2 H3.	H1 H2 H3
Show Page title	Print wiki page title with pdf ☰ Default   Yes   No	None
PDF header text	Possible values, Plain text, HTML, Wiki syntax, 2,{PAGETITLE},{DATE j-m-Y}, Page 2 of {NB}, 👉 HTML / Wiki Syntax / Left text   Center Text   Right Text	None
PDF footer text	HTML, Wiki Syntax, plain text, 2, {DATE j-m-Y}, Page 2 of {NB}. 👉 HTML / Wiki Syntax / Left text   Center Text   Right Text	None
Left margin	Numeric value.For example 10	10 pixels
Right margin	Numeric value, no need to add px. For example 10	10 pixels
Top margin	Numeric value, no need to add px. For example 10	10 pixels
Bottom margin	Numeric value, no need to add px. For example 10	10 pixels

Option	Description	Default
Header margin from top of document	Only applicable if the header is set. Specify a numeric value, and there is no need to add "px". For example, 10. 👉 <i>Warning: Header can overlap text if top margin is not set properly</i>	5 pixels
Footer margin from bottom of document	Only applicable if the footer is set. Specify a numeric value, and there is no need to add "px". For example, 10. 👉 <i>Warning: Footer can overlap text if bottom margin is not set properly</i>	5 pixels
Hyperlink behaviour in PDF	☰ Default   Off (Links will be removed)   Add as footnote (Links will be listed at end of document)	None
PDF Bookmarks	Automatically generate bookmarks 👉 <i>H1-H6, separated by  . For example: H1 H2 H3</i>	H1 H2 H3
Number of columns	☰ Default - 1 Column   2 Columns   3 Columns   4 Columns	None
PDF password for viewing	Password-protect the generated PDF.	None
Watermark text	PDF watermark text, if any	None
Watermark Image URL	The watermark image will appear under the text. Enter the complete image URL.	None
PDF page background color	Enter a valid CSS color code.	None
PDF page background image	Enter the full URL.	None
CoverPage text settings	Heading Subheading Alignment Background color Text color Page border Border color. Enter settings separated by  . Leave blank to use default settings.	None
CoverPage wiki	Name of the wiki page that will be used for the text of the coverpage. 📖	None
CoverPage settings	Background color Page border Border color. Enter settings separated by  . Leave blank for default settings. Sequence is important, for example #fff   1   #000 📖	None
Coverpage image URL	Enter the full URL.	None
Allow Unsafe SSL Requests	Allow curl unsafe ssl request	Enabled
<a href="#">Printing to PDF memory limit</a>	Temporarily adjust the memory limit to use during Printing to PDF. Depending on the volume of data, some large operations require more memory. Increasing it locally, per operation, allows to keep a lower memory limit globally. Keep in mind that memory usage is still limited to what is available on the server. 👉 <i>for example: 256M</i>	None

Option	Description	Default
<a href="#">Printing to PDF time limit</a>	Temporarily adjust the time limit to use during Printing to PDF. Depending on the volume of data, some requests may take longer. Increase the time limit locally to resolve the issue. Use reasonable values.  <i>for example: 30</i>	None
<a href="#">Slideshow (reveal.js) PDF export</a>	Wiki page based slideshow to pdf export 	Disabled
Print modules	Modules to show on when print a page ☰ Top modules   Topbar modules   Pagetop modules   Left modules   Right modules   Pagebottom modules   Bottom modules   Admin modules	None
Print wiki authors	Include wiki page authors and date in print versions of wiki pages.	Disabled
Print Wiki	Provide a print icon and layout of the wiki page formatted for printing	Disabled
MultiPrint	Enable printing of multiple wiki pages as well as an entire structure of wiki pages as a book in a single HTML document	Disabled
<a href="#">Print indexed</a>	Generate a printable version of the whole wiki or a subset of pages, filtered by category.	Disabled
Print original wiki URL	Include original wiki page URL in print versions of wiki pages.	Enabled
Print articles		Enabled
Print original tracker item URL	Include original wiki page URL in print versions of wiki pages.	Enabled
Print original forum post URL	Include original forum post URL in print version of forum posts.	Enabled

## Profiles - Advanced

Option	Description	Default
Automatically approve wiki-plugins on pages installed by profiles	Some wiki-plugins require admin approval before they are executable. If turned on, then all wiki-plugins that are on wiki pages created via profiles are automatically approved.  <i>Make sure your profiles are not executable or editable by untrusted users.</i>	Disabled
Developer mode	For profiles under an approval workflow, always use the latest version, even if not approved.  <i>Make sure you review the profiles you install.</i>	Disabled
Repository URLs	List of URLs for the profile repositories that will be used  <i>Enter multiple repository URLs, one per line.</i>	<a href="http://profiles.tiki.org/pr...">http://profiles.tiki.org/pr...</a>

Option	Description	Default
Data channels	<p>Data channels are templates that can be applied from a post request. They can be used to automate work on more complex installations.</p> <p>🔑 <i>Data channels create a named pipe to run profiles from user space. One channel per line. Each line is comma delimited and contains <b>channel name, domain, profile, allowed groups, (optional) \$profilerequest:input\$ matches to groups.</b></i></p> <p>⚠️ <i>There are security considerations related to using data channels. Make sure the profile page is controlled by administrators only.</i></p>	None

## Rating

Option	Description	Default
Rating recalculation mode	<p>Determines when and how rating aggregates are recalculated. Depending on the site load, some options may be preferred to others. On large-volume sites, it should be done as a cron job. On vote recalculation, there may be inaccuracies if rating calculation is time-dependent.</p> <p>⚙️ Recalculate on vote   Randomly recalculate oldest ratings (on load)   Randomly recalculate oldest ratings (on vote)   Cron job (must be set manually)   Before any attempt to re-index the object</p>	Recalculate on vote
Recalculation odds (1 in X)	Dice roll performed on every request. When successful, will recalculate a certain number of votes.	100 votes
Recalculation count	How many ratings should be recalculated when odds strike.	100 ratings
IP can be checked	Check anonymous votes by user's IP	Disabled
Multiple votes per user	<p>Allow users to vote multiple times in the same poll.</p> <p>⚙️ Disabled   Enabled</p>	None
Rating	<p>Enables adding a poll from the polls feature to a wiki page. The poll is unique to the page, created from a "poll template" which is created in the Polls feature: set a poll's 'active' drop-down to "template".</p> <p>🔑 <i>Permissions involved: group permissions, wiki_vote_ratings, wiki_view_ratings, ratings_view_results</i></p>	Disabled
Simple wiki ratings	Enable users to rate wiki pages based on a simple numeric scale. 🗳️	Disabled
Wiki rating options	List of options available for the rating of wiki pages	0,1,2,3,4,5
User ratings on articles	<p>Allow users to rate articles.</p> <p>🔑 <i>Permissions involved: rate_article, ratings_view_results. Also, when configuring articles, "Admin Types &gt; Comment can rate article" needs to be set.</i></p>	Disabled
Article rating options	List of options available for the rating of articles.	0,1,2,3,4,5

Option	Description	Default
Use vote system for comments	Allow users with permission to vote on comments. 👉 <i>Permissions involved: vote_comments, wiki_view_comments, ratings_view_results</i>	Disabled
Simple wiki comment ratings	Enable users to rate comments based on a simple numeric scale.	Disabled
Wiki rating options	List of options available for the rating of wiki comments.	0,1,2,3,4,5
Display Post new comment form by default		Disabled
<a href="#">Rating</a>	A rating of the tracker item. Permissions involved: tracker_vote_ratings, tracker_revote_ratings, tracker_view_ratings	Disabled
Default rating options	List of options available.	0,1,2,3,4
Detailed rating results	Displays a table with the result count and percentage per rating option. ☰ Disabled   Enabled	None
Include percentages in the detailed rating results	Include percentages in the detailed rating results. Otherwise, only count numbers and bars are shown. ☰ Disabled   Enabled	None
Smiley Ratings	Displays smiley faces or emojis in a simple ratings system with an easy-to-use interface. Works with 0-11 only, depending on the configuration. ☰ Disabled   Enabled	None
Reversed Rating Options	Displays the ratings options in reverse. ☰ Disabled   Enabled	None
<a href="#">Advanced Rating</a>	In an advanced rating system, the options and calculation method can be configured.	Disabled

## RSS Feeds

Option	Description	Default
RSS for articles	RSS feeds for articles	Disabled
Title		Tiki RSS feed for articles
Article RSS description	Description to be published as part of the RSS feed for articles.	Last articles.
Maximum number of items to display		10 items
Show author		Disabled





Option	Description	Default
Homepage URL		None
RSS for blogs	RSS feeds for blogs	Disabled
Title		Tiki RSS feed for blogs
Blogs RSS description	Description to be published as part of the RSS feed for blogs.	Last posts to weblogs.
Maximum number of items to display		10 items
Show author		Disabled
Homepage URL		None
RSS for individual blogs	RSS feeds for individual blogs	Disabled
Title	Title to be prepended to the blog title for all blogs. If this field is empty only the blog title will be used.	None
Blog RSS Description	Description to be prepended to the blog description and published as part of the RSS feeds for individual blogs. If this field is empty, the blog description only will be used.	None
Maximum number of items to display		10 items
Show author		Disabled
Homepage URL		None
RSS for file galleries	RSS feed for file galleries	Disabled
Title		Tiki RSS feed for file gall...
File galleries RSS description	Description to be published as part of the RSS feed for file galleries.	Latest files uploaded to th...
Maximum number of items to display		10 items
Homepage URL		None
RSS for individual file galleries	RSS feeds for individual file galleries	Disabled
Title		Tiki RSS feed for the file ...
Individual file galleries RSS description	Description to be published as part of the RSS feeds for individual file galleries.	Latest files uploaded to th...
Maximum number of items to display		10 items
Homepage URL		None

Option	Description	Default
RSS for wiki pages	RSS feed for wiki pages	Disabled
Title		Tiki RSS feed for the wiki ...
Wiki pages RSS description	Description to be published as part of the RSS feed for wiki pages pages.	Latest wiki page changes.
Maximum number of items to display		10 items
Show author		Disabled
Homepage URL		None
RSS for forums	RSS feed for forums	Disabled
Title		Tiki RSS feed for forums
Forums RSS description	Description to be published as part of the RSS feed for forums.	Latest forum topics.
Maximum number of items to display		10 items
Show author		Disabled
Homepage URL		None
RSS for individual forums	RSS feeds for individual forums	Disabled
Title		Tiki RSS feed for forum:
Individual forums RSS description	Description to be published as part of the RSS feeds for individual forums.	Latest posts to this form
Maximum number of items to display		10 items
Show author		Disabled
Homepage URL		None
RSS per tracker	RSS feed per tracker	Disabled
Title		Tiki RSS feed for individua...
Individual trackers RSS description	Description to be published as part of the RSS feed for individual trackers.	Latest additions to this tr...
Maximum number of items to display		10 items
Show author		Disabled
Homepage URL		None
Tracker labels	Include tracker field labels in the RSS output	Enabled



Option	Description	Default
RSS for calendar events	RSS feed for calendar events	Disabled
Title		Tiki RSS feed for calendars
Calendar events RSS description	Description to be published as part of the RSS feed for calendar events.	Upcoming Events.
Maximum number of items to display		10 items
Show author		Disabled
Homepage URL		None
RSS for directories	RSS feed for directories	Disabled
Title		Tiki RSS feed for directory...
Directories RSS description	Description to be published as part of the RSS feed for directories.	Latest sites.
Maximum number of items to display		10 items
Show author		Disabled
Homepage URL		None
RSS for shoutbox	RSS feed for shoutbox	None
Title		Tiki RSS feed for shoutbox ...
Shoutbox RSS description	Description to be published as part of the RSS feed for shoutbox messages.	Latest shoutbox messages.
Maximum number of items to display		None
Show author		Disabled
Homepage URL		None



## RSS General preferences

Option	Description	Default
Default feed format	 <a href="#">Atom 1.0 - RSS 2.0</a>  ATOM 1.0   RSS 2.0	ATOM 1.0
Feed author name	Default author of each item in the feed.  <i>This field is mandatory unless both feed author email and homepage are empty.</i>	None
Feed author email	Email of the author of each item in the feed.	None
Feed author homepage	Homepage URL of the author of each item in the feed.	None
Feed editor email	Email address for person responsible for editorial content.	None
Feed webmaster email	Email address for person responsible for technical issues relating to channel.	None
Feed image path	Specifies a GIF, JPEG or PNG image that can be displayed with the feed.	img/tiki/Tiki_WCG.png
Feed language	The default language for this feed	en-us
Feed caching time	Cache the feed for this number of seconds. <i>* Feed caching is done for anonymous users only.</i>  <i>Use 0 for no caching</i>	300 seconds
RSS basic authentication	Propose basic HTTP authentication if the user has no permission to see the feed	Disabled





## RSS Incoming feeds

Option	Description	Default
Fetch page content from incoming feeds	Page content from the source will be fetched before sending the content to the generators.	Disabled
Tracker for articles	Have a tracker to supplement article information	Disabled
Tracker ID of tracker for articles	A tracker for articles must contain an "Articles" field	None
Index article info in tracker item	Sets whether the article info should be indexed in the tracker item. This automatically sets the article field to read-only and sets up categorization synchronization between articles and tracker items.	Disabled

## RTC - BigBlueButton

Option	Description	Default
<a href="#">BigBlueButton web conferencing</a>	Integration with the BigBlueButton collaboration server for web conference and screen sharing.	Disabled
BigBlueButton server location	Full URL to the BigBlueButton installation.  <a href="http://host.example.com/">http://host.example.com/</a>	None
BigBlueButton server salt	A salt key used to generate checksums for the BigBlueButton server to assure that requests are authentic.	None
BigBlueButton recording maximum duration	A maximum duration for the meetings must be submitted to BigBlueButton to prevent the recordings from being excessively long if a user leaves the conference window open.	300 minutes
BigBlueButton dynamic configuration	Uses the advanced options of BigBlueButton to configure the XML per room. 	Disabled
<a href="#">Plugin BigBlueButton</a>	Hold a video/audio/chat/presentation session using the BigBlueButton web conferencing system.	Enabled

## RTC - XMPP

Option	Description	Default
<a href="#">XMPP client (ConverseJS)</a>	Integration with Converse.js XMPP client.	Disabled
XMPP server domain	XMPP server domain  <a href="http://example.org">example.org</a>	None
XMPP http-bind URL	Full URL to the http-bind.  <a href="https://xmpp.example.org/http-bind/">https://xmpp.example.org/http-bind/</a>	None
XMPP MUC Domain	Required for auto-joining rooms  <a href="http://conference.example.org">conference.example.org</a>	None
Authentication method	The authentication method to be used by XMPP client ☰ Plain   OAuth (uses Tiki as provider)   Openfire TikiToken	None
Openfire REST API endpoint	Full URL to API endpoint  <a href="https://xmpp.example.org:9091/plugins/restapi/v1/">https://xmpp.example.org:9091/plugins/restapi/v1/</a>	None
Rest API username	Username to allow Openfire API usage	None
Rest API password	Password to allow Openfire API usage	None
<a href="#">Allow anonymous</a>	Allow anonymous users on Chat	Disabled
Always Load ConverseJS	Adds the ConverseJS Javascript and CSS files to every page.	Disabled

Option	Description	Default
ConverseJS Debug Mode	Enables more logging, e.g. XML stanzas and error tracebacks to the JavaScript Console	Disabled
ConverseJS Extra Settings	JSON format object defining extra optional settings to initialize ConverseJS	None