

Parameters

Parameter	Value
preference	password, email

About Tiki4.0+, we also have

Parameter	Value
preference	realName, ... (see below)

Tiki 6.0+, we also have
have

Parameter	Value
preference	language

Configuration

- the tracker must have a user field of type 1 that will give the user name.
- you might need to set Admin Home / Community / User Preferences Screen on (e.g. for realName)

How to find out which preferences can be used?

(the result shown below is from a Tiki22)

```
MariaDB [xxx_tiki22]> select distinct prefName from tiki_user_preferences order by prefName;
```

```
+-----+
| prefName          |
+-----+
| admin_recent_prefs |
| allowMsgs         |
| country           |
| default_calendars |
| diff_versions     |
| display_12hr_clock |
| display_timezone  |
| email is public   |
+-----+
```

```
| filegals_autoupload |
| gender              |
| homePage            |
| language             |
| lat                 |
| lon                 |
| mailCharset         |
| mailCurrentAccount |
| mess_archiveAfter  |
| mess_maxRecords    |
| mess_sendReadStatus |
| minPrio             |
| mytiki_articles    |
| mytiki_blogs        |
| mytiki_forum_replies |
| mytiki_forum_topics |
| mytiki_gals         |
| mytiki_items        |
| mytiki_msgs         |
| mytiki_pages        |
| mytiki_tasks        |
| objectperm_admin_features |
| objectperm_admin_groups |
| perspective_preferred |
| pref_filters        |
| read_language       |
| realName            |
| remember_closed_rboxes |
| show_mouseover_user_info |
| tasks_maxRecords   |
| user_dbl            |
| user_information    |
| userbreadCrumb     |
| xmpp_custom_server_http_bind |
| xmpp_jid            |
| xmpp_password       |
+-----+
44 rows in set (0.007 sec)
```

Note

As of Tiki 16.x, while you can use some field like country and user_information, they show up just as text fields and don't provide a drop down.

Links

- [I wanna create custom user preferences](#)
- The old wish log [More preference to come in future versions \(Full name, avatar, etc\) ...](#)

Alias names for this page:

[RealName](#) | [Real Name](#) | [Real Names](#) | [Real Names](#)