

# Ustream Watershed tab

## Overview

Ustream Watershed Webcasting Platform


Related Topics  
• reference

## To Access

From the [Video](#) page, click the **Ustream Watershed** tab.

## Note

This feature has been removed.



Social Networks tab

Setting	Description	Default
<b>Activate the feature</b>		
Ustream Watershed:	Activate this feature	
Log Errors to Tiki log	Capture Ustream Errors to the Tiki log~	
<b>Basic tracker settings</b>		
Tracker ID of Channel tracker:	One tracker is required per Channel, this is where the TrackerId goes	
Field ID of BrandId:	The Watershed BrandID should go into the Channel tracker as a text field, enter the FieldID number here	
Field ID of ChannelCode:	The Watershed ChannelCode should go into the Channel tracker as a text field, enter the FieldID number here	
<b>Archive settings</b>		

Setting	Description	Default
Tracker ID of Archive tracker:	A tracker is required to store Archive information	
Field ID of videoid:	Tracker FieldId number for where the Watershed videoid is stored	
Field ID of BrandId for Archive:	Tracker FieldId number for where the Watershed BrandId is stored	
Field ID of ChannelCode for Archive:	Tracker FieldId number for where the Watershed ChannelCode is stored	
Field ID of rtmpURL for Archive (url field type):	Tracker FieldId number for where the Watershed rtmpURL is stored. Note tracker field type must be a URL	
Field ID of fivURL for Archive (url field type):	Tracker FieldId number for where the Watershed fivURL is stored. Note tracker field type must be a URL	
<b>Archive settings (optional)</b>		
Field ID of Date string for Archive:	Tracker FieldId number for the text field where the date of recording is stored	
Field ID of Duration for Archive:	Tracker FieldId number for the text field where the duration of recording is stored	
Field ID of Filesize for Archive:	Tracker FieldId number for the text field where the file size of recording is stored	
Field ID of Title for Archive:	Tracker FieldId number for the text field where the title of the recording is stored	
Field ID of Description for Archive:	Tracker FieldId number for the textarea field where the description of the recording is stored	
Field ID of Tags for Archive:	Tracker FieldId number for the freetags field where freetags of the recording are stored	
<b>Flash Media Encoder</b>		
Flash Media Encoder shared secret:	Enter shared secret here, note required only if Flash Media Encoding is used	
Log Errors to Tiki log	Capture Ustream Errors to the Tiki log~	

*Unable to load the jQuery Sortable Tables feature.*

## Ustream Watershed

Integration to Ustream Watershed live video streaming.

See also: [PluginWatershed](#)

<https://watershed.ustream.tv/>

<https://sourceforge.net/p/tikiwiki/code/27711>

<https://sourceforge.net/p/tikiwiki/code/27708>

alias

---

- [Ustream](#)
- [Watershed](#)