WYSIWYG

Related Topics

- WYSIWYG vs Wiki syntax
- Wysiwyg Editor User
- Wysiwyg Editor Details
- Wysiwyg Editor Admin
- WysiwygPluginButton
- Bugs and Wishes

Overview

The WYSIWYG (What You See Is What You Get) feature provides a user friendly editing alternative to the Wiki syntax editor. When using the WYSIWYG editor, information copied and pasted into a wiki page will retain most of its original formatting.

To access

Click the Wysiwyg icon on the Control Panel or use http://example.org/tiki-admin.php?page=wysiwyg

Note

Tiki uses CKEditor for WYSIWYG.

Full WYSIWYG editor

Plugin WYSIWYG

Full WYSIWYG editor is optional

WYSIWYG is an acronym for "What You See Is What You Get". CKEditor is used to provide a word-processor-like editing experience. \triangle

Use a WYSIWYG editor to edit a section of content \square

If WYSIWYG is optional, the wiki text editor is also available. Otherwise only the WYSIWYG editor is used. Switching between HTML and wiki formats can cause problems for some pages.

Disabled

Disabled

Enabled

Full WYSIWYG editor is displayed by default

Reopen with the same editor

WYSIWYG Height WYSIWYG Preview Style

WYSIWYG Initial Edit Mode

If both the WYSIWYG editor and the text editor are available, the WYSIWYG editor is used by default, for example, when creating new pages

Ensures the editor last used to edit a page or item is used for the next edit as the default.

Vertical or tabbed.

Vertical or tabbed.

E Vertical | Tab

WYSIWYG or Markdown. ₩YSIWYG | Markdown

Enabled

Enabled

300px

Vertical

WYSIWYG

Usage Statistics

Use Wiki syntax in WYSIWYG

Send hostname to Toast UI.

Causes parsed text areas based on wiki syntax when not in WYSIWYG mode to keep using Tiki syntax, instead of HTML as the WYSIWYG editor uses by default. Sometimes referred to as a "visual wiki". Using wiki syntax in WYSIWYG mode will limit toolbar to wiki tools

Existing wiki pages remain in HTML, unless they are converted to non-WYSIWYG and back to WYSIWYG (one by one). CKeditor offers possibilities which may not be expressible in Tiki syntax. See issue #6518 for example

Disabled

Enabled

Inline WYSIWYG editor

Full WYSIWYG editor skin

Typefaces

Seamless inline editing. Uses CKEditor 4. Inline editing enables editing pages without a context switch. The editor is embedded in the wiki page. When used on pages in wiki format, a conversion from HTML to wiki format is required Δ

■ Moono (Default) | Kama | Bootstrap CK | Minimalist | Office 2013

List of font names separated by semi-colons (";")

Disabled

Moono (Default)

sans serif;serif;monospace;...

Extra plugins

In Tiki, CKEditor uses the "standard" package in which some plugins are disabled by default that are available in the "full" package.

See http://ckeditor.com/presets for a comparison of

which plugins are enabled as standard.

List of plugin names (separated by,)

bidi,colorbutton,divarea,fi...

Wiki paragraph formatting

Create line breaks within paragraphs

When the wiki paragraph formatting feature is on, all groups of non-blank lines are collected into paragraphs. Lines can be of any length, and will be wrapped together with the next line. Paragraphs are separated by blank lines. When the Wiki paragraph formatting feature is off, each line will be presented as you write it. This means that if you want paragraphs to be wrapped properly, a paragraph should be all together on one line. When Wiki paragraph formatting is enabled, this option creates line breaks within paragraphs.

Enabled

Enabled

Ajax

Ajax auto-save

Allows for efficient retrieval and display of information from the server, thus improving the user experience. This feature is required for the interface for many features to work.

This feature is required for the interface for many features to work properly.

Save content during editing, enabling work to be recovered after any interruption. Also enable a real-time preview. This option is required for WYSIWYG plugin processing.

Enabled

Enabled

Full WYSIWYG editor

Plugin WYSIWYG

Full WYSIWYG editor is optional

WYSIWYG is an acronym for "What You See Is What You Get". CKEditor is used to provide a word-processor-like editing experience. \triangle

Use a WYSIWYG editor to edit a section of content \square

If WYSIWYG is optional, the wiki text editor is also available. Otherwise only the WYSIWYG editor is used. Switching between HTML and wiki formats can cause problems for some pages.

Disabled

Disabled

Enabled

Full WYSIWYG editor is displayed by default

Reopen with the same editor

If both the WYSIWYG editor and the text editor are available, the WYSIWYG editor is used by default, for example, when creating new pages

Ensures the editor last used to edit a page or item is used for the next edit as the default.

Enabled

Enabled

Use Wiki syntax in WYSIWYG

Causes parsed text areas based on wiki syntax when not in WYSIWYG mode to keep using Tiki syntax, instead of HTML as the WYSIWYG editor uses by default. Sometimes referred to as a "visual wiki". Using wiki syntax in WYSIWYG mode will limit toolbar to wiki tools

Existing wiki pages remain in HTML, unless they are converted to non-WYSIWYG and back to WYSIWYG (one by one). CKeditor offers possibilities which may not be expressible in Tiki syntax. See issue #6518 for example

Enabled

Inline WYSIWYG editor

Full WYSIWYG editor skin

Typefaces

Seamless inline editing. Uses CKEditor 4. Inline editing enables editing pages without a context switch. The editor is embedded in the wiki page. When used on pages in wiki format, a conversion from HTML to wiki format is required Δ

■ Moono (Default) | Kama | Bootstrap CK | Minimalist | Office 2013

List of font names separated by semi-colons (";")

Disabled

Moono (Default)

sans serif;serif;monospace;...

Extra plugins

In Tiki, CKEditor uses the "standard" package in which some plugins are disabled by default that are available in the "full" package.

See http://ckeditor.com/presets for a comparison of

which plugins are enabled as standard.

List of plugin names (separated by,)

bidi,colorbutton,divarea,fi...

Wiki paragraph formatting

Create line breaks within paragraphs

When the wiki paragraph formatting feature is on, all groups of non-blank lines are collected into paragraphs. Lines can be of any length, and will be wrapped together with the next line. Paragraphs are separated by blank lines. When the Wiki paragraph formatting feature is off, each line will be presented as you write it. This means that if you want paragraphs to be wrapped properly, a paragraph should be all together on one line. When Wiki paragraph formatting is enabled, this option creates line breaks within paragraphs.

Enabled

Ajax

Ajax auto-save

Allows for efficient retrieval and display of information from the server, thus improving the user experience. This feature is required for the interface for many features to work.

This feature is required for the interface for many features to work properly.

Save content during editing, enabling work to be recovered after any interruption. Also enable a real-time preview. This option is required for WYSIWYG plugin processing.

Enabled

Full WYSIWYG editor

Plugin WYSIWYG

Full WYSIWYG editor is optional

WYSIWYG is an acronym for "What You See Is What You Get". CKEditor is used to provide a word-processor-like editing experience. \triangle

Use a WYSIWYG editor to edit a section of content \square

If WYSIWYG is optional, the wiki text editor is also available. Otherwise only the WYSIWYG editor is used. Switching between HTML and wiki formats can cause problems for some pages.

Disabled

Disabled

Full WYSIWYG editor is displayed by default

Reopen with the same editor

If both the WYSIWYG editor and the text editor are available, the WYSIWYG editor is used by default, for example, when creating new pages

Ensures the editor last used to edit a page or item is used for the next edit as the default.

Enabled

Use Wiki syntax in WYSIWYG

Causes parsed text areas based on wiki syntax when not in WYSIWYG mode to keep using Tiki syntax, instead of HTML as the WYSIWYG editor uses by default. Sometimes referred to as a "visual wiki". Using wiki syntax in WYSIWYG mode will limit toolbar to wiki tools

Existing wiki pages remain in HTML, unless they are converted to non-WYSIWYG and back to WYSIWYG (one by one). CKeditor offers possibilities which may not be expressible in Tiki syntax. See issue #6518 for example

Inline WYSIWYG editor

Full WYSIWYG editor skin

Typefaces

Seamless inline editing. Uses CKEditor 4. Inline editing enables editing pages without a context switch. The editor is embedded in the wiki page. When used on pages in wiki format, a conversion from HTML to wiki format is required Δ

■ Moono (Default) | Kama | Bootstrap CK | Minimalist | Office 2013

List of font names separated by semi-colons (";")

Disabled

Moono (Default)

sans serif;serif;monospace;...

Extra plugins

In Tiki, CKEditor uses the "standard" package in which some plugins are disabled by default that are available in the "full" package.

See http://ckeditor.com/presets for a comparison of

which plugins are enabled as standard.

List of plugin names (separated by,)

bidi,colorbutton,divarea,fi...

Wiki paragraph formatting

Create line breaks within paragraphs

When the wiki paragraph formatting feature is on, all groups of non-blank lines are collected into paragraphs. Lines can be of any length, and will be wrapped together with the next line. Paragraphs are separated by blank lines. When the Wiki paragraph formatting feature is off, each line will be presented as you write it. This means that if you want paragraphs to be wrapped properly, a paragraph should be all together on one line. When Wiki paragraph formatting is enabled, this option creates line breaks within paragraphs.

Enabled

Ajax

Ajax auto-save

Allows for efficient retrieval and display of information from the server, thus improving the user experience. This feature is required for the interface for many features to work.

This feature is required for the interface for many features to work properly.

Save content during editing, enabling work to be recovered after any interruption. Also enable a real-time preview. This option is required for WYSIWYG plugin processing.

Enabled

CKEditor