

## ë²"ìf¹/₄ ê'€ë|¬


í°í, æ ë, í~ ë²"ìf¹/₄ë¥¹/₄ í~íš©í• ~í— ì^œì<sup>ê</sup> „í— ë§Œë"æì- í§ëëŠ" í~ ëšžl€ í» í...í, ë¥¹/₄, ë<æë¥, ê·, ëf¹í— ë<æë¥, í~ 'é·¹/₄ ê¶Œí•œì, ê¶ëí—í~ ë©°, ífj‰ooë³¹/₄ íf‰ooì, íží—...í, í~"í— ì‰o½ê²Œí•~ëŠ" í~íœ¹/₄œìœ, ê'€ë|¬í• í~ ížíšµë<sup>ê</sup><æ.

ë²"ìf¹/₄ëŠ" ê·, ëf¹ ë³¹/₄ í~"ê" ~í, -íš©ë~í— ~í, -íš©ìží~ íští • ê·, ëf¹íœ¹/₄œë¶ëí, ° ê°œì² /íž~í ~í§ëë¥¹/₄ ê°ì"ë, ~í, -íš©ë í~ ížíœ¹/₄ë©°, í~ëŠ" í, -í'íš, í~ ë, ~ë~, í§ëë¶, í—í, œ ë<ñë|¬ ë³'í¹/₄ í~ ížíëŠ" "é°œì, "í~í—í, ë§Œë"æë²Œ ë©ë<sup>ê</sup><æ.

ë²"ìf¹/₄ëŠ" ê·ëí• ~í—ê²Œ ì•Œëšžl€ ë„êµ-í¹/₄ê¹Œìš"? ë<æìŒì, í°, ê³ í~í~íœì~ æ: í»"í...í, ë¥¹/₄ í~ ë!-í~ëŠ" ë°@ë²•

ë²"ìf¹/₄í™ € í~íœ, ë²"ìf¹/₄ ë§Œë"æê, °

ë©"í, ë©"ë‰o í—í, œ "ê'€ë|¬ -> ë²"ìf¹/₄ë¥¹/₄ ítmí~í— ë²"ìf¹/₄í~ ê'€ë|¬ë¥¹/₄ í~ í~ ížíšµë<sup>ê</sup><æ.



ê·, ë|¬ê³, íµœìfiœ, ë ^ë²"í—í, œ ìf^ ë²"ìf¹/₄ë¥¹/₄ í¶"ê°ëí• í~ ížíšµë<sup>ê</sup><æ (í~ë¥¹/₄ ë"æë© ': "Status").

The screenshot shows a 'Add new category' form. It has fields for 'Parent' (set to 'Top'), 'Name' (set to 'Status'), and 'Description' (set to 'Status of the content'). Below these fields is a checkbox labeled 'Assign permissions automatically: (recommended for best performance)' which is checked. At the bottom is a 'Save' button.

"ížë™ í~íœ¹/₄ëiœ ë²"ìf¹/₄ í~ ë<sup>1</sup>: "(íµœê³ í, ±ëŠ¥í, íœ, í~í—í~í¶"í²œë")" í~ëž€ ë¶ëë¶, í, ìf¹/₄ëa©í•~í~íœì~ æ". í™ •í~íœí•~í§ë í~íš, ê²½íš°, í§ëê, ^ë<íž¥íë í¼œì§, ífíœëiœ ë~í~íœì~ æ.

ê, °íí í~ ë²"ìf¹/₄ë¥¹/₄ í~ëí•œ ê²½íš°, (í~ë¥¹/₄ ë"æë©', ê°©ê, ^ë‰o ë§Œë"æì- í§, "Status" ë²"ìf¹/₄), ê·, ë²"ìf¹/₄í~íœ, ë²"ìf¹/₄ë¥¹/₄ ë§Œë"æìœë¹, ê°ë ëœ ê²fíž...ë<sup>ê</sup><æ.

ë"æì- ê°ë ëžíëŠ" ë²"ìf¹/₄ëiœì~ ê²½ëiœê°ë ë³'í¹/₄ ê²fíž...ë<sup>ê</sup><æ, í§ëê, ^í~ ê²½íš°ëŠ", "Current Category: Top :: Status", ê³¹/₄ ê°íšµë<sup>ê</sup><æ:



ê·, ë|¬ê³, í, ífëœ ë¶ëëa" ë²"ìf¹/₄ ("Status")í~ íží~íœ¹/₄ëiœ í, œ ìf^ ë²"ìf¹/₄ë¥¹/₄ (í~ë¥¹/₄ ë"æë©' ""1. To Do""")

í¶"ê°€í• ì^~ iž^iŠpë<^ë<x.

Add new category

Parent:	Status
Name:	1. To Do
Description:	Things that still need to be done


Assign permissions automatically:  
(recommended for best performance)

**Save**

í¼ë<" ë§CEë"xi- ì§€ê³ ë, ~ë®' "Status" ê²"if¹/4~ iš°ì, ì~ ">>>" ê¥¹/4 í'ë|í• ê²¹/2iš°, ì• „ëž~i— ižì<sup>2</sup>"if¹/4ë"xi,, ë³¹/4 i^~ iž^iŠpë<^ë<x;



í•½ê° „ì~ iž'i—...i` i'ëf"i— ì§€ê³ ë, ~ë®' , ëCEê³¹/4 ê°™i€ ê²ºê³¹/4ë¬¹/4i,, i—»ì,, i^~ iž^iŠpë<^ë<x:



CSV íŒŒì¹/4i—,œ i¹/4ê' „i ìœ¹/4ëiœ ê²"if¹/4 ë§CEë"xi, °

CSV íŒŒì¹/4i,, i—...ëiœë"œ í•~i— ì¹/4ê' „i ìœ¹/4ëiœ ê²"if¹/4ë¥¹/4 ë§CEë"œëŠ" ê°®ë²•i,, ì„œë...í•~ëŠ" ì²"ë¶ëœ MS iŒë"œì™€ PDF íŒŒì¹/4 ê~í•œ i, íŽ'ë³`ì<œì~œ

1 ë<"ê³,: ê²"if¹/4ë¥¹/4 i,, œë...í•~ëŠ" CSV íŒŒì¹/4 ë§CEë"xi, °



2 ë<"ê³,: [[http://<server-name>/tiki/tiki-admin\_categories.php]] ëiœ íƒj‰

ê, .œ!¬ê³ ë²"if¹/4 CSV íŒŒì¹/4i,, i, ífí•~ê³ í<œiœ i—...ëiœë"œí•~ê, ° ìœ„í•~i— ì¹/4ê' „  
i—...ëiœë"œ"ë¥¹/4 i, ¬iš©í•©ë<^ë<x

[[<server-name> i,, i, ¬iš© ìœi, i,, œë², œ...ìœ¹/4ëiœ êµì²'í•©ë<^ë<x, i~ë¥¹/4 ë"œë®' "localhost"]]



3 ë<"ê³,: if^ ê²"if¹/4ê°€ ë§CEë"xi- `ìŒë, ~ë¥¹/4 í™ •i, í•©ë<^ë<x



í~ì§€ë§CE ëa"ë" ì»"í...i, ë¥¹/4 i, ¬i'íŠ, i— ë"±ëiœœ i, ¬ëzŒë"œë§CEí' ì¹/2i,, i^~ iž^ë, ëi í•~ê³ ì¶i€ ê²¹/2iš°i™€ "7. Validated" (í™ •i, ë") i'ë¹/4ê³ ê²"if¹/4í™" œœ i»"í...i, ë§CEi,, ìµë...i, ¬iš©ižë"œë,, i¹/2i,, i^~ iž^ê²Œ i•~ê³ ì¶i€ ê²¹/2iš°ë¥¹/4 ê°ëì •í•' ë'...ì<œë<x. ê²"if¹/4 ê¶Œí•œ i,, i, ¬iš©í•~i— ë·, ë òê²Œ i• i^~ iž^iŠpë<^ë<x (ëŒ i,, i...~i, e'if¹/4i<œì~œ).



í• ^1•1/4 í• @ë<^ë<¤ (  ):

	Status >>>	
<input checked="" type="checkbox"/>	1. To Do	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	2. Obsolete	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	3. In Progress	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	4. Pending Review	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	5. Reviewed	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	7. Validated	<input checked="" type="checkbox"/>

í'ëŠ" ë<¤Œê3/4 ïœ ì,¬í•æ ižYë© 'í,, ë³'í—¬ì¤„ ê²fiž...ë<^ë<¤;

## Assign permissions to category: [Top :: Status](#)

### Admin categories

#### Current permissions for this category:

group	permission	action
Anonymous	tiki_p_view_categories	(remove from this category & all its children) (remove from this category only)
Editors	tiki_p_admin_categories	(remove from this category & all its children) (remove from this category only)
Registered	tiki_p_view_categories	(remove from this category & all its children) (remove from this category only)

#### Assign permissions

assign [tiki\\_p\\_view\\_categories](#) to group [Registered](#) for [this category & all its children](#) or [this category only](#)

Assigning permissions for **all children** is recommended for best performance.

í-, ê,%oëœ ì~íœ ñœì— ì í~ëíz'ëŠ" ê²fiž'ëY¼, ìš°ë!¬ëŠ" ìµëª...ì,¬ìš@íz ê·,ëf¹lœ¹/4ëiœë¶ëí,, ° ""Status" í•~íœ,ë²"if¹/4ì~ ì „ë¶ëœiœí~¬ë,, ^ë²"if¹/4 ì»~í...ì, ëY¼ ê³/4 ì~íz'ëŠ" ê¶Œí•œì, ì œê±°í•~ë æê³ í•@ë<^ë<¤. ê°ëízY ì†‰~ñœ' ë°@ë²•ì€ "(í'ë²"if¹/4ì™€ èª"ë" ìžíœ"ñœì—œ ì,ì œ)"ì,, í'ëí•~ëŠ" ê²fiž...ë<^ë<¤:

ê·,ëf¹ ê¶Œí•œ ìž'í—...

Anonymous tiki\_p\_view\_categories (**ì'ë²"if¹/4ì™€ èª"ë" ìžíœ"ñœì—ê²Œì,œ ì,ì œ**) (í'ë²"if¹/4ë§Œiœ¹/4ëiœë¶ëí,, ° ì,ì œ)

(...)

í• „ëž~í™€ ê°™ì€ í'œì~ ê²°ê³/4ëY¼ ì»ìœ¹/4ë æë©', êµ~ì,±ì— ë"°ë¹/4, ìž'í—...ì,, í™•ì,í•`ì•¹/4 í•@ë<^ë<¤:

#### Current permissions for this category:

group	permission	action
Editors	tiki_p_admin_categories	(remove from this category & all its children) (remove from this category only)
Registered	tiki_p_view_categories	(remove from this category & all its children) (remove from this category only)

#### Assign permissions

ê·,ë!¬ê³, "ë²"if¹/4 ê'ëë!¬"ëiœ êŒì•,ê°~ì~íz'ìœ¹/4ë@°, Status ë²"if¹/4ì~ ìš°ì,ì~">>>" íœìœëY¼ í'ë!í• ì~íœ¹/4ë©° **7. validated** í~ìçŒì,ì~ì~ì~ë! (  ) ëY¼ í'ë!í• ì~íz'ìŠµë<^ë<¤ (í•,ìš"í•~ìœëë¤œ©', ìœ—ë¶ëœ¶,ì~ê·,ë!/4ì,, ë³'ìkœì~ë). ê±°ê, ì— ìš°ë!¬ëŠ" ìµëª...ì,¬ìš@íz (anonymous) ê·,ëf¹ì—ëŒëí,ì—í•`ë<¹ì»~í...ì, ëY¼ ì½ì, ì~íz'ë,ëi "í'ë²"if¹/4ì,,ìš@"ì,, í'ë!í• ì~íz'ìŠµë<^ë<¤ (í~ì€ ì~ë-ëìžì, ë²"if¹/4ë"ñœ'ë, ë¶ë!—ìž'ìœ¹/4ë©°, í•`ë<¹ë²"if¹/4ì™€ ê·, ìžíœ"ë"if¹/4ëiœí~ê¶Œí•œì, ì¶"ê°ëëY¼ ì•~ëŠ" ê²½ìš°, ë<¤ë¥, ë²,,ìŠ½ì,, ì,¬ìš@í•~ì—tiki\_p\_view\_categories ê¶Œí•œì, ì¶"ê°ëí• ì~íz'ìŠµë<^ë<¤).

# Assign permissions to category: [Top :: Status](#) :: 7. Validated

[Admin categories](#)

## Current permissions for this category:

group	permission	action
Editors	tiki_p_admin_categories	(remove from this category & all its children) (remove from this category only)
Registered	tiki_p_view_categories	(remove from this category & all its children) (remove from this category only)

## Assign permissions

assign [tiki\\_p\\_view\\_categories](#) to group [Registered](#) for [this category & all its children](#) or [this category only](#)

Assigning permissions for **all children** is [Anonymous](#) for best performance.

[Admins](#)

ë»ëëì—^ìŠµëëë»ë. ðÝ~Š

ë²"if¹/₄ì— ê¶Œí•œì` í• ë<sup>1</sup>œœ ê²fi` ì—†ì„ ê²¹/₂ìš°, ë...ëž` ì—`‡„ (☒) ì• „ì`¹/₂~ì` ì~†ì— ë³`ì¹/₄ ê²fiž...ë<sup>1</sup>œœ.

ê<sup>1</sup>,ë!¬ê³` í<sup>0</sup>í„ 1.10ì—ì„œœ¶éí„ „œ„, "tiki\_p\_edit\_categories" ê¶Œí•œì„ í†µí•~ì—¬ ë²"if¹/₄œœ í• ë<sup>1</sup>œœ  
ì“í...ì„, ë¥¹/₄ ì—¬ìŠ©ìžé°€ íŽ,ì§`í•~ëŠ” ê²fi„, ì—`ìš© (í~¹ì€`ìœí•œ)í•~ëŠ” ê²fi„, í†‰‰¹/₂ê²Œ í•~ê„° ìœ„í•~ì—  
í“í„,ì— jf<sup>1</sup>œœìš` ë²"if¹/₄ ê¶Œí•œì` ì¶"ê°€ë~ì—^ìŠµëëë» (ë²"if¹/₄ ì—ì„œœ í•ë¤@ì„, íŽ,ì§` ë°€ëŠ¥").

ë²"if¹/₄ì— ì»“í...ì„, ì¶"ê°€í•~ê„°

ê°œi<sup>1</sup>“ë³„, íŽ,ì§`ìœœ, í~¹ì€` “ê’ëë!¬ -> ë²"if¹/₄ì—ì„œœ ì¤`ì•™ í™”ëœ ì“ì°“ ë, `ì—ì„œœ, ê°œi<sup>1</sup>“ìžl<sup>2</sup>“ë¥¹/₄  
íŽ,ì§`í•~ìœ¹/₄œœì” ë²"if¹/₄ì— ì»“í...ì„, ë¥¹/₄ ì¶"ê°€í• ì~ìžìŠµëëë» (ë²"if¹/₄ ì—¬ìŠ©ìž ë¥¹/₄ ì—íŽ,ë³`ìœ¹/₄ìœœ).

ì~ë¥¹/₄ ë“æë©‘, ìœœ,ì~ì~ìœœ—ì„œœ "1. To Do" ë²"if¹/₄œœ ë¤#ë¤#ì—ì...ì„, ë¥¹/₄ ì¶"ê°€í• ì~ìžìŠµëëë»  
ë¤@œœìì—ì~ë²"if¹/₄œœ...ì„, ì~ë!• ì~ìžìœ¹/₄œœ©®, ì`ë²"if¹/₄œœ ì~ë~, ì• ë<sup>1</sup>œœ ê°œi<sup>1</sup>“ë“ì„, ë³`ê²Œ ë@œœë<sup>1</sup>œœ  
(ì`ì~ìœœ—ì„œœì” ì•‘ë<sup>1</sup>ì—ì„œœì” ë<sup>1</sup>ì—ì„œœì”, ë•,ë!¬ê³` ì`ë²"if¹/₄œœ jf<sup>1</sup>œœìš` (í~¹ì€`ì`ë, °ì`ì~)  
ê°œi<sup>1</sup>“ë¥¹/₄ ì¶"ê°€í• ì~ìžìŠµëëë»:

Objects in category 1. To Do

Find	find
name   type   delete	
Page: 1/1	

Add objects to category 1. To Do

Find	filter	
page:	Comparteix Demandes HomePage Notícies per RSS Nova	add
article:	Informació actualitzada del camp d(…)	add
blog:	Reflexions	add
directory:	Agricultura	add
image gal:	logos	add
file gal:	Documents públics de l'Associació	add
forum:	Ús de la Web	add
poll:		add
faq:		add
tracker:	Demandes	add
quiz:		add

ë¤#ë¤# ê°œi<sup>1</sup>“ë¥¹/₄ ì¶"ê°€í•œ í„, "ë²"if¹/₄ **1. To Do** ì•~ì~ ê°œi<sup>1</sup>“ìfjì— ê•,ë“ì„`ë,~ì—`ë ê²fi„, ë³`ê²Œ ë  
ê²fiž...ë<sup>1</sup>œœ:

Objects in category 1. To Do		
Find		find
name	type	delete
Ofertes	tracker	X
Reflexions	blog	X
Regionals	directory	X
Welcome	wiki page	X

Page: 1/1

é²”ìF½— í...Œë§^ iš©í•~ê, °

íºí, x i, -i íS, i— eŒ€í•~i— n ê, °ë³, í...Œë§^ iŠxífèi½ì, i• ë<í• i^~ iž^iŠµë<^ë<x, i~i§ëëŒ íºí, x e, 'ë¶€l~ iŠi • ê°œi²^i— eŒ€í•~i— i~i¢i• ë²”if½ì— eŒ€í•~i— e<xë¥, í...Œë§^ iŠxífèi½ì, i, i¢i• i^~ë, iž^iŠµë<^ë<x0 (i~ëY½ e“œç®, ê, °ë³, ê³½ iœ i, -i• i§ëëŒ i— i` i—tëS”e°çìœ½ëiœ i, -iš©iž i§ëi •i, i~ëS” ê²fj²~ëY½) . i`ëY½ i†mí•~i— i—(i»-ëY½) i` i—tëS” i™^iZ^i i§ëëY½ ê°€i§ëê²Œ e i^~ iž‡iœ½ëç®, i—ë-æ eëí•ëY½ i`ëi•~ê²Œ e~ëç® i, i¢ç®(ë“æ)i— i—(ë“æ)i` e, i¢ë, ~ê²Œ i• i^~ë, iž^iŠµë<^ë<x.

i` ê, °ëS¥l, i™œi, ±i™” i•~ë œç®, "ê`€ë!-> ê, °ëS¥" i—i„œ ê, °ëS¥i~ e, ~ë, i§ë e¶ë¶, i „ë¶ëëY½ i½œi•½i•@ë<^ë<x.

Administration Features					
<input type="checkbox"/>	<a href="#">Banning system</a>	<input type="checkbox"/>	<a href="#">Debugger Console</a>		
<input checked="" type="checkbox"/>	<a href="#">Stats</a>	<input type="checkbox"/>	<a href="#">Communications (send/receive objects)</a>		
<input checked="" type="checkbox"/>	<a href="#">Theme Control</a>	<input type="checkbox"/>	<a href="#">XMLRPC API</a>		
<input checked="" type="checkbox"/>	<a href="#">Referer Stats</a>	<input checked="" type="checkbox"/>	<a href="#">Contact Us</a>		
<input checked="" type="checkbox"/>	<a href="#">Contact Us (Anonymous)</a>	<input checked="" type="checkbox"/>	Redirect On Error		

^

i` ê, °ëS¥l, i, -iš©í•~ëS” e°ç®ë²•i— eŒ€í•œ i¶”ê°€ i•ë³’ëS” e<xìŒ i„œëa...i„œ iž^i i§ëi—i„œ ê³’i<x i^~ iž^iŠµë<^ë<x: i...Œë§^ iœi-

tpl i—i„œ i~iž— ê°œi²’ é²”ìF½ i, -iš©í•~ê, °

íºí, x iœ, i, x 3.0 i` i„,

tiki.tpl èY½ i~ëiœ e“œi-’ ê, e, 'ë¶€i—i„œ i~iž— ê’ëi<—eŒ€ifj~ ê°œi²’ é²”ìF½ë“œi, i, -iš©í•~ê³ i¶i€ ê²½iš° (i—i~ e, 'ë¶€i~i¢i— eë‡eë‡ iS¹ë³, e©”ë‰o’ëY½ i’œiœœi•~ê³ i¶i€ ê²½iš°) ê’ëë!->ë”ìF½i—i„œ 'tpl i—i„œ é²”ìF½ i, -iš©œ”i` ê, °ëS¥l, i, -iš©í• i^~ iž^iŠµë<^ë<x i`ëS” iŠxœ§^í°(smarty) ê³ëi~ objectCategoryIds èY½ i„œ i•~ê²Œ e©ë<^ë<x e<xìŒi²~ëY½ i, -iš©í• i^~ iž^iŠµë<^ë<x

---

```
{if isset($objectCategoryIds) and in_array(54, $objectCategoryIds)} {menu id=50} {/if}
```

i—ê, °œ 54ëS” e©”ë‰o’ëY½ i’œiœœi•~ê³ i¶i€ eë”ìF½ID (categoryId)iž...ë<^ë<x.

isset(\$objectCategoryIds) è¶€ë¶, i¢ i` ê, °ëS¥l, i™œi, ±i™” i•~i~ëëS”i§ë i—-e¶€ëëY½ iœi—~i•@ë<^ë<x in\_array(54, \$objectCategoryIds) è¶€ë¶, i¢ i~iž— ê’ëi<—eŒ€if ê°œi²’i~ eë”ìF½ë“œi~ eëa@ëi i•~i— eë”ìF½ID 54 ê°€ ižëS”i§ë iœi—~i•@ë<^ë<x.

tiki-index\_raw.php?page=foobar i™€ ê°™i¢ iž^i i§ëi— iž^ëS” ê²½iš°i™€ i` iž^i i§ëê°€ eë”ìF½ 54ëY½ è³’iœ i•œ ê²½iš°, e©”ë‰o’ID (menuId=50)i„œ i~iœ e©”ë‰o’ê°€ i’œiœœë©ë<^ë<x

i½ë°~ ê`€ë!- i„œi •

é²”ìF½ ê²½œiœ	iž^i i§ëi~ i¢ë<”i— ê°œi²’i~ é²”ìF½ ê²½œiœ i„œi²’ë³’ê, °
---------------	---

ë²”ìƒ¼ êºœì²’ ë³’ê „ íŽ~ì ’ì§€ì ~ í• ~ë<”ì— ë²”ìƒ¼ë³ „ëiœ ì •ë ¬ëœ êºœì²’ë“¤ê³¼ êºœì²’ì ~ ë™ì¹¼í•œ  
ë²”ìƒ¼ ì• ^ì ~ êºœì²’ ì¢...ë¥~ë“¤ ë³’ê „  
tpl ì• ^ì— ì,—ìš©ëœ í...œí”Œë|ëì—ì„œ ë²”ìƒ¼ë¥¼ ì,—ìš©í• ~ëŠ” ê²fi,, ê³ „íš ì¤ì, ê²¹/₂ìš°, ì’ ê, °ëŠ¥ì,,  
í™œì „±í™” í• ^ì•¹/₄ ë©ë<”ë<¤. ì’ëŠ” í~ „ìž¬ êºœì²’ì— ëŒ€í• ~ì— ë¤”ë“  
ë²”ìƒ¼ë“¤ì,, ê²€ìƒ%oí• ~ê²Œ ë“ìœ¹/₄ëiœ í” „ëiœê· ,ëž”ì’ëŠë¤ì§€ê²Œ ë ê²fiž...ë<”ë<¤

ê’€ë ” ì„¤ë¤...ì„œ íŽ~ì ’ì§€ë“¤

- [Category](#)
- [Category User](#)
- [Categories Details](#)