


Trackers make it possible to setup data sources for training Machine Learning models in Tiki without requiring any special tools.

Preparing Machine Learning Dataset

Preparing dataset in Tiki involves creating a new Tiki tracker and adding items to it or using an existing tracker and making any necessary modifications to it. This is an important step because using Machine Learning models to make predictions require the models to be trained beforehand on already existing data. **Trackers** in Tiki are used for this purpose because of the ease in working with data contained in them just within Tiki, eliminating the need for special tools.

CREATING DATASET

You create a dataset in Tiki by simply creating a tracker. Do this by going to the **List Trackers** page, click on the **Create** button and fill in the **Create tracker** form like you would for every other tracker.



Use the create button on List Trackers page to create a tracker

Log out

tiki wiki cms groupware

System Menu

Home

Search

Wiki

File Galleries

Trackers

List Trackers

Manage Tabular Formats

Machine Learning

Settings

Create Tracker

General

Name
divorce dataset

Description
Training data for Divorce Predictor model

Description is wiki-parsed

Field Prefix
divorcedataset

Short string prepended by default to all fields in this tracker.

Permanent Name
divorcedataset

Required for Advanced Shopping Cart and some other

Fill in the Create tracker form

Give it a name and a concise description and save; then add fields to the tracker to match your dataset attributes. That is, you add a field for every dataset attribute.

Log out

tiki wiki cms groupware

System Menu

Home

Search

Wiki

File Galleries

Trackers

Machine Learning

Settings

Tracker Fields: Divorce dataset

+ Add Field Import Fields Properties Fields Trackers Items

ID	Name	Type	List	Title	Search	Public	Mandatory	Actions
1	Q1 divorcedatasetQ1	Numeric	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2	Q2 divorcedatasetQ2	Numeric	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3	Q3 divorcedatasetQ3	Numeric	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4	Q4 divorcedatasetQ4	Numeric	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Add a tracker field by clicking on the Add Field button

Log out

tiki wiki cms groupware

System Menu

Home

Search

Wiki

File Galleries

Trackers

Machine Learning

Settings

Add Field

Name

Type
Text Field

More types available
More field types may be enabled from the administration panel.

Description

Description contains wiki syntax

Add new field form


The tracker field type you choose will depend on the attribute type. [Tracker Field Types](#) has a list of available Tiki Tracker field types. Do not use multi-value field types like [Checkbox Tracker Field](#). Only use single-value field types such as [Text Tracker Field](#). Use [Numeric Tracker Field](#) for all continuous attributes.

Note that the field types you choose will directly affect the user experience during model use. For categorical attributes, consider using field types like [Dropdown Tracker Field](#) or [Radio Tracker Field](#) to ease user input during usage.


See [Creating a Tracker](#) for more information on creating trackers. To learn how to add fields to a tracker, see [Adding fields to a tracker](#).

ADDING SAMPLES TO DATASET

In Tiki, each tracker item represent a sample. You add dataset samples by adding items to the tracker. A simple way to do this is to use the **Create Item** form displayed after clicking on the **Create Item** button in the view tracker page.




Click on Create Item button to add tracker item




Samples can also be collected from user input if the dataset tracker is embedded in a wiki, article or blog page using [PluginTracker](#)

IMPORTING SAMPLES

If dataset already exist in an external source such as a [Comma-Separated Values \(CSV\)](#) file, you can import samples from it to a tracker in Tiki using [Tracker Import Export](#) for this. Say you are working on [Divorce Prediction](#) project, you can [download the project's dataset](#) into your computer, then using Tracker Tabular in Tiki, import the samples into a tracker.



Tracker Tabular list



Use the Import button to import items into tracker

See [Tracker Import Export](#) to learn how to import tracker items using Tracker Tabular.

RELATED LINKS

- [Machine Learning](#)
- [Creating Machine Learning Models](#)
- [Configuring Machine Learning Models](#)
- [Training Machine Learning Models](#)
- [Using Machine Learning Models](#)
- [Trackers](#)
- [Tracker Field Types](#)
- <https://github.com/RubixML/Divorce>