

Plugin Articles

Use this [wiki plugin](#), available since Tiki1, to include any number of articles into a wiki page. For a plugin that includes components of a single article, see [PluginArticle](#). This is particularly useful if you want to include the top 2 articles into your homepage, but being anyway able to write some custom Wiki text. For a quick summary of a list of articles you can also use [PluginModule](#) to display Module last_articles.

Parameters

Display multiple articles

Introduced in Tiki 1.

[Go to the source code](#)

Preferences required: feature_articles, wikiplugin_articles

Parameters	Accepted Values	Description	Default	Since
<code>urlparam</code>	text		6.0	
<code>dateEnd</code>	date	Latest date to select articles from. (YYYY-MM-DD)		5.0
<code>lang</code>	lang	List only articles in this language		1
<code>max</code>	int	The number of articles to display in the list (use <code>-1</code> to show all)	50	1
<code>periodQuantity</code>	digits	Numeric value to display only last articles published within a user defined time-frame. Used in conjunction with the next parameter "Period unit", this parameter indicates how many of those units are to be considered to define the time frame. If this parameter is set, "Start Date" and "End Date" are ignored.		1
<code>periodUnit</code>	(blank) hour day week month	Time unit used with "Period quantity"		1
<code>dateStart</code>	date	Earliest date to select articles from. (YYYY-MM-DD)		5.0

<code>start</code>	int	The article number that the list should start with (starts with first article by default). This will not work if Pagination is used.	0	1
<code>topic</code>	text	Filter the list of articles by topic. Example: <code>!topic+topic+topic</code>		1
<code>containerClass</code>	Valid CSS class	CSS class to add to the containing "div.article" (default: <code>"wikiplugin_articles"</code>)	<code>wikiplugin_articles</code>	1
<code>largefirstimage</code>	(blank) y n	If set to <code>y</code> (Yes), the first image will be displayed with the dimension used to view of the article	n	6.0
<code>translationOrphan</code>	alpha <i>separator:</i> <code> </code>	User- or pipe-separated list of two-letter language codes for additional languages to display. List pages with no language or with a missing translation in one of the language		1
<code>overrideDates</code>	(blank) y n	Whether to comply with the article type's "show before publish" and "show after expiration" settings (not complied with by default)	n	1
<code>quiet</code>	(blank) y n	Whether to not report when there are no articles (no reporting by default)	n	1
<code>fullbody</code>	(blank) y n	Whether to show the body of the articles instead of the heading (not set by default).	n	5
<code>actions</code>	(blank) y n	Whether to show the buttons and links to do actions on each article (for the actions you have permission to do	n	6.1

sort	random or column names to add _asc _desc to: created, author, title, publishDate, expireDate, articleId, topline, subtitle, lang, linkto, authorName, topicId, topicName, state, size, heading, body, isfloat, useImage, image_name, image_caption, image_type, image_size, image_x, image_y, image_data, list_image_x, list_image_y, nbreads, votes, points, type, rating, ispublished	The column and order of the sort in columnName_asc or columnName_desc format. Defaults to publishDate_desc (other column examples are title, lang, articleId, authorName & topicName). Use "random" to have random items.	publishDate_desc	2.0
order	digits separator:	List of ArticleId that must appear in this order if present		9.0
titleonly	(blank) y n	Whether to only show the title of the articles (not set to title only by default)		1
usePagination	(blank) y n	Activate pagination when the articles list is long. Default is n	n	1
useLinktoURL	(blank) y n	Use the external source URL as link for articles.	n	1
categId	digits separator:	List of category IDs, separated by "%0". Only articles in all these categories are listed		1

<code>notArticleId</code>	digits <i>separator:</i>	List of article IDs to not display, separated by "%0"	5.0
<code>articleId</code>	digits <i>separator:</i>	List of article IDs to display, separated by " "	9.0
<code>topicId</code>	Valid topic IDs	Filter the list of articles by topic ID. Example: <code>!topicId+topicId+topicId</code>	2.0
<code>type</code>	Valid article types	Filter the list of articles by types. Example: <code>!type+type+type</code>	1

Fields displayed with the articles (author, nb of views, etc.)

To choose which fields to display on top of each article, go to Control panels - Articles - Article Types and tick/untick the choosen field -see <https://doc.tiki.org/Articles+Listing>

Example

In this example below, a wiki page is shown including the articles plugin, so that last articles are shown below the "! News" heading of the page.

This code:

```
{articles max="5" topicId="!5"}
```

Produced:

The screenshot shows a Tikiwiki page layout. At the top, there's a section titled "What can you find here ?" with a paragraph of text and links. Below this is a "Try it !" section with a link to a demo and a "Download" button with a large downward arrow. To the right of the "Try it !" section is a box with the text "Download the latest released version, Tikiwiki 1.9.7, at Sourceforge.net". Below these sections is a "News" section containing two articles. The first article is titled "Nominate Tiki for the Open Source CMS Award" and the second is titled "New to Tiki? Watch this 24' overview install. & config. video...".

When `topic="!New+Events"`, only the articles that have not a topic News or a topic Events will be displayed. You can put as many topics you want by separating them with the character '+'. The character '!' means not - It can be only on first place. Do not put space around the separator.

Multilingualism

The multilinguism is managed on 2 aspects:

- If you have selected the multilingualism and best_language features, and when this plugin is inserted in a page that has a defined language, some articles can be filtered out. For each set of translations, when one article of this set has the same language as the page language, only this article in the set will be displayed. Please note that you can still see an article of another language, if this article is not in a set of translations or if this set of translations has no article in the page language.
- If you use the parameter lang, only the articles in this language will be shown