

This page [needs review](#)  
Pretty Tracker in a Wiki Page

is a way to describe the [Pretty Tracker](#) functionality pulling tracker fields into wiki pages and displaying them any way you want.


This page explains how to use a tracker with the special field: [page selector](#) which allows you to associate additional info to a wiki page via a tracker.

A page selector field looks like a normal text box. The text you type into a page selector field associated that tracker item with the wiki page of that name. If the page does not exist it will be created.

Once the item is saved, and the page selector field matches the name of a wiki page, the tracker item can then be displayed on that page using the [PluginTrackerlist](#).

Diagram

This diagram displays all the pieces required. for more info on the diagram, see [pretty tracker](#).



## Tutorial #1 - Different Input and Output Pages

more detail to follow

This tutorial Assumes you have already completed the [Pretty Tracker](#) tutorial. You should know how to create a template or TPL page and use it with a tracker.

1. **First you need a tracker.** Create the tracker and the fields. If it has items or not yet, this does not matter.
2. **Create your input template** - like you did in [pretty trackers](#) tutorial.
3. Add a [PluginTracker](#) to a wiki page and refer to the template page you just created.
4. Test your input page to see if it displays the template.
5. Create another wiki page called *TrackerName Display TPL*.
6. On that page create a [PluginTrackerlist](#) with the correct ids for your tracker and fields. In this trackerlist you include the parameter `display="wiki:TrackerName Output TPL"`
7. more to follow...

## Tutorial #2 - Input and Output on the same pages

1. Create a tracker with at least one field on type "page selector"
- Set automatic feeding=1 by typing the number 1 into the field below "page selector"

Example : my tracker 88 has these 3 fields

Id	Position	Name	Type	Options	isMain	Multilingual	Tbl vis	Searchable	Public	Hidden	Mandatory	Description
388	1	page selector	page selector	1	y	n	y	y	y	n	n	
387	2	meta tag 1	text field		y	n	y	y	y	n	n	
389	3	meta tag 2	text field		y	n	y	y	y	n	n	

2. Next, I can paste this code into a new wiki page named Tracker88 and get a Pretty Tracker wiki page.

```
[tracker88] {TRACKERLIST(trackerId=88, fields=387:388:389, view=page, max=-1, wiki=tracker
page selector tpl) /} !To change the info of the page {TRACKER(trackerId=88, fields=387:389,
view=page)}Info has been changed{TRACKER}
```

3. To get this code to work with your tracker, you will need to replace trackerId=88 with the specific number for your tracker. To find your tracker ID#, go to your Admin Tracker page and to the left of the tracker name is the Tracker Id#.

4. You will also need to replace fields=387:388:389, with the specific fields for your tracker. To find your tracker field#'s, go to your Admin Tracker page, click on the tracker that you are working with, and then click on this button at the top of the page "Edit this Trackers fields". On this next page, to the left of each tracker field is the tracker field Id#.

The first time, the page will look like this:

## tracker page selector

page id: 009

**tracker88**

### To change the info of the page



meta tag 1

meta tag 2

and would look like this after the info is entered

# tracker page selector

page id: 009



tracker88

Your page Tags

TAG1	my first header
TAG2	my second header

To change the info of the page

meta tag 1

my first header

meta tag 2

my second header

Save

The plugin TRACKERLIST uses the functionality called pretty-tracker that use a wiki page to display the content of an item

The wiki page '*tracker page selector tpl*' contains:

Your page Tags ||TAG1|{{f\_387}} TAG2|{{f\_389}}||

Aliases

[Page Tracker](#)

Related

Feature request which motivated this development: [Infoboxes like MediaWiki/Wikipedia, but making use of trackers to be future-proof](#)