

# Structures Admin

## Managing Structures

To manage your Wiki structures, select **Wiki > Structures** from the menu.

- In version 1.9, this menu option is available only if you have the **tiki\_p\_edit\_structures** permission.
- In version 2.0, this menu option is available to all users, but the **Create new structures** area is available only if you have the **tiki\_p\_edit\_structures** permission.

Starting with version 2.0, the ability to remove, create webhelp, and dump tree (see description of these functions below) respects the permissions (whether object or category) set on the structures 'root' page. Users must have **edit** rights on this 'root' page to access these functions. The ability to view/access in the listing, also respects the permissions (whether object or category) set on the structures 'root' page.

In 1.10, activation of the "create webhelp" feature is also controlled by an option in the admin [Wiki Config](#) screen.

The screenshot displays the 'Structures' admin page. At the top, there is a header with the title 'Structures' and a sub-header 'Structures'. Below this, a table lists existing structures. The first entry is 'Feature001 (Feature Wiki)', which has icons for 'edit', 'delete', and 'help'. Below the table, the page number 'Page: 1/1' is shown. The main section is titled 'Create new structure' and includes the instruction 'Use single spaces to indent structure levels'. There are two input fields: 'Structure ID:' with a yellow background and 'Alias:' with a white background. Below these is a large text area for 'tree: (optional)'. At the bottom of the form is a 'create new structure' button.

Structure ID	
<b>Feature001 (Feature Wiki)</b>	

Page: 1/1

### Create new structure

Use single spaces to indent structure levels

Structure ID:

Alias:

tree: (optional)

## Page versus Page in a structure

If you want by default that a page opens as a part of a structure, you have to check admin-> wiki -> Open page as structure:

In this case the url `tiki-index_raw.php?page=Structures` will display the structure navigation.

If you do not check this option, the url `tiki-index_raw.php?page=Structures` will not display the structure navigation, only the url `tiki-index_raw.php?page_ref_id=104` will do it

## Structures

A list of existing structures is displayed along with the following icons:

Icon	Action	Description
	Export	Exports the wiki source the wiki pages in the structure
	Dump tree	Exports the tree of the structure suitable for copying or editing
	Remove	Deletes the structure and optionally the associated wiki pages
	Create webhelp	Generates an tree menu and static HTML pages from the structure
	View webhelp	View the generated webhelp

## Create New Structures

Use the **Create new structure** area of the Structures Admin page to create a new wiki structure.

### Create new structure

Structure ID:

Alias:

Tree:  
(optional)

 **Note**  
*Use single spaces to indent structure levels*

Field	Description
Structures ID	The wiki page that will be used as the "root" of the structure. If the page does not exist, TikiWiki will create the wiki page. Required
Alias	An alternative name for the Structures ID. By using an alias, you can create two different structures (each with a different Structures ID) that <i>appear</i> to be named identically. Optional Using an alias is helpful for creating structures with common names that will be reused (such as <b>Introduction</b> or <b>Overview</b> ) or when your structure contains 2 different names for of the same pages (ex: page: 2.1-> page: this 2.1 (alias: this) and page: 2.2 -> page:this 2.2 (alias: this) will be displayed as 2.1->this, 2.2->this ))
Tree	Use the <b>Tree</b> area to create a structure and the necessary wiki pages. TikiWiki will automatically create the necessary wiki pages and add them to the structure. See <a href="#">Creating a Tree</a> for details. Optional

## Creating a Tree

When creating a new structure, TikiWiki can automatically create the necessary Wiki pages within the structures for you. Simply add the name of each wiki page in the **Tree** field. Each line indicates a consecutive Wiki page in the structure.

- To create a child page, indent the wiki name with a space.

For example:

```
Parent Page
  Child Page
    Deeper Child Page
```

- To create an **alias** for the wiki page, append the Wiki name with **-> alias**.

For example:


```
Wikipage001 -> Introduction
```

An example of a completed **Tree** might look like this:

### Tree Example

```
Wiki -> Introduction
      Using Wiki Pages
        Wiki Links
        Wiki Lists
        Wiki Images
      Wiki Text Formatting
      Wiki Special Characters
      Wiki Admin -> Administration
        Wiki Details
```

To create a new structure upon this dump tree, you would need to add just the structure name, and optionally an alias. In this example, the form to create a new structure would look like:



### Categorize the Structure

When you create a structure you have (if the [categories](#) feature is active) the opportunity to categorize the whole structure.

Note: In what appears to be a [bug](#) you cannot re-categorize a whole structure after creation.

If you are using the **staging and approval system** Wiki Page Staging and Approval, you will FIRST have to remove the existing category (the approved one) from the structure before assigning your structure to the new category.

- Otherwise the permissions from the new category will not be regarded, even if you enabled the "Permission to all (not just any) of an object's categories is required for access" under tiki-admin.php?page=category.

### Assign Permissions to the Structure

If you want to set object specific permissions to the pages of a certain structure, you will have to remove the existing category, too.

- Otherwise the object specific permissions won't override the ones given by the approved-category. So the warning "*These permissions override any global permissions or category permissions affecting this object.*" will not affect in case of using the staging and approval!

## List of Structures

After you create this structure, you'll have a nine page group of wiki pages, including whatever amount of those pages that were already created in the same Tiki site. And you will see the structure listed like:



Structure ID	
<b>Feature001 (Feature Wiki)</b>	   

If you click on the name of the new structure created ("*Feature001 (Feature Wiki)*", in this example), then you will be able to manage the structure: move nodes, add brand new pages to it or from existing pages in the same Tiki (see further down), and you will be able to see the structure layout:

## Structure Layout

- Feature001(Feature Wiki) [view |edit]
- 1 [Wiki\(Introduction\)](#) [x] [view |edit]
  - 1.1 [Using Wiki Pages](#) [x] [view |edit]
    - 1.1.1 [Wiki Links](#) [x] [view |edit]
    - 1.1.2 [Wiki Lists](#) [x] [view |edit]
    - 1.1.3 [Wiki Images](#) [x] [view |edit]
    - 1.1.4 [Wiki Text Formatting](#) [x] [view |edit]
    - 1.1.5 [Wiki Special Characters](#) [x] [view |edit]
  - 1.2 [Wiki Admin\(Administration\)](#) [x] [view |edit]
  - 1.3 [Wiki Details](#) [x] [view |edit]


For instance, if you click on the **view** link, next to "1. Wiki(Introduction)" node, you will see the page "Wiki", named as "Introduction", with all the navigation aids at the top of the page.



If you add a "toc" ("table of contents" tag) to that page (regardless that you are at the root page of the structure or not), you will see the table of contents for that page (Wiki). For instance, adding this code to the page:

```
{toc shownum=1 }
```

would produce a numbered table of contents of the child pages starting from this node (but not the ones in the same level as this page or higher levels):



**Tip\_:** See [Structure User](#) for more information on the `toc__` tag syntax and optional parameters allowed.

When your user belongs to a group with the permission "tiki\_p\_edit\_structures", you will see a mini-form on each navigation bar to create new pages if needed just after this one, or as child pages from this one if you select the "Child" check box next to it (see example just above).

When you are not logged in, or a user in groups without this permission, you would see a plain


navigation bar on top of each page:



The following sections explains you how to create, delete, move, and re-prioritize the pages in your structure


## Editing an Existing Structure

Select a Structure from the list to open the 'modify structure' page. In this example, it is "*Feature001 (Feature Wiki)*", as seen from the list of structures:



In 1.10, the ability to edit an existing structure respects the permissions (whether object or category) set on the structures 'root' page. So a user must have edit rights on that 'root' page to be able to edit the structure. A user with view rights but no edit rights on that 'root' page will be able to access the structure tree, but not edit it.

The form at the top of 'Modify Structure' page (**tiki-edit\_structure.php?page\_ref\_id=1**, in our example) indicates the current node. The default selected node is the structures 'root' page. Select an alternative structure node to edit from the 'Structure Layout' tree at the bottom of the page (selected "*Using Wiki Pages*" node in this example):



Use the 'Update' button to add or update the current nodes 'Page alias'.

Use the navigation buttons to move the current node to a different position within the 'Structure Layout'. The current node will be highlighted in bold (except the root node, which is never highlighted).

## Adding Pages to Current Node

Any pages that you add will be added as sub-pages to the 'current node' and inserted after the page indicated by 'After Page'.

- If you enter a Wiki name in the 'create page' field, a new Wiki page of this name will be created. If populated, this field takes precedence over the 'Use pre-existing page' field.
- The 'Use pre-existing page' field allows the user to insert one or more existing pages. The filter field can be used to restrict the set of existant pages.

## Structure Layout

The 'Structure Layout' provides links to:

- View the referenced wiki page: Only if you have the relevant permissions
- Edit the referenced wiki page: Only if you have the relevant permissions
- Remove the page reference from structure: If you click 'x' to remove a page, the system will ask if you want to remove the page from the structure or if you want to remove the page completely.

Note that if the page being removed has subpages, all the subpages will be removed recursively from the structure. (The underlying wiki pages will also be removed if you choose the 'remove page too' option)

## Table Of Contents

See [Structure User](#) for more information on the table of contents syntax (using the **toc** tag) and optional parameters allowed.

## Slide Show

If the [slideshows feature](#) is enabled, selecting the 'slides' button from the page bar will display structure pages as slideshows!

## PDF Creation

If the pdf-creation feature is enabled, selecting the 'pdf' icon whilst viewing a structure page will populate the pdf document with the relevant wiki pages from the structure. (chris.holman: Aliases and toc items dont work at present)

## Webhelp

The basic idea is to generate a WebHelp from a Tiki Structures (Structure = a tree of wiki pages as you know)

From the structures menu you will see a button to create a webhelp (🗑).

The webhelps are created in whelp/\$name where name is configurable and defaulted to the name of the root of the structure.

The generated webhelp is a static representation of the structure with a js tree that can be used to navigate the structure and a search function, print function, history and some other gizmos.

This feature aims to allow distributing whatever documentation you create through structures at your Tiki site in an usable format for users. Since structures can be re-created whenever you want, you can also keep an online version in your site updated quite easily.

Example of Usage:

- <http://themes.tiki.org/whelp/Tiki%20Transforming/index.html>

## Structures Watch

Tikiwiki >=1.10

A user can watch a structure or a sub-structure, if he has the permission `tiki_p_watch_structure`. He will watch all the pages in the sub-tree that has the watched page as root.

He will receive a notification email each time a page in the sub-tree is changed or a page is removed from the sub-tree or inserted into the sub-tree.

### Quirk in creating Structures in 1.9.1

If you are using simple wordpad like file app to create a simple structure and you indent more that one space from one level to the next, it will create anything below that line with more than one space indent as a separate structure. Watch your spaces.

## Structure in a module

It is possible to put a structure in a module by using the smarty syntax  
`{wikistucture id=1}`

With `tw >=4.0`, it is possible to represent a structure like a menu, and so to use all the menus feature, like display as a css/suckerfish menu or highlight the current page

`{menu structureId=1}` to display a structure like a tiki collapseable menu

`{menu structureId=1 css=y type=vert}` to display a structure like a suckerfish menu

By using the parameter `menu_cookie=n` you can also have an automatic open/close of the section of the structure the displayed page is in. This option overpasses the open options memorizes during navigation by the cookies.

With `tw = 6.1`, the following works nicely:

Go to the Admin Modules page, click on the User Modules tab, and in the 'Create new user module' 'Objects that can be included' window select the Wiki Structure you want from the drop down list and

click the green '+' button. This will insert {wikistrucre id=123} into the wiki-syntax box. Take note of the actual number on your system (which is unlikely to be '123'), as I don't know of any other way of finding out your structure's number. If you want your structure navigation to wrap nicely, do these next steps.

Replace {wikistrucre id=123} with {menu structureId=123 css=y type=vert}

Enter the name, title etc and Save

Click on the Assign/Edit modules tab.

In the Assign new module section, in the drop-down box, click on the module name you just created.

Then fiddle with the order, perhaps move the other modules on the left side to the right side, save it, and you have a nice navigation system.

More documentation is needed re further current options, but the above looks quite nice and will suit many needs. I couldn't get the menu\_cookie=n parameter to work.

### Create a Menu from a structure toc

You can create [Menus](#) from structure table of contents by means of several ways:

- [Module menu](#)
- [Module wikistrucre](#) , which allows vertical menus from a structure toc
- [Module menupage](#) plus hand written inclusion of structure tocs for a specific structId

## Drag & drop edition (Tiki9)

In [Tiki9](#) pages can be moved position in the structure through drag and drop:

### Modify Structure:

Structures

#### Structure Layout

Top Alias:  Update

1. Tutorials	Page alias...	    
1. Tutorial: Registration and Login	Page alias...	    
2. Editing Wiki Pages	Page alias...	    
1. Lost edit	Page alias...	    
3. Menu HOWTO	Page alias...	    
4. Tutorial: Navigating Maps	Page alias...	    
5. Create a profile	Page alias...	    

#### Related pages

- [Structures](#)
- [Structure User](#)
- [Structure Details](#)